

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [AUTOSAVER88](#) /
- › [AUTOSAVER88 Soft Tri-fold Truck Bed Tonneau Cover Instruction Manual for Toyota Tacoma 2024-2026 5ft Bed](#)

AUTOSAVER88 MAAUT4gduv

AUTOSAVER88 Soft Tri-fold Truck Bed Tonneau Cover

Model: MAAUT4gduv | For Toyota Tacoma 2024-2026 5ft Bed (Excl. Trail Edition)

Instruction Manual

1. PRODUCT OVERVIEW

The AUTOSAVER88 Soft Tri-fold Tonneau Cover is designed to provide protection and a sleek appearance for your Toyota Tacoma 2024, 2025, or 2026 model with a 5ft bed (excluding Trail Edition). Constructed from reinforced UV and cold-resistant PVC materials, this cover guards your cargo against various weather conditions. Its unique clamp design ensures a secure fit and strong sealing, while the tri-fold mechanism allows for convenient cargo access.

2. SAFETY PRECAUTIONS

- Always ensure the tonneau cover is properly secured before driving to prevent accidental opening and potential damage or injury.
- Do not overload the truck bed or place items that could interfere with the cover's operation.
- Exercise caution when folding or unfolding the cover to avoid pinching fingers or hands.
- Regularly inspect the cover and its components for wear, damage, or loose parts. Replace any damaged components immediately.
- Keep children and pets away from the truck bed area during installation and operation.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Soft Tri-fold Tonneau Cover Assembly
- Mounting Hardware (Clamps, Bolts, Safety Buckle with Aluminum Safety Rope)
- Weather Stripping (if applicable)
- Instruction Manual

4. PRODUCT SPECIFICATIONS

Feature	Specification
Brand	AUTOSAVER88

Style	Folding
Exterior Finish	Vinyl
Material	Polyvinyl Chloride (PVC)
Lock Type	Tailgate
Item Weight	27.8 pounds
Product Dimensions	65.15 x 23.62 x 4.52 inches
Model Number	MAAUT4gduv
Automotive Fit Type	Vehicle Specific Fit

5. INSTALLATION GUIDE

5.1 Pre-Installation Steps

Before installing the tonneau cover, it is crucial to confirm your truck bed size and ensure compatibility. Measure your truck bed length from the bulkhead (the front of the bed, closest to the cab) to the tailgate when closed.



Figure 5.1: Measure your truck bed length from bulkhead to tailgate to confirm the correct model.



Figure 5.2: Confirm the tonneau cover size. This model fits 5ft (60.5 inches) beds only.

5.2 Step-by-Step Installation

The AUTOSAVER88 Soft Tri-fold Tonneau Cover features a no-drilling installation process. Follow these steps carefully:

1. Unpack the tonneau cover and all mounting hardware. Place the cover on the truck bed, ensuring it is centered and aligned with the bed rails.
2. Position the front clamps. These clamps secure the front section of the cover to the truck bed rails. Tighten them firmly but do not overtighten.
3. Unfold the middle section of the cover.
4. Secure the rear clamps. The rear clamps are designed with a new release bolt to prevent springing and ensure a strong seal. Attach the safety buckle with the aluminum safety rope.
5. Ensure all clamps are properly engaged and tightened. Check the sealing along the bed rails to prevent water intrusion.

Your browser does not support the video tag.

Video 5.1: Official installation guide for the AUTOSAVER88 Soft Tri-fold Truck Bed Cover, demonstrating the process for utility track systems.



Figure 5.3: Detail of the unique clamp design, featuring a release bolt for secure fastening.



Figure 5.4: The clamp mechanism ensures a tight and secure fit against the truck bed.

6. OPERATING INSTRUCTIONS

6.1 Folding and Unfolding the Cover

The tri-fold design allows for easy access to your truck bed cargo.

1. To fold the cover, release the rear clamps.
2. Fold the rear section towards the cab.
3. Release the middle clamps and fold the entire cover towards the cab.
4. Secure the folded cover using the integrated straps to prevent it from unfolding during transit.
5. To unfold, release the straps and carefully extend the cover back over the truck bed, securing each section with its respective clamps.



Figure 6.1: The tri-fold design allows for easy partial or full opening of the truck bed.



Figure 6.2: When fully folded, the cover is secured to allow for maximum bed access.

7. CARE AND MAINTENANCE

- **Cleaning:** Clean the tonneau cover regularly with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the vinyl material. Rinse thoroughly and allow to air dry.
- **Inspection:** Periodically check all clamps, hinges, and seals for proper function and tightness. Ensure the weather stripping is intact and providing a good seal.
- **UV Protection:** While the cover is UV-resistant, applying a UV protectant designed for vinyl can help prolong its life and maintain its appearance, especially in sunny climates.
- **Winter Care:** In snowy or icy conditions, gently remove snow and ice from the cover before attempting to fold it. Do not use sharp objects to scrape ice.

8. TROUBLESHOOTING COMMON ISSUES

- **Water Leakage:** If you notice minor water leakage, first check that the cover is properly aligned and all clamps are securely tightened. Ensure the weather stripping is correctly installed and not damaged. Adjust the position of the cover on the bed rails if necessary to achieve a better seal.
- **Cover Not Latching Securely:** Verify that the cover is correctly positioned on the bed rails and that no obstructions are preventing the latches from engaging fully. Adjust the tension of the clamps if they feel too loose or too tight.
- **Difficulty Folding/Unfolding:** Ensure there are no items in the truck bed obstructing the folding mechanism. Check for any debris in the hinges or along the rails that might impede movement.

9. WARRANTY AND CUSTOMER SUPPORT

AUTOSAVR88 products are manufactured to high-quality standards. For specific warranty information, please refer to the documentation included with your purchase or visit the official AUTOSAVR88 website. If you encounter any issues or require assistance with installation, operation, or maintenance, please contact AUTOSAVR88 customer support for expert guidance.