

[Manuals.plus](#) /

› [Hariendny](#) /

› Hariendny Tiny Grommets Eyelets Instruction Manual

## Hariendny 599523\_1\_FTzFa59Wk

# Hariendny Tiny Grommets Eyelets Instruction Manual

Model: 599523\_1\_FTzFa59Wk

---

## INTRODUCTION

---

Thank you for choosing Hariendny Tiny Grommets Eyelets. This kit provides 100 sets of durable metal eyelets designed for various craft and repair projects. Made from high-quality iron alloy with an antique bronze finish, these grommets offer reliable and professional results for your DIY needs.



Image: Overview of the Hariendny Tiny Grommets Eyelets kit, showing the individual grommets and washers, and how they fit together.

## PRODUCT SPECIFICATIONS

The Hariendny Tiny Grommets Eyelets are precisely manufactured to ensure a perfect fit for your projects.

- **Material:** High-quality Iron Alloy with Antique Bronze finish
- **Eyelet Inner Diameter:** Approximately 3mm (0.12 inches)
- **Eyelet Outer Diameter:** Approximately 6mm (0.24 inches)
- **Eyelet Height:** Approximately 4mm (0.16 inches)
- **Washer Inner Diameter:** Approximately 3.6mm (0.14 inches)
- **Washer Outer Diameter:** Approximately 5.7mm (0.22 inches)
- **Total Quantity:** 100 sets (100 eyelets + 100 washers)
- **Product Dimensions (Packaging):** 3.15 x 3.15 x 0.39 inches
- **Item Weight:** 0.634 ounces
- **Model Number:** 599523\_1\_FTzFa59Wk

# Product Size



Image: Detailed dimensions of the grommets and washers for accurate project planning.

## VERSATILE APPLICATIONS

These grommets are ideal for a wide range of repair and crafting projects, providing a secure and professional finish.

- Repairing tents, tarps, and canvas
- Adding eyelets to clothing and fabrics
- Enhancing leather goods, bags, and shoes
- Creating custom tags and DIY crafts
- Reinforcing holes in various materials

# Widely Used



Image: Examples of common applications for the grommet kit, demonstrating its versatility.

## INSTALLATION GUIDE

### Setup

Before beginning installation, ensure you have the necessary tools. A grommet setting tool or pliers specifically designed for eyelets of this size (3mm/1/8") is recommended for best results. Prepare the material by marking the desired location for the grommet.

### Operating (Installation Steps)

1. **Prepare the Hole:** Create a small hole in your material at the marked spot. The hole should be slightly smaller than the grommet's inner diameter to ensure a snug fit. A punch tool can be used for this step.
2. **Position the Grommet:** Place the grommet (the part with the longer barrel) through the hole from the front side of your material.
3. **Add the Washer:** Place the washer (the flat ring) onto the back of the grommet's barrel, ensuring it sits flush against the material.
4. **Secure with Tool:** Use your grommet setting tool or pliers. Carefully align the tool with the grommet and washer. The tool will flare the barrel of the grommet over the washer, securing it in place.
5. **Important Tip:** When using pliers, pay close attention to the alignment between the button hole and the pliers. Incorrect alignment can damage the grommet or result in a poor installation. Always check

alignment carefully before applying pressure.



## Grommet Rivets

Image: Visual guide for installing grommets using a specialized tool on a material like a belt.

### MAINTENANCE AND CARE

High-quality grommets are made from high-quality iron alloy with an advanced baking paint treatment for excellent anti-rust performance. To ensure their longevity and appearance:

- Store unused grommets in a dry environment to prevent moisture exposure.
- Avoid harsh chemicals or abrasive cleaners on installed grommets, as this may damage the finish.
- If grommets become dirty, gently wipe them with a soft, damp cloth.

### TROUBLESHOOTING

If you encounter issues during installation, consider the following:

- **Grommet not securing properly:** Ensure the hole size is appropriate. If the hole is too large, the grommet may not crimp effectively. If too small, the grommet may not pass through cleanly. Verify that the setting tool is correctly aligned and applying even pressure.
- **Damaged grommet during installation:** This often occurs due to incorrect tool alignment or

excessive force. Re-check the alignment of your setting tool with the grommet and washer before applying pressure. Practice on scrap material if unsure.

- **Grommet appears loose:** Ensure the material is not too thick for the grommet's barrel length. The barrel needs sufficient length to flare over the washer. Also, confirm that enough pressure was applied during setting.

## PACKAGING INFORMATION

Your Hariendny Tiny Grommets Eyelets kit comes securely packaged to ensure the product arrives in excellent condition.




Image: The product packaging, showing the Hariendny brand and essential details.

## MANUFACTURER INFORMATION

**Manufacturer:** Hariendny-599523\_1us

**Date First Available:** September 4, 2024

For further inquiries or support, please refer to the seller's contact information on the platform where the product was purchased.