

onerbl THX-120400KV

onerbl AC-DC Adapter THX-120400KV User Manual

Model: THX-120400KV

Safety Information	Setup	Operation	Maintenance Support	Troubleshooting	Specifications	Warranty &
------------------------------------	-----------------------	---------------------------	---	---------------------------------	--------------------------------	--------------------------------

INTRODUCTION

This manual provides essential instructions for the safe and efficient use of your onerbl AC-DC Adapter, model THX-120400KV. This replacement power supply is designed to convert AC power into the DC power required by compatible devices, such as Cristal THX-120400KV, THX-012400KBB, THX012400KBB, and Argos Ltd MK9 2NW mini-fridges (4L and 6L models). Please read this manual thoroughly before use and retain it for future reference.

SAFETY INFORMATION

To ensure safe operation and prevent damage, observe the following precautions:

- Use the adapter only with devices that match its voltage and current specifications. Refer to your device's manual for compatibility.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to severe impact.
- Do not attempt to open, modify, or repair the adapter. Refer all servicing to qualified personnel.
- Ensure the power outlet is easily accessible and unplug the adapter during electrical storms or when unused for long periods.
- Keep the adapter away from children.
- Always grasp the plug, not the cord, when disconnecting from the power outlet.

SETUP INSTRUCTIONS

Follow these steps to correctly set up your AC-DC adapter:

1. **Verify Compatibility:** Before connecting, confirm that your device requires a 12V DC input and that the adapter's output plug matches your device's input port. This adapter is specifically designed for Cristal THX-120400KV, THX-012400KBB, THX012400KBB, and Argos Ltd MK9 2NW mini-fridges (4L and 6L models).

2. **Connect to Device:** Insert the DC output plug of the onerbl adapter firmly into the power input port of your mini-fridge or compatible device.
3. **Connect to Power Outlet:** Plug the AC input cord of the adapter into a standard AC 100-240V 50/61Hz electrical wall outlet.
4. **Power On Device:** Once connected, you may power on your device according to its own operating instructions.



Image: The onerbl AC-DC Adapter, showing its input and output connections. The adapter is black with a standard AC plug on one end and a DC barrel connector on the other, suitable for mini-fridges.

OPERATION

The onerbl AC-DC Adapter operates automatically once connected to a power source and a compatible device. It converts the incoming AC voltage to the required DC voltage for your device. The adapter features built-in over-voltage and over-heat protection to safeguard both the adapter and your connected equipment. No user intervention is required during normal operation.

Ensure the adapter is placed in a well-ventilated area to prevent overheating, although it is designed with heat protection. Do not cover the adapter during use.

MAINTENANCE

Proper maintenance ensures the longevity and reliable performance of your adapter:

- **Cleaning:** Disconnect the adapter from both the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or aerosols.

- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and moisture. Avoid tightly winding the cord to prevent damage.
- **Inspection:** Periodically inspect the adapter and its cables for any signs of damage, such as frayed wires, cracked casing, or bent pins. If damage is observed, discontinue use immediately and replace the adapter.

TROUBLESHOOTING

If you encounter issues with your onerbl AC-DC Adapter, refer to the following table for common problems and solutions:

Problem	Possible Cause	Solution
Device not powering on.	Adapter not properly connected. Power outlet not functioning. Device compatibility issue.	Ensure both ends of the adapter are securely plugged in. Test the power outlet with another device. Verify the adapter's specifications match your device's requirements.
Adapter feels excessively hot.	Poor ventilation. Overload or internal fault.	Ensure the adapter is in a well-ventilated area and not covered. Disconnect immediately. If the issue persists, replace the adapter.
Intermittent power to device.	Loose connection. Damaged cable.	Check all connections for tightness. Inspect the cable for visible damage. If damaged, replace the adapter.

If troubleshooting steps do not resolve the issue, contact customer support.

SPECIFICATIONS

Feature	Detail
Brand	onerbl
Model Number	THX-120400KV
Input Voltage	AC 100-240V, 50/61Hz (Worldwide AC Input)
Output Voltage/Current	<i>(Specific output details not provided in input, typically 12V DC for compatible mini-fridges)</i>
Protection Features	Over Voltage Protection, Over Heat Protection
Compatible Devices	Cristal THX-120400KV, THX-012400KBB, THX012400KBB, Argos Ltd MK9 2NW Plug Ideal Mini-Fridges (4L, 6L)
Manufacturer	Shenzhen Waweis Technology Co., Ltd

WARRANTY AND SUPPORT

This onerbl AC-DC Adapter is covered by a standard manufacturer's warranty against defects in materials and workmanship. For specific warranty terms and conditions, please refer to the documentation provided with your purchase

or contact your retailer.

For technical support, troubleshooting assistance, or warranty claims, please contact the seller or manufacturer directly. Keep your purchase receipt as proof of purchase.

© 2023 onerbl. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0DC9RT7SL>

More documents and user manuals: <https://manuals.plus/>