

[Manuals.plus](#) /

› [Maclean](#) /

› Maclean MC-443 Suspension Hooks Instruction Manual

Maclean MC-443

Maclean MC-443 Suspension Hooks Instruction Manual

Model: MC-443 | Brand: Maclean

[Overview](#)

[Setup](#)

[Operation](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Warranty & Support](#)

1. PRODUCT OVERVIEW

The Maclean MC-443 Suspension Hooks are designed for efficient and secure storage in various environments, including garages and homes. Constructed from high-quality steel, these hooks provide a robust solution for organizing a wide range of items. Each hook is capable of safely supporting items up to 50 kg. Key features include a simple installation process and a protective rubberized surface to prevent damage to your stored items.



Image 1.1: The Maclean MC-443 suspension hook, featuring a black mounting plate and orange rubberized arms.

2. SETUP AND INSTALLATION

Proper installation is crucial for the safe and effective use of your Maclean MC-443 hooks. Please follow these steps carefully.

2.1. Package Contents

Before beginning installation, ensure all components are present:

- Maclean MC-443 Suspension Hook(s)
- Mounting hardware (screws and wall anchors)



Image 2.1: The MC-443 hook shown with included screws and wall anchors for installation.

2.2. Recommended Tools (Not Included)

- Drill
- Drill bit appropriate for wall anchors and screws
- Pencil
- Measuring tape
- Level
- Screwdriver (Phillips head recommended)

2.3. Installation Steps

1. **Select Location:** Choose a suitable wall location, ensuring it is structurally sound and free from electrical wires or plumbing.
2. **Mark Drilling Points:** Hold the hook's mounting plate against the wall at the desired height. Use a pencil to mark the positions for the two mounting holes. Use a level to ensure the hook will be

straight.

3. **Drill Holes:** Using the appropriate drill bit for your wall type and the provided anchors, drill holes at the marked positions.
4. **Insert Wall Anchors:** Gently tap the wall anchors into the drilled holes until they are flush with the wall surface.
5. **Mount the Hook:** Align the mounting plate of the hook with the installed wall anchors. Insert the screws through the hook's mounting holes and into the wall anchors. Tighten the screws firmly with a screwdriver until the hook is securely fastened to the wall. Do not overtighten.



Image 2.2: Side view of the MC-443 hook, illustrating its profile for wall mounting.

3. OPERATION AND USAGE

The Maclean MC-443 hooks are designed for straightforward use to maximize your storage space.

- **Weight Limit:** Do not exceed the maximum load capacity of 50 kg per hook. Overloading can lead to damage to the hook, the wall, or personal injury.
- **Item Placement:** Hang items evenly across the hook's arms to distribute weight and maintain

stability.

- **Protective Surface:** The rubberized coating on the hook arms helps protect your items from scratches and prevents them from slipping.



Image 3.1: Multiple MC-443 hooks used to organize tools and equipment in a garage or workshop setting.




Image 3.2: An MC-443 hook securely holding a shovel on a wooden wall, demonstrating its utility for garden tools.



Image 3.3: An MC-443 hook used to neatly store a coiled garden hose on an exterior wall.

4. MAINTENANCE

To ensure the longevity and continued safe operation of your Maclean MC-443 hooks, periodic maintenance is recommended.

- **Cleaning:** Wipe the hooks with a damp cloth to remove dust and dirt. Avoid abrasive cleaners that could damage the finish or rubberized coating.
- **Inspection:** Regularly check the hooks and mounting screws for any signs of wear, damage, or loosening.
- **Tighten Screws:** If screws appear loose, carefully tighten them to ensure the hook remains securely attached to the wall.

5. TROUBLESHOOTING

If you encounter any issues with your Maclean MC-443 hooks, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
Hook feels loose on the wall.	Mounting screws are loose or wall anchors are not secure.	Tighten the mounting screws. If the problem persists, the wall anchors may need to be re-seated or replaced with more suitable ones for your wall type.
Items slip off the hook.	Item is too heavy, improperly balanced, or the rubberized coating is damaged.	Ensure the item's weight does not exceed 50 kg. Distribute weight evenly. Inspect the rubberized coating for damage; if severely worn, consider replacing the hook.
Hook appears bent or damaged.	Overloading or impact.	Immediately remove any items from the hook. Do not use a damaged hook. Replace it with a new one to prevent accidents.

6. PRODUCT SPECIFICATIONS

Detailed specifications for the Maclean MC-443 Suspension Hook:

- **Model Number:** MC-443
- **Material:** Steel (Stahl)
- **Color:** Black/Orange
- **Product Dimensions (L x W x H):** 13 x 13 x 5.5 cm
- **Item Weight:** 200 Grams
- **Maximum Load Capacity:** 50 Kilograms
- **Mounting Type:** Wall Mount
- **Finish Type:** Powder Coating
- **Special Feature:** Rubberized Surface (Gummierte Oberfläche)
- **Recommended Use:** Garage, Home Storage
- **Included Components:** Mounting accessories (Montagezubehör)
- **Country of Origin:** China


MC-443**MC-444****MC-442**

Image 6.1: Dimensional comparison of Maclean hook models MC-443, MC-444, and MC-442. The MC-443 measures approximately 13 cm in height and 13 cm in arm length, with a 5.5 cm width between arms.

7. WARRANTY AND SUPPORT

Maclean products are manufactured to high-quality standards. For specific warranty details, please refer to the packaging or contact your retailer. If you require technical assistance or have questions regarding your product, please visit the official Maclean website or contact their customer support department.

Official Maclean Website: www.maclean.pl (Example link, actual link may vary)