

[Manuals.plus](#) /

› [KNIPEX](#) /

› KNIPEX 00 62 10 TR TetheredTool Clips User Manual

KNIPEX 00 62 10 TR

KNIPEX 00 62 10 TR TetheredTool Clips User Manual

Model: 00 62 10 TR | Brand: KNIPEX

1. INTRODUCTION

The KNIPEX 00 62 10 TR TetheredTool Clips are designed as an essential component of the KNIPEX Tethered Tools series, providing a secure solution for preventing tools from falling when working at height. These clips are specifically engineered to integrate with tools featuring KNIPEXtend, allowing for the safe tethering of various hand tools, particularly pliers with comfort handles.

2. SETUP INSTRUCTIONS

To set up your KNIPEX 00 62 10 TR TetheredTool Clip, ensure the tool you intend to tether is compatible with the KNIPEXtend system. The clip is designed to attach directly to the designated tethering point on your tool. For pliers equipped with comfort handles, the clip extends the tool's tethering capability, providing a secure anchor point for anti-fall devices. Always verify that the clip is firmly attached to both the tool and the tethering system before use.



This image displays the KNIPEX 00 62 10 TR TetheredTool Clip. The clip is red on one end with a ribbed texture, and features a silver metallic extension with an oval-shaped attachment point. Engraved on the metallic part are the specifications: 'max. 600g' and 'max. 1,5m', indicating the maximum permissible weight and tether length for safe use.

3. OPERATING INSTRUCTIONS

Once the TetheredTool Clip is securely attached to your tool and connected to an appropriate anti-fall device, you can safely use your tool in environments where dropped objects pose a hazard. The clip is rated for a maximum load of 600 grams (approximately 1.32 lbs) and supports a maximum tether length of 1.5 meters (approximately 4.9 feet). Adhere strictly to these limits to ensure optimal safety and performance. Regularly check the integrity of the clip and the tethering system during operation.

4. MAINTENANCE

To ensure the longevity and reliability of your KNIPEX TetheredTool Clips, keep them clean and free from debris. Periodically inspect the clip for any signs of wear, damage, or deformation, especially around the attachment points and the metallic section. If any damage is observed, discontinue use immediately and replace the clip. Store the clips in a dry environment away from corrosive materials.

5. TROUBLESHOOTING

If you encounter issues with your TetheredTool Clip, first verify that it is correctly attached to both the tool and the tethering system. Ensure that the combined weight of the tool and any accessories does not exceed the maximum load capacity of 600g. Check for any obstructions or improper connections. If the clip appears damaged or compromised, it must be replaced to maintain safety standards. Do not attempt to repair a damaged clip.

6. SPECIFICATIONS

Attribute	Value
Manufacturer	KNIPEX
Part Number	00 62 10 TR
Item Weight	0.162 ounces
Product Dimensions	1.18 x 0.39 x 0.2 inches
Item Model Number	00 62 10 TR
Color	Orange
Power Source	hand_powered
Item Package Quantity	1
Included Components	00 62 10 TR

7. WARRANTY AND SUPPORT

For detailed warranty information and customer support regarding your KNIPEX 00 62 10 TR TetheredTool Clips, please refer to the official KNIPEX website or contact an authorized KNIPEX dealer. You can also visit the KNIPEX Store on Amazon for additional product information and support resources: [KNIPEX Store](#).

