

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Duravit](#) /
- › [Duravit No.1 60-inch Alcove Acrylic Soaking Tub \(Model 700653-R\) User Manual](#)

Duravit 700653-R

Duravit No.1 60-inch Alcove Acrylic Soaking Tub

MODEL: 700653-R

1. Introduction

This manual provides essential information for the safe installation, operation, and maintenance of your Duravit No.1 60-inch Three Wall Alcove Acrylic Soaking Tub, Model 700653-R. Please read all instructions carefully before installation and use to ensure proper function and longevity of the product. Retain this manual for future reference.



Image 1.1: Duravit No.1 60-inch Alcove Acrylic Soaking Tub, White finish.

2. Safety Information

WARNING: Failure to follow these safety instructions could result in injury or property damage.

- Installation must be performed by a qualified professional in accordance with all local plumbing and building codes.
- Ensure the floor structure can support the weight of the tub filled with water and a bather.
- Do not use abrasive cleaners, solvents, or harsh chemicals on the acrylic surface, as this may cause damage.
- Always test water temperature before entering the tub to prevent scalding.
- Supervise children and individuals with limited mobility when using the bathtub.
- The tub is designed for soaking only; do not use it for purposes other than intended.

3. Package Contents




Image 4.2: Top view dimensions of the Duravit No.1 60-inch soaking tub, illustrating overall length (60 inches), overall width (30 inches), and drain hole placement.

4.3 Installation Steps (Summary)

1. **Prepare the Alcove:** Ensure the three walls forming the alcove are plumb, square, and properly reinforced.
2. **Install Drain Assembly:** Connect the separately purchased drain assembly to the tub's drain opening according to the manufacturer's instructions for the drain.
3. **Position the Tub:** Carefully slide the tub into the alcove, ensuring the integral tiling flanges are flush against the wall studs.
4. **Level the Tub:** Use shims if necessary to ensure the tub is perfectly level.
5. **Secure the Tub:** Fasten the integral tiling flanges to the wall studs using appropriate fasteners.
6. **Connect Plumbing:** Connect the drain assembly to the main waste pipe. Perform a leak test by filling the tub with water and checking all connections.
7. **Waterproofing and Finishing:** Apply a waterproof sealant along the tiling flanges and proceed with wall finishing (e.g., tiling) to create a watertight seal.

This tub complies with ADA standards when installed according to specific guidelines. Consult ADA guidelines for detailed installation requirements.

5. Operating Instructions

The Duravit No.1 soaking tub is designed for a relaxing bathing experience.

- **Filling the Tub:** Ensure the drain stopper is closed. Begin filling the tub with water to your desired level. The integrated overflow assembly prevents overfilling beyond the maximum water capacity of 48 gallons.
- **Water Temperature:** Always check the water temperature before entering the tub to avoid burns.
- **Draining the Tub:** Open the drain stopper to allow water to flow out.

6. Maintenance and Cleaning

Proper care will maintain the beauty and finish of your acrylic tub.

- **Regular Cleaning:** Clean the tub regularly with a soft cloth or sponge and a non-abrasive, mild liquid cleaner specifically designed for acrylic surfaces.

- **Avoid Harsh Chemicals:** Do not use abrasive powders, scouring pads, steel wool, or cleaners containing ammonia, acetone, or harsh acids, as these can scratch or dull the acrylic finish.
- **Stain Removal:** For stubborn stains, use a diluted solution of white vinegar and water, or a specialized acrylic stain remover. Rinse thoroughly after cleaning.
- **Prevent Scratches:** Avoid dropping sharp or heavy objects into the tub. Do not use the tub as a work surface.
- **Drain Maintenance:** Periodically clean the drain assembly to prevent clogs.

7. Troubleshooting

This section addresses common issues you might encounter with your soaking tub.

- **Slow Drainage:**
Possible Cause: Clog in the drain assembly or plumbing.
Solution: Remove and clean the drain stopper. If the issue persists, a plumber may be required to clear the drain line.
- **Leaks Around Drain/Overflow:**
Possible Cause: Improperly sealed drain or overflow assembly.
Solution: This typically indicates an installation error. Contact a qualified plumber to inspect and reseal the connections.
- **Surface Scratches/Dullness:**
Possible Cause: Use of abrasive cleaners or materials.
Solution: Minor scratches on acrylic can sometimes be buffed out with a specialized acrylic repair kit. Prevent future damage by using only recommended cleaning methods.

For issues not listed here or if troubleshooting steps do not resolve the problem, please contact Duravit customer support or a qualified professional.

8. Specifications

| Feature | Specification |
|-------------------|------------------------|
| Model Number | 700653-R |
| Brand | Duravit |
| Style | Duravit No.1 |
| Material | Acrylic |
| Color | White |
| Installation Type | Three-Wall Alcove |
| Drain Placement | Right |
| Overall Length | 60 inches (1525 mm) |
| Overall Width | 30 inches (760 mm) |
| Overall Height | 18-1/8 inches (460 mm) |

| | |
|------------------------|--|
| Water Depth | 11 inches (280 mm) |
| Maximum Water Capacity | 48 Gallons |
| Item Weight | 73.4 Pounds |
| Shape | Rectangular |
| Compliance | ADA Compliant (when installed correctly) |

9. Warranty and Support

The Duravit No.1 60-inch Alcove Acrylic Soaking Tub is covered under Duravit's 5-year limited warranty for residential use and a 5-year commercial warranty. This warranty covers defects in material and workmanship under normal use and service.

For warranty claims, technical assistance, or to purchase replacement parts, please contact Duravit customer support through their official website or the retailer where the product was purchased. Please have your model number (700653-R) and proof of purchase available when contacting support.

Duravit Official Website: www.duravit.us