Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

LOEWAY LA-STGH06-08

LOEWAY King Size Metal Platform Bed Frame with Headboard Instruction Manual

1. Product Overview

The LOEWAY King Size Metal Platform Bed Frame (Model LA-STGH06-08) is designed for durability, stability, and ease of use. Crafted from engineering-grade iron alloy, it features a modern headboard, ample under-bed storage, and noise-reducing elements for a comfortable sleeping experience. This bed frame does not require a box spring.



Figure 1: Overall view of the LOEWAY King Size Metal Platform Bed Frame.

2. Safety Information

- Exercise caution when handling heavy metal components during assembly to prevent injury.
- Do not exceed the maximum weight capacity of**1200 pounds** to ensure structural integrity and user safety.
- Ensure all bolts and connections are securely tightened before use. Periodically check and re-tighten as necessary.

3. Setup and Assembly

The LOEWAY bed frame is designed for easy assembly, typically taking approximately 45 minutes. All necessary parts, tools, and detailed instructions are included in the packaging. Each part is labeled for straightforward identification.

3.1. Unpacking and Parts Identification

- Carefully unpack all components from the box.

- Verify that all parts listed in the instruction manual are present and undamaged.
- Lay out components on a soft, clean surface to prevent scratches during assembly.

3.2. Assembly Steps

Follow the step-by-step instructions provided in the included manual. Key assembly features include:

- **Mortise-and-Tenon Design:** The bed legs feature a mortise-and-tenon design, which helps prevent screws from loosening over time and ensures joints become snug with use.
- **Thick Support Legs:** The frame is supported by thick, reinforced legs for enhanced stability.



Figure 2: Illustration of easy assembly and thick support legs.



Figure 3: Detail of the mortise-and-tenon joint for secure leg attachment.

4. Operating Instructions

4.1. Mattress Placement

This platform bed frame is designed to be used without a box spring. Place your King size mattress directly onto the sturdy metal slats. The frame's design provides adequate support for your mattress.

4.2. Under Bed Storage

The bed frame offers 12 inches of clearance from the ground, providing significant space for under-bed storage. Utilize this area for storage bins, seasonal clothing, or other items to maximize your bedroom space.




Figure 4: Under-bed clearance for storage solutions.

5. Maintenance

5.1. Cleaning

To clean the metal bed frame, simply wipe it with a damp cloth. Avoid using harsh chemicals or abrasive cleaners that could damage the electrostatic spray finish.

5.2. Noise Prevention

The bed frame is equipped with EVA noise-reducing strips on the slats to prevent squeaking caused by friction. The mortise-and-tenon leg design also contributes to a noise-free experience by ensuring snug joints. If any noise occurs, check that all connections are tight and that the EVA strips are properly in place.



Figure 5: EVA noise-reducing strips on the metal slats.

6. Troubleshooting

6.1. Squeaking Noises

- **Check Connections:** Ensure all bolts and screws are securely tightened. Loose connections are a common cause of squeaking.
- **Inspect EVA Strips:** Verify that the EVA noise-reducing strips on the slats are intact and properly positioned. Replace if damaged or missing.
- **Re-seat Mattress:** Sometimes, the mattress itself can cause noise. Try lifting and re-seating the mattress on the frame.

6.2. Instability

- **Verify Assembly:** Double-check that all parts have been assembled according to the instruction manual.
- **Tighten All Fasteners:** Ensure all bolts, especially those connecting the main frame and legs, are fully tightened.
- **Level Surface:** Make sure the bed frame is placed on a flat, level surface. Uneven flooring can cause wobbling.

7. Specifications

Feature	Detail
Model Number	LA-STGH06-08
Size	King
Product Dimensions	81"L x 76.4"W x 37.6"H
Material	Engineering-grade Iron Alloy
Color	White
Finish Type	Polished, Electrostatic Spray
Weight Capacity	Up to 1200 pounds
Under Bed Clearance	12 inches (10.4 inches ground to item distance)
Special Features	Squeak Resistant (EVA strips), Mortise-and-Tenon Leg Design, No Box Spring Needed
Included Components	Headboard, Slats, Assembly Tools
Assembly Required	Yes (Approx. 45 minutes)



Figure 6: Detailed dimensions of the King Size Bed Frame.

8. Warranty and Support

For specific warranty information or technical support regarding your LOEWAY King Size Metal Platform Bed Frame, please refer to the documentation included with your purchase or contact the manufacturer directly. Contact details are typically found on the product packaging or the manufacturer's official website.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DCGBZ2YT

More documents and user manuals: **https://manuals.plus/**