

[Manuals.plus](#) /

› [dotMod](#) /

› DotMod dotAIO X Boro Tank Module Instruction Manual

dotMod dotAIO X Boro Tank Module

DotMod dotAIO X Boro Tank Module Instruction Manual

Model: dotAIO X Boro Tank Module | Brand: dotMod

INTRODUCTION

The DotMod dotAIO X Boro Tank Module is designed to expand the capabilities of your dotAIO X System, allowing for the integration of various Boro Tanks. This module enhances the versatility of your vaping experience by adapting seamlessly to a wide range of preferences.

It is engineered for both aesthetic appeal and functional performance, enabling you to customize your vaping setup.

PRODUCT OVERVIEW AND FEATURES

- **Maximum Compatibility:** This module allows you to integrate diverse Boro Tanks into your dotAIO X System, offering flexibility for MTL (Mouth-to-Lung), RDL (Restricted Direct Lung), or DL (Direct Lung) vaping styles.
- **Easy Installation:** Includes a specialized tool for loosening the 510 Boro nut and a matching electrode, simplifying the installation and replacement of Boro Tanks.
- **Elegant Design:** Perfectly complements the dotAIO X Kit, integrating seamlessly with its overall aesthetic while providing functional sophistication.
- **Comprehensive Set:** The package includes the Boro Tank Module, the specialized tool, and the electrode. Please note that the Boro Tank itself is not included and must be purchased separately.
- **Customization Expansion:** An ideal addition for discerning vapers who value both style and functionality, allowing for maximum versatility and personalization of your vaping experience.

SETUP AND INSTALLATION

The dotAIO X Boro Tank Module is designed for straightforward installation into your DotMod dotAIO X Kit. Follow these steps for proper setup:

1. Ensure your DotMod dotAIO X Kit is powered off before beginning installation.
2. Locate the designated slot within your dotAIO X Kit for the Boro Tank Module.
3. Insert the Boro Tank Module into the slot. It should fit snugly.

4. To install your preferred Boro Tank (sold separately), use the provided specialized tool to loosen the 510 Boro nut.
5. Carefully insert your Boro Tank into the module, ensuring the included Boro Tank electrode makes proper contact for connectivity and performance.
6. Tighten the 510 Boro nut using the tool to secure the tank in place.
7. Once the Boro Tank is installed, you can power on your dotAIO X Kit and proceed with filling and operating your tank as per its specific instructions.



Figure 1: The DotMod dotAIO X Boro Tank Module in Gunmetal, showing its internal structure designed to house a Boro Tank.



Figure 2: Two DotMod dotAIO X Boro Tank Modules, illustrating the Gunmetal and Black color options, highlighting their identical design and functionality.

OPERATION

The dotAIO X Boro Tank Module itself does not have operational controls. Its function is to enable the use of Boro Tanks within your dotAIO X Kit. Once a Boro Tank is correctly installed, the operation of your vaping device will depend on the specific Boro Tank and the dotAIO X Kit's controls.

Refer to the instruction manual of your chosen Boro Tank for details on filling, coil installation, and specific usage, and to your dotAIO X Kit's manual for power adjustments and firing mechanisms.

MAINTENANCE

To ensure the longevity and optimal performance of your DotMod dotAIO X Boro Tank Module, regular maintenance is recommended:

- **Cleaning:** Periodically wipe the module with a soft, dry cloth to remove any dust or e-liquid residue. Avoid using harsh chemicals or abrasive materials.
- **Connection Points:** Ensure the electrical contact points on the module and your Boro Tank are clean and free of debris to maintain good connectivity.
- **Storage:** Store the module in a cool, dry place away from direct sunlight and extreme temperatures when not in use.

TROUBLESHOOTING

If you encounter issues with your DotMod dotAIO X Boro Tank Module, consider the following common troubleshooting steps:

- **Tank Not Detected:** Ensure the Boro Tank is fully seated within the module and the 510 Boro nut is

tightened. Check that the Boro Tank electrode is clean and making proper contact.

- **Poor Performance:** This is often related to the Boro Tank itself. Verify the coil installation, e-liquid level, and tank assembly. Ensure the module is clean and free of obstructions.
- **Module Not Fitting:** Confirm that you are using the module with a genuine DotMod dotAIO X Kit. The module is exclusively compatible with this system.

If problems persist, consult the manual for your dotAIO X Kit or the specific Boro Tank you are using, or contact DotMod customer support.

SPECIFICATIONS

Feature	Detail
Product Name	DotMod dotAIO X Boro Tank Module
Brand	dotMod
Compatibility	Exclusively with DotMod dotAIO X Kit
Function	Enables use of Boro Tanks (sold separately)
Included Accessories	Tool for 510 Boro nut, Boro Tank electrode
ASIN	B0DCP6H9WX
Manufacturer	dotMod
Country of Origin	Germany

SAFETY INFORMATION AND LEGAL NOTES

Nicotine-Free Product: This product does not contain sticks, pre-filled cartridges, or refill containers with nicotine. It is intended for use with nicotine-free e-liquids or as a component for devices that use nicotine-free substances.

Always follow local regulations and guidelines regarding vaping products. Keep out of reach of children and pets.