

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Safety 1st](#) /

› [Safety 1st Turn and Go 360° Rotating Modular Travel System Instruction Manual](#)

Safety 1st TR482HRB

Safety 1st Turn and Go 360° Rotating Modular Travel System

Model: TR482HRB

Brand: Safety 1st

IMPORTANT SAFETY INFORMATION

Always read the complete instruction manual before assembly and use of the Safety 1st Turn and Go 360° Rotating Modular Travel System. This manual contains important warnings and detailed information to ensure the safe operation and longevity of your product. Failure to follow these instructions could result in serious injury or death.

- The stroller is designed for children up to 50 lbs.
- The onBoard FLX Infant Car Seat is suitable for babies weighing 4-30 lbs. and up to 32 inches in height.
- Always secure your child with the 5-point harness system in both the car seat and stroller.
- Ensure all locking mechanisms are engaged before placing a child in the stroller or car seat.

PRODUCT OVERVIEW

The Safety 1st Turn and Go 360° Rotating Modular Travel System offers versatility and convenience for parents. It includes a stroller with a 360° rotating seat and the lightweight onBoard FLX Infant Car Seat.

Key Features:

- **360° Rotation:** Effortlessly change your child's view from parent-facing to world-facing in seconds for both the stroller seat and infant car seat.
- **onBoard FLX Infant Car Seat:** Lightweight (under 8 lbs.), features Side Impact Protection (SIP), a 5-point harness, and a machine-washable seat pad.
- **Multiple Modes of Use:** Use as a parent-facing car seat caddy, world-facing car seat caddy, parent-facing stroller, or world-facing stroller.
- **Large Storage Basket:** Extends at the back for easy access and extra space for essentials.
- **Extendable Canopy:** Large zipper-extend canopy provides UV sun protection and privacy, with a peek-a-boo window.

- **Mesh Privacy Shield:** Fully extends to cover the seat for enhanced protection.
- **Adjustable Handlebar:** Telescoping, height-adjustable handlebar with faux-leather trim for comfortable pushing.
- **Comfort Features:** Stroller seat offers 3-position recline and an adjustable leg rest.
- **Integrated Car Seat Adapters:** Fold-away adapters are always available, simplifying transitions.
- **Child Tray & Parent Cup Holder:** Removable, reversible toddler tray with integrated cup holder. Swiveling parent cup holder accommodates up to a 20-oz tumbler.
- **Compact Fold:** Designed for easy storage and transport.
- **Flip-Flop-Friendly Brake:** Easy-to-use brake system.
- **All-Wheel Suspension:** Provides a smooth ride.



Figure 1: The Safety 1st Turn and Go Travel System demonstrating its four versatile modes of use, including infant car seat caddy and full stroller configurations, both parent and world-facing.

onBoard FLX Infant Car Seat

is lightweight at
under 8 lbs. & fits
babies 4–30 lbs.



Figure 2: The onBoard FLX Infant Car Seat, highlighting its lightweight design and comfortable padding for infants.



Figure 3: View of the stroller's spacious storage basket, shown extended for easy access and increased capacity.

Video 1: This video demonstrates the various product features of the Safety 1st Turn and Go Travel System, including its rotating seat, adjustable handle, and storage options.

SETUP

Unboxing and Initial Assembly:

Carefully remove all components from the packaging. Ensure all parts listed in the packing list are present before beginning assembly. No tools are required for assembly.

1. **Attach Wheels:** Insert the front and rear wheels into their designated slots on the stroller frame until they click securely into place.
2. **Unfold Stroller Frame:** Release the frame lock and lift the handlebar until the frame fully extends and locks into the open position.
3. **Install Stroller Seat:** Align the stroller seat with the frame connectors and push down until it clicks securely. Ensure it is firmly attached.
4. **Attach Child Tray and Parent Cup Holder:** Snap the child tray onto the bumper bar. Attach the parent cup holder to either side of the handlebar.

Installing Infant Car Seat:

To use the infant car seat with the stroller, first remove the stroller seat. Then, align the integrated car seat adapters with the car seat's connectors and lower the car seat onto the adapters until it clicks securely. Always perform a tug test to ensure the car seat is properly latched.



Figure 4: Close-up of the stroller frame with integrated, fold-away infant car seat adapters ready for use.

OPERATING INSTRUCTIONS

Using the 360° Rotation Feature:

The 360° rotation feature allows you to easily switch the direction your child is facing without removing the seat. This works for both the stroller seat and the infant car seat when attached.

1. Engage the stroller brake.
2. Locate the button in the center of the handlebar.
3. Squeeze the button and lift the handlebar slightly. This activates the rotation feature.
4. Turn the handlebar in either direction to rotate the seat to your desired parent-facing or world-facing position.

5. Once the seat is in the desired position, lower the handlebar back into its original position over the rear wheels until it locks. The handlebar must always end up over the rear wheels.
6. Release the stroller brake.



Figure 5: The stroller seat demonstrating its 360° rotation capability, allowing for easy changes in direction.

Video 2: This video provides a step-by-step guide on how to effectively use the 360° rotation feature of the travel system.

Folding and Unfolding the Stroller:

For the most compact fold, ensure the stroller seat is in the parent-facing position. The stroller can be folded with or without the seat attached. The child tray and parent cup holder can remain attached while folding.

1. Engage the brake and rotate the seat to the parent-facing position.
2. Slide the telescoping handlebar down to its lowest position by pressing the button on the center of the handlebar.
3. Lift the seat recline lever located on the back of the seat and push the seat all the way down towards the rear wheels.
4. Locate the handle on the back of the stroller frame and lift it. This will allow the stroller to fold compactly.
5. Ensure the stroller lock latches.

To unfold, reverse the steps: unlatch the stroller lock, expand the basket until it clicks, lift the stroller seat up while engaging the recline button, and raise the handlebar until it clicks into place.



Figure 6: The stroller in its compact folded state, ideal for storage or transport.

Video 3: This video demonstrates the process of folding and unfolding the Safety 1st Turn and Go Rotating Travel System for convenient storage and portability.

Adjusting Harness Straps:

To adjust the harness straps, first remove the seat from the stroller frame. Place your hand between the fabric and the back of the seat to reach one of the shoulder strap buckles. Rotate the buckle 90 degrees and push it through the slot. Re-thread the strap through the corresponding new slot on the interior seat liner and the seat. Repeat for the other strap. Adjust the four buckles to tighten snugly, ensuring you can comfortably fit a finger between the strap and your child.

Video 4: This video guides you through the steps to properly adjust the harness straps on the Safety 1st Turn and Go Rotating Travel System for a secure fit.

Using the Privacy Shield:

The mesh privacy shield provides additional protection and privacy for your child. Ensure the footrest is in the upright position and the canopy is not fully extended for optimal coverage.

1. Engage the stroller brake.
2. Unzip the storage pocket in the canopy and pull out the privacy shield.
3. Pull the privacy shield down and tuck it around the front of the stroller seat and leg rest.

To store the privacy shield, reverse the steps: remove the shield from around the footrest, fold it up into the canopy, and zip the pocket closed.



Figure 7: The stroller with its mesh privacy shield fully extended, providing shade and privacy for the child.

Video 5: This video demonstrates how to properly deploy and store the privacy shield on the Safety 1st Turn and Go 360 Travel System.

Adjusting Recline and Leg Rest:

The stroller seat features a 3-position recline and an adjustable leg rest to ensure your child's comfort. Refer to the full manual for specific adjustment mechanisms.

Stroller has 3-position recline with an adjustable leg rest for comfort



Figure 8: The stroller seat shown with its 3-position recline and adjustable leg rest for customized comfort.

Using the Brakes:

The stroller is equipped with a flip-flop-friendly brake system. To engage the brake, press down on the brake pedal located near the rear wheels. To release, lift the pedal up.

MAINTENANCE

Cleaning Instructions:

- **Fabric Components:** The seat pad and other fabric components are machine washable. Use cold water on a gentle cycle and air dry. Do not bleach.
- **Frame and Plastic Parts:** Wipe clean with a damp cloth and mild soap. Do not use abrasive cleaners.
- **Wheels:** Periodically clean wheels and axles to remove dirt and debris. Lubricate moving parts as needed with a silicone-based lubricant.

TROUBLESHOOTING

If you encounter any issues with your Safety 1st Turn and Go 360° Rotating Modular Travel System, please refer to the following common solutions:

- **Difficulty Folding/Unfolding:** Ensure the seat is in the correct position (parent-facing for compact fold) and all levers are fully engaged or disengaged. Check for any obstructions.
- **Wheels Not Turning Smoothly:** Inspect wheels for debris (hair, lint, dirt) and clean thoroughly. Apply a small amount of silicone lubricant to the axles if necessary.
- **Harness Adjustment Issues:** Refer to the 'Adjusting Harness Straps' section and video to ensure correct re-threading and adjustment.
- **Car Seat Not Latching:** Ensure the integrated adapters are fully extended and the car seat is correctly aligned before pushing down firmly until it clicks. Perform a tug test.

If problems persist, please contact customer support for further assistance.

SPECIFICATIONS

Feature	Detail
Brand	Safety 1st
Model Number	TR482HRB
Stroller Type	Modular Stroller
Stroller Max Weight	50 Pounds
Infant Car Seat Weight Range	4-30 lbs
Infant Car Seat Height Limit	Up to 32 inches
Harness Type	5 Point
Number of Wheels	4
Item Weight	26 Pounds
Folded Size (L x W x H)	18.9"L x 13"W x 24"H
Item Dimensions (L x W x H)	39.96"L x 23.62"W x 41.34"H
Material Type	Polyester, Faux Leather, Leather, Rubber (Tires)
Care Instructions	Machine Wash (fabric components)
Safety Standards	ASTM, JPMA

WARRANTY AND SUPPORT

For warranty information, product registration, or to contact customer support, please visit the official Safety 1st website or refer to the warranty card included with your purchase. You can also visit the [Safety 1st Store on Amazon](#) for additional resources.

Amazon offers 90-day free returns, refund/replacement for this product. For specific product support, please contact Dorel Juvenile Group, the manufacturer.

