

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Outsunny](#) /

› [Outsunny Galvanized Steel Garden Shed XXL 5.4 m² \(277x195x192cm\) Instruction Manual](#)

Outsunny FR845-031YG0531

Outsunny Galvanized Steel Garden Shed XXL 5.4 m² (277x195x192cm) Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Outsunny Galvanized Steel Garden Shed. Please read this manual thoroughly before beginning assembly and retain it for future reference. Proper assembly and care will ensure the longevity and optimal performance of your shed.



Image: The Outsunny Galvanized Steel Garden Shed, green, with double sliding doors, situated on a wooden deck in a garden. An orange ladder and shelves are visible inside the open shed.

SAFETY INFORMATION

WARNING: Always follow the assembly instructions provided. This shed is not designed for human occupation. Keep children and pets away from the shed during assembly and use. Do not install in strong wind conditions.

General Safety Precautions:

- Wear appropriate personal protective equipment (PPE) such as gloves and safety glasses during assembly to prevent injuries from sharp edges.
- Ensure the assembly area is clear of obstructions and hazards.
- Do not attempt to assemble the shed alone. Two or more people are recommended for safe and efficient assembly.
- Verify all parts are present and undamaged before starting assembly.
- Do not overtighten screws during initial assembly; tighten fully only when instructed or when sections are properly aligned.

SETUP AND ASSEMBLY

The Outsunny Galvanized Steel Garden Shed requires assembly. A detailed illustrated manual is provided with the product. Please follow the steps precisely.

Preparation:

- Site Selection:** Choose a flat, level, and stable surface for installation. An uneven base can lead to alignment issues and compromise the shed's stability.
- Unpacking:** Carefully unpack all components. Each piece is numbered for easy identification. Verify all parts against the provided parts list.
- Tools Required:** Gather necessary tools as specified in the assembly manual (e.g., screwdrivers, wrenches, gloves).

Foundation Kit Assembly:

The shed includes a galvanized steel foundation kit to enhance stability and keep the interior clean and dry. This kit forms the base structure.



Image: A diagram illustrating the galvanized steel foundation kit components and dimensions (2.63m x 1.03m). Text indicates that a suitable wooden floor should be added on top (not included).

After assembling the foundation kit, it is recommended to add a suitable wooden floor (not included) on top to further protect the interior from ground moisture and intruders.

Wall and Roof Assembly:

Follow the step-by-step instructions in the provided manual. Pay close attention to part numbers and orientation. Do not fully tighten screws until sections are aligned to allow for minor adjustments.



Image: A close-up view highlighting the galvanized steel structure of the shed, emphasizing its durability and resistance to rain, snow, and rust, with zero maintenance required.

The shed is constructed from 0.25 mm thick galvanized steel, designed for wear resistance, weather resistance, and scratch resistance. The inclined roof ensures optimal rainwater drainage.

OPERATING INSTRUCTIONS

Access and Storage:

The shed features two sliding doors for easy access without requiring extra space for door swing. These doors can be locked (padlock not included) for enhanced security.

DOUBLES PORTES COUSSIANTES

Accès facile, sécurité renforcée



Cadenas non inclus



**Petite rampe
pour objets à roulettes**

Image: The double sliding doors of the shed, showing dimensions (0.96m width, 1.52m height). A small ramp is indicated for wheeled objects, and a note states that a padlock is not included.

The shed provides generous space for storing garden tools, lawn care accessories, pool equipment, or repair tools. The design integrates easily into your outdoor space.



Image: An interior view of the shed, demonstrating its storage capacity with shelves holding various tools and a bicycle parked inside. A person is shown organizing items.

Ventilation:

Four ventilation grilles located at the front ensure good air circulation, preventing humidity and odors, and allowing some natural light into the shed.

4 ÉVÉNTS

Respirer facilement, rester frais




Image: A close-up of the two ventilation grilles on the front gable of the shed, with leaves indicating airflow, designed to keep the interior fresh.

MAINTENANCE

To ensure the longevity and appearance of your Outsunny Galvanized Steel Garden Shed, follow these maintenance guidelines:

- **Cleaning:** Regularly clean the exterior surfaces with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the galvanized finish.
- **Rust Prevention:** Although made of galvanized steel, inspect for any scratches or damage that could expose the underlying metal. Touch up any deep scratches with rust-inhibiting paint to prevent corrosion.
- **Drainage:** Ensure the inclined roof remains clear of debris (leaves, branches) to allow for optimal rainwater runoff. Clear gutters if present.
- **Ventilation:** Keep the ventilation grilles clear of obstructions to maintain proper airflow and prevent moisture buildup inside the shed.
- **Door Operation:** Periodically lubricate the sliding door tracks to ensure smooth operation.
- **Foundation:** Regularly check the foundation for stability and ensure no water accumulates around the base.

KIT DE FONDATION INCLUS

Maintenir l'intérieur propre et étanche



Image: Rainwater effectively flowing off the inclined roof of the shed, demonstrating its design for optimal water drainage and protection against the elements.

TROUBLESHOOTING

This section addresses common issues you might encounter with your garden shed.

Problem	Possible Cause	Solution
Difficulty aligning panels during assembly.	Uneven ground; screws overtightened prematurely; incorrect part orientation.	Ensure the base is perfectly level. Loosen all screws in the affected section, adjust alignment, then retighten. Double-check part numbers and diagrams.
Water leakage inside the shed.	Improperly sealed seams; roof debris; damaged panels.	Inspect all seams and joints; apply silicone sealant if necessary. Clear any debris from the roof. Check panels for damage and repair or replace as needed.
Sliding doors are stiff or jammed.	Debris in tracks; lack of lubrication; misaligned doors.	Clean door tracks thoroughly. Apply a silicone-based lubricant to the tracks. Check door alignment and adjust if necessary.

Problem	Possible Cause	Solution
Shed feels unstable or wobbly.	Uneven foundation; loose fasteners; insufficient anchoring.	Verify the foundation is level. Tighten all screws and bolts. Ensure the shed is properly anchored to the ground, especially in windy areas.

SPECIFICATIONS

Model: FR845-031YG0531

Brand: Outsunny

Material: Galvanized Steel (0.25 mm thickness)

Color: Green

Overall Dimensions (L x W x H): 277 cm x 195 cm x 192 cm (109.1 in x 76.8 in x 75.6 in)

Internal Dimensions (L x W x H): 267 cm x 181 cm x 192 cm (105.1 in x 71.3 in x 75.6 in)

Ground Surface Area: Approximately 4.9 m²

Door Type: Double Sliding Doors

Ventilation: 4 Vents


Roof Type: Inclined Roof for Water Drainage

Foundation: Galvanized Steel Foundation Kit Included

UV Protection: Yes

Water Resistance Level: Waterproof

Item Weight: 65.5 kg (144.4 lbs)



Note :

avant d'acheter ce produit, il est recommandé de mesurer d'abord la taille de la fondation.

- Dimensions totales
- Dimensions au sol
- Dimensions intérieures

Surface au sol = 4,9 m²

Image: A detailed diagram illustrating the total, ground, and interior dimensions of the shed, including height (1.92m), length (2.77m), and width (1.95m). A human figure (1.7m tall) is shown for scale.

WARRANTY AND SUPPORT

Manufacturer's Warranty:

This Outsunny garden shed comes with a **2-year manufacturer's warranty**. Please retain your proof of purchase for warranty claims.

Customer Support:

For any questions regarding assembly, missing parts, or product issues, please contact Outsunny customer support. Refer to the contact information provided with your purchase documentation or visit the official Outsunny website.

Note: Spare parts availability information is currently unavailable.