

3.2 Cu ft Two Door Mini Fridge with Freezer

Arctic King 3.2 Cu ft Two Door Mini Fridge with Freezer

User Manual

[Introduction](#) [Safety Information](#) [Setup](#) [Operation](#) [Maintenance](#) [Troubleshooting](#)
[Specifications](#) [Warranty & Support](#)

1. INTRODUCTION

Thank you for purchasing the Arctic King 3.2 Cu ft Two Door Mini Fridge with Freezer. This compact refrigerator is designed for convenience and efficiency, offering separate compartments for refrigeration and freezing. Please read this manual thoroughly before operating your new appliance to ensure safe and proper use, and keep it for future reference.



Figure 1.1: Front view of the Arctic King 3.2 Cu ft Two Door Mini Fridge with Freezer in Stainless Steel finish.

2. IMPORTANT SAFETY INFORMATION

To reduce the risk of fire, electric shock, or injury when using your refrigerator, follow these basic precautions:

- Read all instructions before using the appliance.
- **DANGER:** Risk of child entrapment. Before you throw away your old refrigerator or freezer, take off the doors. Leave the shelves in place so that children may not easily climb inside.
- Never clean refrigerator parts with flammable fluids. The fumes can create a fire hazard or explosion.
- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other refrigerator. The fumes can create a fire hazard or explosion.
- Do not operate the appliance with wet hands.
- Ensure the appliance is properly grounded.
- Unplug the refrigerator before cleaning or making any repairs.
- Do not damage the refrigerant circuit.
- This appliance is intended for household use only.

3. SETUP AND INSTALLATION

3.1 Unpacking

Carefully remove all packaging materials, including the foam base and adhesive tape. Inspect the refrigerator for any damage. Keep packaging materials until you are satisfied with the product's condition.

3.2 Location

Choose a location with a strong, level floor capable of supporting the refrigerator when fully loaded. Avoid direct sunlight or heat sources. Allow at least 4 inches (10 cm) of space around the back and sides for proper ventilation.

3.3 Leveling the Refrigerator

The refrigerator has adjustable leveling legs at the front. Use a wrench to turn the legs clockwise to raise the unit or counter-clockwise to lower it. Ensure the refrigerator is level to prevent vibrations and ensure proper door sealing.



Figure 3.1: Detail of the adjustable leveling legs, allowing for easy placement on uneven surfaces.

3.4 Reversible Door Installation

This refrigerator features a reversible door hinge, allowing the door to be installed to open from either the left or right side, depending on your preference and space requirements. Refer to the detailed instructions provided in the separate door reversal kit (if applicable) or contact customer support for guidance on this procedure.



Figure 3.2: This image highlights key features including the reversible door hinge, allowing for flexible placement.

3.5 Power Connection

Plug the refrigerator into a dedicated, grounded 115V, 60Hz AC outlet. Do not use extension cords or adapter plugs. Allow the refrigerator to stand upright for at least 2-4 hours before plugging it in to allow the refrigerant to settle.

4. OPERATING YOUR REFRIGERATOR

4.1 Temperature Control

The temperature control dial is located inside the refrigerator compartment. Turn the dial to adjust the cooling intensity. Settings typically range from 1 (least cold) to 7 (coldest). Start with a medium setting (e.g., 4) and adjust as needed based on ambient temperature and food load.

4.2 Interior Features

Your Arctic King mini fridge is equipped with several convenient features:

- **Adjustable Glass Shelves:** The refrigerator compartment includes removable and adjustable glass shelves, allowing you to customize storage space for various items.
- **Crisper Drawer:** A dedicated crisper drawer is provided for storing fruits and vegetables, helping to maintain their freshness.
- **Door Storage:** The refrigerator door features multiple shelves, including a 2L bottle rack and a can dispenser, for

convenient storage of beverages and smaller items.

- **Separate Freezer Compartment:** The top section is a dedicated freezer compartment for frozen foods. This is a manual defrost freezer.
- **Interior Light:** An interior light illuminates the refrigerator compartment when the door is opened.



Figure 4.1: Interior view showcasing the separate freezer, adjustable shelves, crisper drawer, and door storage with food items.



Figure 4.2: A hand demonstrating access to the crisper drawer, ideal for fresh produce.



Figure 4.3: This image highlights the 2L bottle rack, can dispenser, and the removable and adjustable glass shelves.

5. CARE AND MAINTENANCE

5.1 Cleaning

Always unplug the refrigerator before cleaning. Clean the interior and exterior surfaces regularly with a mild detergent and warm water. Wipe dry with a soft cloth. Do not use harsh chemicals, abrasive cleaners, or sharp objects.

5.2 Defrosting the Freezer

This refrigerator features a manual defrost freezer. When ice buildup on the freezer walls reaches about 1/4 inch (6 mm) thick, it's time to defrost.

1. Unplug the refrigerator.
2. Remove all food items from the freezer and place them in a cooler.
3. Leave the freezer door open to allow ice to melt naturally. You can place towels at the bottom to absorb water. Do not use sharp objects or heating devices to speed up defrosting.
4. Once defrosted, clean and dry the freezer interior thoroughly.
5. Plug the refrigerator back in and return food items once the temperature has stabilized.

5.3 Power Outages

In case of a power outage, keep the refrigerator door closed to maintain the internal temperature for as long as possible. Most food will remain frozen for 1-2 days if the door is not opened frequently.

6. TROUBLESHOOTING GUIDE

Before contacting service, please check the following common issues:

| Problem | Possible Cause | Solution |
|-------------------------------------|---|--|
| Refrigerator does not operate. | Not plugged in; circuit breaker tripped; temperature control set to "OFF". | Ensure plug is secure; reset circuit breaker; turn temperature control to desired setting. |
| Temperature is too warm. | Door opened too frequently; large amount of warm food added; poor ventilation; temperature control set too low. | Minimize door openings; allow warm food to cool before placing in fridge; ensure adequate space around unit; adjust temperature control to a colder setting. |
| Excessive frost buildup in freezer. | Freezer door not sealed properly; frequent door openings; high humidity. | Check door gasket for proper seal; reduce frequency of door openings; defrost as per instructions. |
| Noisy operation. | Refrigerator not level; loose parts; normal operating sounds. | Level the unit using adjustable legs; check for loose items inside; gurgling/hissing sounds are normal refrigerant flow. |

7. PRODUCT SPECIFICATIONS

Below are the key specifications for your Arctic King Mini Fridge:

| Feature | Detail |
|--------------------------------|---|
| Brand | Generic |
| Model | 3.2 Cu ft Two Door Mini Fridge with Freezer |
| Capacity | 3.2 Cubic Feet |
| Configuration | Compact Freezer-on-Top |
| Product Dimensions (D x W x H) | 18.5"D x 33.3"W x 19.4"H |
| Color | Stainless Steel |
| Number of Doors | 2 |
| Defrost System | Manual |
| Special Features | Adjustable legs, Removable glass shelves, Reversible door, Separate Freezer, Thermostat Control |
| Installation Type | Freestanding |
| BEE Star Rating | 1 Star |



Figure 7.1: Product dimensions: 18.5 inches deep, 19.4 inches wide, and 33.0 inches high.

8. WARRANTY AND CUSTOMER SUPPORT

For warranty information or technical support, please refer to the warranty card included with your product or contact the retailer or manufacturer directly. Please have your product model number and purchase date available when contacting support.

Manufacturer: Generic

For further assistance, please visit the manufacturer's official website or contact their customer service line.

