

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [ieGeek](#) /

› [ieGeek SC2 Baby Monitor Instruction Manual - 300W Pixel, 2.4/5GHz WiFi, Advanced Detection](#)

ieGeek SC2

ieGeek SC2 Baby Monitor Instruction Manual

Model: SC2

1. INTRODUCTION

Thank you for choosing the ieGeek SC2 Baby Monitor. This device is designed to provide comprehensive monitoring of your baby, elderly family members, or pets, offering peace of mind through advanced features and reliable performance. Please read this manual carefully before use to ensure proper operation and safety.

2. SAFETY INFORMATION

- Keep the device and its cables out of reach of children to prevent strangulation or other hazards.
- Ensure the power adapter and cable are not damaged. Use only the provided power adapter.
- Do not place the camera near heat sources or in direct sunlight.
- Avoid exposing the device to water or excessive humidity. This product is designed for indoor use only.
- Do not attempt to disassemble or repair the device yourself. Contact customer support for assistance.
- Ensure stable Wi-Fi connectivity for optimal performance and real-time alerts.

3. PACKAGE CONTENTS

Verify that all items are present in your package:

- ieGeek Baby Camera x1

- Power Adapter x1
- Power Cable (1.5m) x1
- Stand x1
- Screws, Anchors x3
- Double-sided Tape x1
- Instruction Manual x1



Image: All components included in the ieGeek SC2 Baby Monitor package.

4. SETUP

4.1 Physical Installation

The ieGeek SC2 Baby Monitor can be placed on a flat surface or mounted to a wall/ceiling using the included stand and accessories.

- **Desktop Placement:** Place the camera on a stable, flat surface near your baby's crib or play area.
- **Wall/Ceiling Mounting:** Use the provided screws and anchors or double-sided tape to securely mount the stand. Ensure the camera has a clear view of the monitoring area.

画面回転機能ある

強力両面テープが付属されて、ベビーカメラを天井や壁に取り付けた場合は、画像が上下に反転することがあるため、アプリ側から画面回転機能をオンにすると画像が修正されます。



Image: The ieGeek SC2 Baby Monitor can be placed on a desktop or mounted upside down on a ceiling. The app supports screen rotation for correct viewing.

4.2 App Installation and Pairing

1. Download the dedicated ieGeek app from your smartphone's app store (iOS or Android).
2. Create an account or log in.
3. Power on the baby monitor by connecting it to the power adapter.
4. In the app, follow the on-screen instructions to add a new device. The camera supports both 2.4GHz and 5GHz Wi-Fi for easy and quick pairing using Bluetooth technology.
5. Scan the QR code displayed in the app with the camera lens, or use the Bluetooth auto-detection feature.
6. Once connected, the camera's status indicator will change, and you will receive a confirmation in the app.



Image: The ieGeek SC2 Baby Monitor seamlessly integrates with your smartphone app for convenient monitoring from anywhere.

5. FEATURES

5.1 High-Resolution Video & Night Vision

- **300W Pixel Resolution:** Provides clear and detailed images, allowing you to observe your baby's expressions and movements.
- **Invisible IR Night Vision:** Equipped with 6 x 940mm infrared lights for clear night vision up to 10 meters without disturbing your baby's sleep.

赤ちゃんの顔変化 を簡単に確認できる

300万画素レンズは赤ちゃんの顔から細部まで豊かな表現と生き生きとした映像を提供します。4倍ズーム機能で赤ちゃんのかわいい表情もクリアにご覧いただけます。



Image: The ieGeek SC2 Baby Monitor captures clear images with 300W pixel resolution, allowing for detailed observation of your baby.

優れた夜間視界 & 不可視ライト

優れた暗視機能を搭載、暗闇でも、子供が就寝中に呼吸して胸が上下しているのも確認できます。インジケータライトと赤外線ライトを隠すことで、赤ちゃんは安心してぐっすり眠ることができます。



Image: The ieGeek SC2 Baby Monitor features invisible infrared night vision for clear monitoring in the dark without disturbing your baby.

5.2 Two-Way Audio & Call Function

- **Two-Way Talk:** Communicate with your baby or family members through the camera and app.
- **One-Touch Call:** The camera features a call button that allows your child or an elderly person to initiate a call to your smartphone. Notifications are sent to all shared smartphones.
- **Voice Changer:** Two fun voice changer options (clown and old man) are available to make communication more engaging for children.

ワンタッチで双方向通話が新登場!

通話ボタンを押せば、ふつうの電話みたいにおしゃべり出来るのでストレスなく会話出来ます。呼び出し先は1名だけでなく、管理者や他の人と共有しているスマホに一切通話通知が行っています。重要な瞬間を逃さず、子どもの成長に寄り添う



Image: The ieGeek SC2 Baby Monitor offers one-touch two-way communication, allowing family members to easily connect.

面白い2種類の声変わりボイス

子供とのコミュニケーションをより楽しくするために、自分の声をおじさんやピエロに変えて、子供の笑を引き出す



ピエロ



オリジナル



おじさん



Image: The ieGeek SC2 Baby Monitor includes two fun voice changer options to enhance communication with children.

5.3 360° Monitoring & Automatic Tracking

- **Pan & Tilt:** Horizontal 355° and Vertical 100° rotation for full room coverage.
- **Automatic Tracking:** The camera automatically tracks movement, ensuring your baby is always in view.



Image: The ieGeek SC2 Baby Monitor offers 360-degree monitoring with pan and tilt functions to cover the entire room.

5.4 Smart Detection & Alerts

- **Motion Detection:** Detects movement (e.g., baby turning over) and sends instant alerts.
- **Sound Detection:** Identifies sounds like crying, coughing, or laughter, sending notifications to your phone.
- **Temperature & Humidity Sensor:** Monitors room conditions and alerts you if they exceed preset ranges, helping maintain a comfortable environment.
- **Danger Zone Alarm:** Set specific areas as 'danger zones'. If your baby enters these areas, you will receive an immediate alert.



Image: The ieGeek SC2 Baby Monitor features temperature and humidity sensors to ensure your baby's comfort and safety.

5.5 24-Hour Recording & Storage

- **Continuous Recording:** Records continuously, allowing you to review past 24 hours of footage.
- **Cloud Storage:** Free 6-second cloud recording for 7 days.
- **Memory Card Storage:** Supports up to 128GB Micro SD card (sold separately) for local storage. Older files are automatically overwritten.

5.6 Dual-Band WiFi & Easy Connection

- Supports both 2.4GHz and 5GHz Wi-Fi networks, ensuring compatibility with most home routers and stable connectivity.
- Bluetooth technology enables simple and fast pairing, making setup easy even for those unfamiliar with technology.

5.7 Lullabies & Night Lamp

- **14 Lullabies:** Built-in lullabies, approved by music therapists, to help your baby fall asleep.
- **Night Lamp:** Provides a warm sleeping environment for your baby and assists adults in checking on the child at night.

5.8 Family Sharing & Versatile Use Cases

- **Family Sharing:** Easily share access to the camera feed with multiple family members (parents, grandparents) by scanning a QR code.
- **Versatile Applications:** Ideal for monitoring babies, pets, elderly individuals, home security, and store surveillance.

卓上や天井への設置が可能 & 30秒で便利なスマホの接続

頼もしく成長していくお子さまを、ieGeek SC2と一緒にみまもります。



Image: The ieGeek SC2 Baby Monitor allows easy sharing of the live feed with family members, enabling real-time viewing from anywhere.



Image: The ieGeek SC2 Baby Monitor is suitable for various monitoring needs, including babies, pets, and home security.

6. OPERATION

- **Live View:** Open the ieGeek app to view the live feed from your camera.
- **Pan/Tilt Control:** Use the controls in the app to remotely adjust the camera's viewing angle (355° horizontal, 100° vertical).
- **Two-Way Communication:** Tap the microphone icon in the app to speak through the camera. Press the call button on the camera to initiate a call to your smartphone.
- **Playback:** Access recorded footage from the cloud or Micro SD card through the app.
- **Alert Settings:** Customize motion, sound, temperature, humidity, and danger zone detection sensitivity and notification preferences in the app settings.
- **Lullaby & Night Lamp:** Control the built-in lullabies and night lamp settings via the app.

7. MAINTENANCE

- **Cleaning:** Gently wipe the camera lens and body with a soft, dry cloth. Do not use harsh chemicals or abrasive cleaners.
- **Firmware Updates:** Regularly check the app for firmware updates to ensure optimal performance and security.
- **Storage Management:** If using a Micro SD card, periodically check its status and format it if necessary to maintain recording quality.

8. TROUBLESHOOTING

Problem	Possible Solution
Camera not connecting to Wi-Fi	Ensure your Wi-Fi network is 2.4GHz or 5GHz. Check Wi-Fi password. Move camera closer to router. Reset the camera and try pairing again.
No image/video feed	Check power connection. Ensure Wi-Fi is stable. Restart the camera and app.
Poor image quality	Check Wi-Fi signal strength. Clean the camera lens. Ensure sufficient lighting (for non-night vision mode).
No sound or poor audio quality	Check microphone and speaker settings in the app. Ensure volume is up on your smartphone.
Alerts not received	Check app notification settings on your phone. Ensure detection sensitivity is set correctly in the app.

9. SPECIFICATIONS

- **Model:** SC2
- **Video Resolution:** 300W Pixel (1296p)
- **Night Vision Range:** Up to 10 meters (invisible IR)
- **Pan/Tilt:** Horizontal 355°, Vertical 100°
- **Connectivity:** Wi-Fi (2.4GHz & 5GHz)
- **Storage:** Micro SD card (up to 128GB, not included), Free 6-second cloud recording (7 days)
- **Detection:** Motion, Sound (crying, cough), Temperature, Humidity, Human Body, Danger Area
- **Audio:** Two-way talk, One-touch call, Voice changer
- **Additional Features:** Lullabies (14 types), Night lamp

- **Dimensions:** 6.5 x 6.5 x 13.5 cm
- **Weight:** 360 g
- **Color:** White
- **Mounting Type:** Wall Mount, Desktop

10. WARRANTY & SUPPORT

ieGeek is committed to providing high-quality products and excellent customer support. Your ieGeek SC2 Baby Monitor comes with a 1-year warranty. Additionally, a 1-year manufacturer warranty extension is available.

If you have any questions regarding the warranty period, product functions, or any other inquiries, please feel free to contact us via the official email address provided in the instruction manual.

Our company strives for 100% product quality and offers quality assurance and customer support from the time of purchase.