

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [VECELO](#) /

› [VECELO Twin Size Bed Frame Instruction Manual - Model Individual](#)

VECELO Individual

VECELO Twin Size Bed Frame Instruction Manual

Model: Individual (Black Matte)

INTRODUCTION

Welcome to your new VECELO Twin Size Bed Frame. This manual provides detailed instructions for assembly, usage, maintenance, and troubleshooting to ensure safe and proper operation. Please read this manual thoroughly before beginning assembly or using the product.

IMPORTANT SAFETY INFORMATION

To prevent injury and damage to the product, please adhere to the following safety guidelines:

- Read all instructions carefully before assembly and use.
- Do not exceed the maximum weight capacity of 350 lbs (158 kg).
- Ensure all bolts and screws are securely tightened before use. Periodically check and re-tighten as necessary.
- Keep small parts away from children during assembly.
- Assemble on a soft, clean surface to prevent damage to the product or floor.
- Do not use power tools for assembly as this may overtighten and damage fasteners.
- This product is intended for indoor use only.

PACKAGE CONTENTS

Please verify that all components are present before beginning assembly. This package includes components for two individual bed frames.

- Bed Frame Components (for two individual frames)
- Assembly Hardware Kit (for two individual frames)

- Instruction Manual (this document)

SETUP AND ASSEMBLY

Follow these steps carefully to assemble your VECELO Twin Size Bed Frame. It is recommended to have two people for assembly.

1. Step 1: Unpack and Identify Parts

Carefully unpack all components and lay them out on a clean, soft surface. Refer to the parts list (not included in this manual, but typically found in the hardware kit) to identify each piece.



Image: Diagram illustrating the dimensions of the VECELO Twin Size Bed Frame.

2. Step 2: Attach Side Rails to Headboard and Footboard

Connect the side rails to the headboard and footboard using the provided hardware (bolts, washers, nuts). Ensure all connections are secure but do not fully tighten until all parts are aligned.

3. Step 3: Install Support Slats

Place the metal support slats across the side rails. Ensure they are properly seated in the designated slots or attached with the provided fasteners. These slats provide the necessary support for your mattress.

4. Step 4: Tighten All Connections

Once all components are in place and aligned, fully tighten all bolts and screws using the provided tool. Do not overtighten, as this can strip threads or damage components.



Image: A fully assembled VECELO Twin Size Bed Frame.

USAGE INSTRUCTIONS

- **Mattress Placement:** Carefully place your twin-size mattress directly onto the assembled bed frame slats. No box spring is required for this bed frame.
- **Weight Capacity:** The bed frame is designed to support a maximum static load capacity of 350 lbs (158 kg). Do not exceed this limit to ensure safety and product longevity.
- **Under-Bed Storage:** The frame provides approximately 12.5 inches (31.75 cm) of clearance for convenient under-bed storage. Utilize this space for items such as luggage, seasonal clothing, or storage bins.



Image: Under-bed storage area with baskets, illustrating the 12.5-inch clearance.

CARE AND MAINTENANCE

Proper care will extend the life and appearance of your bed frame:

- **Cleaning:** Wipe the metal frame with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or solvents that could damage the finish.
- **Regular Inspection:** Periodically (e.g., every 3-6 months) check all bolts and screws to ensure they remain tight. Re-tighten as needed to maintain stability and prevent squeaks.
- **Moving the Frame:** When moving the bed frame, lift it rather than dragging it across the floor to prevent damage to the frame, legs, or your flooring.

TROUBLESHOOTING

Problem	Solution
Squeaking noises	Check and tighten all bolts and screws. Ensure the frame is on a level surface.
Frame feels unstable or wobbly	Verify all connections are secure and properly assembled according to instructions. Ensure all legs are making firm contact with the floor.
Mattress sliding on the frame	Ensure the mattress is correctly centered on the frame. The headboard and footboard are designed to help prevent mattress movement.

PRODUCT SPECIFICATIONS

Feature	Detail
Material	Powder-Coated Metal
Size	Twin (Individual)
Dimensions (L x W x H)	78 x 40 x 35 inches (198.12 x 101.6 x 88.9 cm)
Product Weight	Approximately 32 lbs (14.51 kg)
Static Load Capacity	350 lbs (158 kg)
Box Spring Required	No
Assembly Required	Yes
Under-Bed Clearance	Approximately 12.5 inches (31.75 cm)
Finish Type	Electrostatic Paint

WARRANTY AND CUSTOMER SUPPORT

For warranty information or assistance with your VECELO product, please contact VECELO customer service through your retailer or the official VECELO website. Please have your purchase receipt and model information ready when contacting support.

© 2024 VECELO. All rights reserved.