

INTERGREAT B0DCZJ68Z2

INTERGREAT Metal Storage Cabinet (72" H, Green & Black) - Instruction Manual

Model: B0DCZJ68Z2

1. INTRODUCTION

Thank you for choosing the INTERGREAT Metal Storage Cabinet. This manual provides detailed instructions for the safe assembly, operation, and maintenance of your new storage cabinet. Please read this manual thoroughly before beginning assembly or use to ensure proper function and longevity of the product.

2. SAFETY INFORMATION

- Always follow all assembly instructions carefully.
- Do not exceed the maximum load capacity of 180 lbs per shelf or 900 lbs total for the cabinet. Exceeding these limits may result in damage or injury.
- Secure the cabinet to a wall using the provided anti-tipping hardware to prevent accidental tipping, especially in households with children or pets.
- Ensure the cabinet is placed on a level, stable surface.
- Keep fingers clear of moving parts during assembly and operation.
- Use appropriate personal protective equipment (PPE) such as gloves during assembly.

3. PACKAGE CONTENTS

Before assembly, verify that all components are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Cabinet Panels (sides, top, bottom, back, doors)
- 4 Adjustable Shelves
- Locking Mechanism with 2 Keys
- Handles
- Assembly Hardware (screws, bolts, nuts, expansion screws for wall mounting)

- Gloves (for assembly)
- Screwdriver (for assembly)
- Instruction Manual

4. SETUP AND ASSEMBLY

Assembly typically takes approximately 40 minutes. It is recommended to have two people for easier and safer assembly. Please inspect all components before starting.

4.1 Tools Required (Included or Recommended)

- Screwdriver (included)
- Gloves (included)
- Power Drill (recommended for wall mounting)
- Expansion Screws (included for wall mounting)



Figure 4.1: Tools and components for quick assembly.

4.2 Assembly Steps

1. **Unpack and Identify Parts:** Carefully unpack all components and lay them out. Refer to the parts list in the included manual to identify each piece.
2. **Assemble Frame:** Connect the side panels to the bottom and top panels using the provided hardware. Ensure all connections are secure.
3. **Install Back Panel:** Attach the back panel to the assembled frame.
4. **Attach Doors:** Mount the doors to the cabinet frame using the hinges. Ensure doors open and close smoothly.
5. **Install Locking Mechanism and Handles:** Attach the handles and the locking mechanism to the doors. Ensure the lock functions correctly with the provided keys.
6. **Insert Adjustable Shelves:** Place the adjustable shelves into the desired positions. The shelves feature double reinforcement for enhanced stability.



Figure 4.2: Assembly can be completed efficiently with the right tools.



Figure 4.3: Key features including the locking system and anti-tipping pre-holes.

4.3 Anti-Tipping Installation

To enhance stability and prevent tipping, especially in active environments, secure the cabinet to a wall using the provided anti-tipping hardware. The cabinet features two pre-drilled holes on the back for this purpose.

1. Position the cabinet in its desired location.
2. Mark the wall through the pre-drilled holes on the back of the cabinet.
3. Drill pilot holes into the wall at the marked locations.
4. Insert the expansion screws (or appropriate wall anchors for your wall type) into the pilot holes.
5. Secure the cabinet to the wall using the provided screws, ensuring a firm attachment.



Figure 4.4: Anti-tipping pre-holes and locking keys for security.

5. OPERATING INSTRUCTIONS

5.1 Adjusting Shelves

The cabinet includes four adjustable shelves, allowing you to customize storage space for items of various sizes. Each shelf can hold up to 180 lbs.

1. Empty the shelf you wish to adjust.
2. Carefully lift the shelf and remove it from its current position.
3. Re-insert the shelf into the desired slots on the cabinet's side panels, ensuring it is level and securely seated on all four support points.

**40_{min}
fast**

INSTALLATION CAN BE COMPLETED IN JUST 40 MINUTES

tools + gloves + instructions

EASY

The advertisement features a green cabinet with its doors open, revealing four adjustable shelves. To the right, a smiling male worker in a blue jumpsuit, orange hard hat, and yellow gloves gives a thumbs up. A red speech bubble with the word 'EASY' is positioned above him. Above the cabinet, a green circle contains the text '40_{min} fast'. To the right of this, the text 'INSTALLATION CAN BE COMPLETED IN JUST 40 MINUTES' is displayed in bold black letters. Below this text, three icons are shown: a power drill and screwdriver labeled 'tools', a pair of white gloves labeled 'gloves', and a document icon labeled 'instructions', each separated by a green plus sign.

Figure 5.1: Adjustable shelves allow for flexible storage configurations.



Figure 5.2: Shelves feature double reinforcement for durability.

5.2 Locking and Unlocking

The cabinet is equipped with a 3-point locking system to secure your items. Two keys are provided.

- To lock, ensure both doors are fully closed. Insert a key into the lock and turn it to engage the locking mechanism.
- To unlock, insert a key and turn it to disengage the mechanism, then open the doors.

6. MAINTENANCE

- **Cleaning:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspection:** Periodically check all screws and connections to ensure they remain tight. Re-tighten if necessary.
- **Lubrication:** If the door hinges or locking mechanism become stiff, apply a small amount of silicone-based lubricant.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Cabinet is wobbly or unstable.	Not on a level surface; screws are loose; anti-tipping hardware not installed.	Ensure cabinet is on a level surface. Tighten all assembly screws. Install or check anti-tipping hardware.
Doors do not close properly or are misaligned.	Hinges are loose or bent; cabinet frame is not square.	Check and tighten hinge screws. Ensure the cabinet frame is assembled squarely.
Locking mechanism does not engage.	Mechanism misaligned; missing parts (e.g., cotter pin, screws).	Ensure doors are fully closed. Inspect the locking mechanism for proper alignment and missing components. If parts are missing, contact customer support.
Shelves sag or are unstable.	Overloaded; not seated correctly.	Reduce weight on the shelf, ensuring it does not exceed 180 lbs. Re-seat the shelf correctly on all support points.

8. SPECIFICATIONS

Feature	Detail
Brand	INTERGREAT
Model Number	B0DCZJ68Z2
Color	Green & Black
Product Dimensions	16"D x 32"W x 72"H
Material	Alloy Steel
Number of Shelves	4 (Adjustable)
Shelf Load Capacity	180 lbs per shelf
Total Weight Limit	900 lbs
Special Feature	Lockable (3-point system)
Mounting Type	Freestanding with Wall Mount option (anti-tipping)
Assembly Required	Yes (Manual & Video Instructions available)
Item Weight	81 pounds

ADJUSTABLE SHELVES

Shelf Height and Quantity can be adjusted
depends on your need



Figure 8.1: Product dimensions and individual shelf load capacity.



Figure 8.2: Demonstration of the cabinet's strong and sturdy design, capable of holding heavy items.

9. WARRANTY AND SUPPORT

Return Policy: This product is eligible for a 30-day return policy from the date of purchase. Please refer to the retailer's return policy for specific terms and conditions.

Customer Support: For any questions, missing parts, or assistance with assembly or operation, please contact INTERGREAT customer support. Contact information can typically be found on the retailer's website or on the packaging materials.

Online Resources: Video instructions for assembly are available. Please check the product page on the retailer's website for access to these resources.

10. IMPORTANT NOTE ON VIDEOS

While video instructions are mentioned as available, no specific video links were provided in the product data. Please refer to the product page on the retailer's website for any available video guides.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question