

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Regal Dog Products](#) /
- › [Regal Dog Products Biothane Beta 520 Super Heavy Coated Webbing Instruction Manual](#)

Regal Dog Products Biothane Beta 520 Super Heavy - VI 521 Coated Webbing

Regal Dog Products Biothane Beta 520 Super Heavy Coated Webbing Instruction Manual

1. INTRODUCTION TO BIOTHANE BETA 520 SUPER HEAVY COATED WEBBING

The Regal Dog Products Biothane Beta 520 Super Heavy Coated Webbing is a durable, waterproof, and easy-to-clean material designed for crafting various pet accessories. This material is engineered for longevity and performance in diverse conditions, making it an ideal choice for custom dog collars, leashes, and other outdoor gear.



Image: A vibrant orange Biothane collar, showcasing the material's texture and color.

2. KEY FEATURES AND BENEFITS

- **Weatherproof:** This material is 100% element and weatherproof. It does not soak in rain or mud, remaining lightweight and dry in conditions where traditional leather or nylon might fail.
- **Stronger than Leather:** Built with a reinforced polyester core, Biothane offers industrial-grade durability. The Super Heavy variant has a breaking strength of approximately 750-1000 lbs.
- **Easy to Clean:** Maintenance-free, simply rinse with soap and water to remove dirt, odors, and bacteria.

- **Flexible and Comfortable:** Stays pliable even in freezing temperatures, providing comfort for both handlers and animals, preventing chafing.
- **Odor-Proof:** The non-porous Beta 520 coating prevents moisture, grime, and bacteria from soaking into the fibers, ensuring gear stays fresh and odorless.

STRENGTHS

Key Benefits of Choosing Biothane™



-  Weatherproof
-  Stronger than leather
-  Easy to clean
-  Best DIY choice
-  Flexible and comfortable

BREAKING STRENGTH OF
750LBS



Image: An infographic highlighting the key strengths of Biothane, including its weatherproof nature, strength, ease of cleaning, and flexibility.



Image: A golden retriever wearing a Biothane collar, illustrating the material's flexibility and comfort in cold conditions.

3. DIMENSIONS AND AVAILABLE OPTIONS

The Biothane Beta 520 Super Heavy Coated Webbing is available in various dimensions and colors to suit your project needs:

Widths:

- 3/4 inch
- 1 inch

Lengths:

- 25 feet
- 50 feet
- 100 feet

Thicknesses:

- Super Heavy: 0.140" - 0.160" (3.55 - 4.06 mm)
- Reflective: 0.095" - 0.105" (2.41 - 2.67 mm)

Colors:

Available in a wide range of colors including Red, Orange, Yellow, Light Green, Light Blue, Medium Blue, Purple, Pink, and Black.

DIMENSIONS

Our Available Size Options



REGAL DOG
PRODUCTS




Image: An infographic illustrating the various widths, lengths, and thicknesses available for Biothane webbing.

9 COLORS



Find the Perfect Shade for Your Dog



Image: A visual representation of the nine different colors available for the Biothane material.

4. DIY APPLICATIONS AND SETUP

Biothane is an excellent material for do-it-yourself projects due to its ease of handling and durability. It can be cut, punched, and riveted to create custom pet gear.

Steps for Customization:

1. **Measure:** Determine the required length and width for your project. Use a ruler or measuring tape for accuracy.
2. **Cut:** The material can be easily cut with standard scissors or a sharp utility knife. Ensure clean, straight cuts for a professional finish.
3. **Punch:** Use a leather punch or specialized Biothane punch to create holes for hardware such as buckles, D-rings, or rivets.
4. **Assemble:** Attach your chosen hardware using rivets, screws, or stitching.



Image: Hands measuring a strip of Biothane webbing, demonstrating the initial step in a DIY project.



Image: A hand using a punch tool to create a hole in the Biothane material for hardware attachment.




Image: A close-up view of metal hardware components, such as buckles and D-rings, used with Biothane.

5. MAINTENANCE

Maintaining your Biothane products is straightforward due to the material's inherent properties.

Cleaning Instructions:

- Wipe clean with a damp cloth.
- For tougher dirt or grime, use mild soap and water.
- Rinse thoroughly and air dry. No special conditioning or drying is required.



Wipe Clean in Seconds

EASY TO CLEAN

Truly maintenance-free. Simply rinse with soap and water to remove dirt, odors, and bacteria instantly.

Image: Hands washing a strip of Biothane under running water, demonstrating how easily it can be cleaned.

6. SPECIFICATIONS

Attribute	Detail
Material	Biothane Beta 520 Super Heavy Coated Webbing
Width Options	3/4 inch, 1 inch
Length Options	25 feet, 50 feet, 100 feet
Thickness (Super Heavy)	0.140" - 0.160"
Color (Current Product)	Purple
Brand	Regal Dog Products
ASIN	B0DD4CSV33
Date First Available	August 14, 2024

7. TROUBLESHOOTING

Biothane is a highly resilient material, but proper handling ensures optimal performance and longevity.

- **Difficulty Cutting:** Ensure you are using sharp scissors or a utility knife. Dull blades can lead to frayed edges.
- **Holes Not Clean:** Use a sharp punch tool. For best results, place the Biothane on a cutting mat or a soft block when punching holes.
- **Hardware Issues:** Ensure hardware is appropriately sized for the Biothane width and thickness. Incorrect sizing can lead to a loose fit or damage to the material.
- **Stiffness in Extreme Cold:** While flexible, extreme cold can make any material slightly stiffer. The material will regain its full pliability as temperatures rise.

8. WARRANTY AND SUPPORT

Regal Dog Products stands behind the quality of its Biothane webbing. For specific warranty information or support regarding your purchase, please refer to the seller's policies on the platform where the product

was acquired or contact Regal Dog Products directly through their official channels. General product support and usage tips can often be found on the manufacturer's website.