

[Manuals.plus](#) /

› [HUOKU](#) /

› HUOKU Modern LED Wooden Chandelier, 24-inch Dimmable 1-Ring Round Light Fixture (Model: 146ec651-ee3f-41ac-94fd-49eb2818e354) - Instruction Manual

HUOKU 146ec651-ee3f-41ac-94fd-49eb2818e354

HUOKU Modern LED Wooden Chandelier

Model: 146ec651-ee3f-41ac-94fd-49eb2818e354

1. INTRODUCTION

Thank you for choosing the HUOKU Modern LED Wooden Chandelier. This instruction manual provides essential information for the safe installation, operation, and maintenance of your new lighting fixture. Please read this manual thoroughly before beginning installation and retain it for future reference.



Image 1.1: The HUOKU Modern LED Wooden Chandelier, a 24-inch round fixture with a walnut finish, shown installed above a kitchen island.

2. SAFETY INFORMATION

WARNING: Risk of electric shock. Disconnect power at the circuit breaker or fuse box before installation or servicing. Improper installation can result in serious injury or death.

- All electrical connections must be in accordance with local codes, ordinances, or the National Electric Code (NEC). Consult a qualified electrician if you are unfamiliar with proper electrical wiring connections.
- Ensure the mounting surface can support the weight of the fixture.
- Do not connect this fixture to an ungrounded electrical system.
- Do not handle the fixture or attempt installation while your hands are wet or while standing on a wet or damp surface.
- This fixture is designed for indoor use only.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact customer support.

- LED Chandelier Assembly (1)
- Mounting Bracket (1)
- Wire Nuts (3)
- Mounting Screws (2)
- Junction Box Screws (2)
- Instruction Manual (1)

4. SETUP AND INSTALLATION

This chandelier features a one-piece design for simplified installation. All necessary mounting hardware is included.

4.1 Pre-Installation Steps

1. **Turn off Power:** Locate the circuit breaker or fuse box and turn off the power to the junction box where the fixture will be installed.
2. **Unpack Contents:** Carefully remove all components from the packaging.
3. **Review Instructions:** Read through this entire manual before proceeding.

4.2 Mounting the Fixture

1. Attach the mounting bracket to the junction box using the provided junction box screws. Ensure the bracket is securely fastened.
2. Connect the fixture's wires to the house wires:
 - Connect the black wire from the fixture to the black (live) wire from the junction box using a wire nut.
 - Connect the white wire from the fixture to the white (neutral) wire from the junction box using a wire nut.
 - Connect the green or bare copper ground wire from the fixture to the green or bare copper ground wire from the junction box using a wire nut. If no ground wire is present in the junction box, attach the fixture's ground wire to the mounting bracket with the provided ground screw.
3. Carefully tuck all wires into the junction box.
4. Align the canopy of the chandelier with the mounting bracket and secure it using the mounting screws.

4.3 Adjusting the Height

The chandelier's height is adjustable to suit your space. The maximum height is 78.7 inches.

PRODUCT SPECIFICATION

• Input Voltage:	110V-220V
• Wattage:	30W
• Temperature:	3000K



Lighting can be dimmed by switching on the wall (Excluded dimmer switch)




Image 4.1: To adjust the cable length, gently press the pin on the canopy where the cable enters and slide the cable to the desired length. Release the pin to lock the cable in place. Ensure all cables are adjusted evenly for a level fixture.

This fixture is also suitable for sloped or vaulted ceilings.




Image 4.2: This diagram illustrates the dimensions of the chandelier, including the 23.62-inch diameter, 2.75-inch height, and adjustable hanging cord up to 78.74 inches.

5. OPERATING INSTRUCTIONS

Once installed and power is restored, your HUOKU LED Chandelier is ready for use.

5.1 Dimmable Functionality

This fixture is fully dimmable when connected to a compatible dimmer switch (not included). Install a suitable dimmer switch on your wall to control the light intensity.



Image 5.1: The chandelier supports dimming, allowing for various lighting moods from full illumination to a soft night light setting, controlled by a compatible dimmer switch.

5.2 Light Color

The integrated LED provides a warm white light with a color temperature of 3000K.

6. MAINTENANCE

To maintain the appearance and performance of your chandelier, follow these simple guidelines:

- **Cleaning:** Always turn off the power before cleaning. Use a soft, dry, or slightly damp cloth to wipe the fixture. Avoid using abrasive cleaners, solvents, or polishes as they may damage the finish or electrical components.
- **LED Care:** The LED light source is integrated and designed for long-term use. It does not require bulb replacement.

7. TROUBLESHOOTING

If you encounter issues with your chandelier, refer to the following troubleshooting steps:

Problem	Possible Cause	Solution
Light does not turn on	No power to the fixture; Loose wiring connection; Faulty dimmer switch (if installed)	Check circuit breaker/fuse; Ensure all wire connections are secure; Test with a standard switch or replace dimmer switch.
Light flickers	Loose wiring connection; Incompatible dimmer switch; Voltage fluctuations	Check all wire connections; Ensure dimmer switch is LED-compatible; Consult an electrician for voltage issues.
Difficulty adjusting hanging height	Cable locking mechanism not fully disengaged	Ensure the cable release pin on the canopy is fully pressed in while adjusting the cable. Adjust one cable at a time for easier leveling.

If these steps do not resolve the issue, please contact HUOKU customer support.

8. SPECIFICATIONS

Detailed technical specifications for the HUOKU Modern LED Wooden Chandelier:

Feature	Specification
Brand	HUOKU
Model Number	146ec651-ee3f-41ac-94fd-49eb2818e354
Color	Wood-Walnut Color
Material	Wood-Walnut
Style	Modern
Light Fixture Form	Chandelier
Product Dimensions (L x W x H)	23.62" x 23.62" x 2.76"
Item Weight	8.73 pounds
Power Source	Corded Electric
Installation Type	Semi Flush Mount
Special Features	Adjustable Height, Dimmable
Light Source Type	LED
Voltage	120 Volts (AC)
Light Color	White (3000K)
Wattage	30 watts
Switch Type	Dimmer (compatible dimmer switch not included)
Indoor/Outdoor Usage	Indoor
Assembly Required	No (one-piece design)

9. WARRANTY AND SUPPORT

For warranty information or technical support, please contact HUOKU customer service through the retailer where the product was purchased. Please have your model number (146ec651-ee3f-41ac-94fd-49eb2818e354) and purchase date available.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question