

Sannover Omiros Plat 500W

Sannover Omiros Flat Wall-Mounted Electric Towel Dryer 500W User Manual

Model: Omiros Plat 500W | Brand: Sannover

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your Sannover Omiros Flat Wall-Mounted Electric Towel Dryer 500W. This electric towel dryer is designed to provide comfort and warmth in your bathroom, efficiently heating areas up to 8 m² and drying towels. It features a modern, elegant design and a user-friendly touch LCD screen for easy control of heating modes. Please read this manual thoroughly before installation and use, and retain it for future reference.

2. SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions when using electrical appliances. This appliance is for domestic use only.

- **Electrical Safety:** Ensure the power supply matches the voltage specified on the appliance. Do not operate with a damaged cord or plug. Do not immerse the appliance in water or other liquids.
- **Installation:** Installation must be performed by a qualified professional in accordance with local electrical codes and regulations. Incorrect installation can void the warranty and pose safety risks.
- **Placement:** Do not install the towel dryer directly below a power outlet. Maintain adequate clearance from combustible materials.
- **Usage:** This appliance is intended for drying towels and heating the bathroom. Do not use it for other purposes. Do not cover the towel dryer while it is operating, as this can cause overheating.
- **Children and Vulnerable Persons:** This appliance can be used by children aged 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- **Overheat Protection:** The device is equipped with overheat protection, which automatically shuts off the appliance if it becomes too hot. If this occurs, unplug the device and allow it to cool before attempting to restart.

- **Maintenance:** Always unplug the appliance before cleaning or performing any maintenance.

3. PACKAGE CONTENTS

Please check the package contents upon receipt. If any items are missing or damaged, contact your retailer.

- Sannover Omiros Flat Electric Towel Dryer (1 unit)
- Wall mounting kit (screws, anchors, brackets)
- User Manual (this document)

4. PRODUCT OVERVIEW

The Sannover Omiros Flat Electric Towel Dryer is constructed from aluminum and features a sleek, flat design. It integrates a touch LCD screen for intuitive control.



Figure 1: Front view of the Sannover Omiros Flat Electric Towel Dryer.



Figure 2: Close-up of the touch LCD screen.

5. SETUP AND INSTALLATION

The Sannover Omiros Electric Towel Dryer is designed for wall-mounted installation. For safety and to ensure proper function and warranty validity, **installation must be carried out by a qualified professional** according to current standards and regulations.

5.1 Pre-Installation Checks

- Verify that the wall surface is suitable to support the weight of the towel dryer and any towels.
- Ensure the chosen location is away from direct water spray and complies with bathroom electrical zone regulations.
- Confirm the power supply is easily accessible and can handle the 500W power requirement.

5.2 Mounting Steps (Professional Installation Recommended)

1. Mark the desired mounting points on the wall using the provided template or by measuring the bracket positions on the unit.
2. Drill holes at the marked points and insert appropriate wall anchors.
3. Secure the mounting brackets to the wall.
4. Carefully attach the towel dryer to the wall brackets.
5. Connect the electrical wiring to the main power supply. This step is critical and must be performed by a certified electrician.
6. Ensure all connections are secure and the unit is firmly mounted.



Figure 3: Example of the towel dryer installed in a bathroom setting.

6. OPERATING INSTRUCTIONS

The Omiros towel dryer features an intuitive touch LCD screen for easy control.

6.1 Power On/Off

- To turn the unit on or off, press the power icon on the touch LCD screen.

6.2 Setting Temperature

- Use the '+' and '-' icons on the LCD screen to adjust the desired temperature. The current temperature setting will be displayed prominently.

6.3 Operating Modes

The towel dryer offers several operating modes to suit your needs:

- **Comfort Mode:** Maintains a consistent, comfortable temperature.
- **Normal Mode:** Standard heating operation.
- **Eco Mode:** Energy-saving mode, ideal for maintaining a background temperature.
- **Frost Protection Mode:** Activates automatically to prevent freezing when the ambient temperature drops below a certain threshold.

Refer to the LCD screen interface for specific icons and navigation to select your preferred mode.

6.4 Timer Function

The unit includes a timer function, allowing you to program specific operating periods. Consult the on-screen menu for detailed timer settings and scheduling options.

7. MAINTENANCE

Regular cleaning and proper care will ensure the longevity and efficient operation of your towel dryer.

- **Cleaning:** Always unplug the appliance from the power supply before cleaning. Use a soft, damp cloth to wipe down the surfaces. Do not use abrasive cleaners, solvents, or harsh chemicals, as these can damage the finish.
- **Inspection:** Periodically check the power cord for any signs of damage. If damage is found, contact a qualified technician for repair.
- **Storage:** If the appliance will not be used for an extended period, ensure it is clean and stored in a dry place.

8. TROUBLESHOOTING

If you encounter issues with your towel dryer, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Appliance does not turn on.	No power supply; power cord not plugged in; circuit breaker tripped.	Check power connection; ensure power outlet is functional; reset circuit breaker.
No heat output.	Incorrect mode selected; temperature set too low; overheat protection activated.	Verify operating mode and temperature setting; unplug and allow unit to cool if overheat protection is active.
LCD screen is unresponsive.	Temporary software glitch; power issue.	Turn off and unplug the unit for a few minutes, then plug back in and restart.

If the problem persists after attempting these solutions, please contact customer support.

9. SPECIFICATIONS

Feature	Detail
Brand	Sannover
Model	Omiros Plat 500W
Power	500 W
Dimensions (L x W x H)	12.5 x 56 x 88 cm
Weight	6 kg
Color	White
Material	Metal (Aluminum)
Mounting Type	Wall-mounted
Control	Touch LCD Screen
Special Features	Timer, Multiple Operating Modes (Comfort, Normal, Eco, Frost Protection), Overheat Protection

10. WARRANTY AND SUPPORT

This product benefits from a two-year legal conformity warranty from the date of delivery. Additionally, for certain products, a manufacturer's warranty may apply, often for two years, covering spare parts. This manufacturer's warranty is valid only if the installation and fault diagnosis have been carried out by a qualified professional in accordance with applicable standards.

For technical support, warranty claims, or inquiries regarding spare parts, please contact your retailer or the manufacturer directly. Ensure you have your proof of purchase and product model information readily available.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question