

[Manuals.plus](#) /

› [SNDOAS](#) /

› SNDOAS Island Range Hood TS0735 User Manual

SNDOAS TS0735

SNDOAS Island Range Hood TS0735 User Manual

Model: TS0735 | Brand: SNDOAS

INTRODUCTION

Thank you for choosing the SNDOAS Island Range Hood. This manual provides essential information for the safe installation, operation, and maintenance of your new appliance. Please read it thoroughly before use and keep it for future reference. This elegant and compact island hood features a powerful 700 m³/h extraction rate, A+ energy efficiency, and quiet operation at just 55 dB. Designed for recirculation mode, it includes active carbon filters for effective air purification without external ducting.

SAFETY INFORMATION

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and personal injury.

- Ensure the electrical installation complies with local regulations.
- Do not allow children to operate the appliance.
- Clean grease filters regularly to prevent fire hazards.
- Do not flambé under the range hood.
- Disconnect power before any maintenance or cleaning.
- Installation should be performed by a qualified professional.

SETUP AND INSTALLATION

Unpacking: Carefully remove all packaging materials. Inspect the hood for any damage. Keep packaging materials away from children.

Components Included:

- SNDOAS Island Range Hood
- 1.5m pre-wired EU plug cable (2-pole)
- 5-layer washable aluminum grease filter
- 2 Active Carbon Filters (Code: YYCF-WH01)
- Mounting material
- Instruction Manual

Mounting: This island hood is designed for ceiling mounting. The hanging height is adjustable from 58 cm to 188 cm to suit

various kitchen layouts. It is recommended to prepare the electrical wiring before ceiling installation.

Internal Circular Extraction

Include 2 x carbon filters




Image: Diagram showing the adjustable hanging height of the island range hood, with dimensions for the hood body (350mm diameter) and ceiling plate (180mm diameter).

Electrical Connection: The hood comes with a pre-wired cable. Ensure the power supply matches the appliance's requirements (220V, 50Hz). A qualified electrician should handle the final connection.




Image: A black cylindrical island range hood suspended above a kitchen island with a cooking hob, demonstrating its compact and elegant design in a modern kitchen setting.

OPERATING INSTRUCTIONS

The hood features simple push-button controls for ease of use.



Image: A close-up view of the electronic control panel located on the underside of the range hood, showing buttons for power, speed settings (Lo, Med, Hi), and light.

- **Power On/Off:** Press the power button to turn the hood on or off.
- **Speed Settings:** Select from 3 fan speeds (Low, Medium, High) using the corresponding buttons to match your cooking intensity.
- **LED Lighting:** Activate the energy-efficient LED lights with the dedicated light button to illuminate your cooking area.
- **Delayed Shutdown:** The 5-minute delayed shutdown function allows the hood to continue operating for a short period after cooking, ensuring all residual odors are cleared.



Image: A kitchen scene with the island range hood, featuring an overlay graphic indicating a '5 min' delayed shutdown timer, highlighting the convenience feature.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your range hood.

- **Cleaning the Aluminum Grease Filter:** The 5-layer aluminum grease filter effectively captures grease and steam. It is easily removable via a buckle switch and is dishwasher safe for convenient cleaning. Clean regularly (e.g., monthly) depending on usage.
- **Replacing Active Carbon Filters:** For recirculation mode, the hood uses 2 active carbon filters (Code: YYCF-WH01) to purify the air. These filters are not washable and need to be replaced periodically (typically every 3-6 months, depending on usage). Refer to the specific filter replacement instructions provided with the filters.



Image: A diagram showing the internal circular extraction system of the hood, illustrating how air passes through carbon filters to remove oil stains, dust, and peculiar smells, then recirculates purified air. This highlights the ductless operation.



**Comandi elettronici
Tap-Touch**

**Controllo facile nonostante le
altezze di montaggio elevate**



Image: A detailed view of the underside of the range hood, showing the removable 5-layer aluminum grease filter and the integrated LED lighting strip, emphasizing ease of maintenance and illumination.

Exterior Cleaning: Clean the exterior surfaces with a soft cloth and mild detergent. Avoid abrasive cleaners or scouring pads.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Hood does not turn on.	No power supply; loose connection; faulty switch.	Check power outlet and circuit breaker. Ensure cable is securely connected. Contact a qualified technician if the issue persists.
Low suction power.	Clogged grease filters; saturated carbon filters; incorrect fan speed.	Clean or replace grease filters. Replace carbon filters (YYCF-WH01). Increase fan speed.
Excessive noise.	Loose components; fan obstruction.	Ensure all mounting screws are tight. Check for any foreign objects obstructing the fan.

Problem	Possible Cause	Solution
Lights not working.	Faulty LED bulb; electrical issue.	Contact customer support for LED light replacement or electrical inspection.

If you encounter problems not listed here, or if the suggested solutions do not resolve the issue, please contact customer support.

SPECIFICATIONS

- Brand: SNDOAS
- Model Number: TS0735
- Product Dimensions: 35P x 35l x 38H cm (Diameter 35cm)
- Color: Black
- Airflow Capacity: 700 m³/h
- Noise Level: 55 Decibels
- Mounting Type: Island
- Control Type: Push Button
- Voltage: 220 Volt
- Number of Speeds: 3
- Light Source: LED
- Electrical Power: 100 watts
- Filter Type: Mesh (Aluminum Grease Filter), Active Carbon Filter (YYCF-WH01)
- Ventilation Type: Ductless/Recirculation
- Item Weight: 8 Kilograms
- Material: Aluminum
- Special Features: Powerful 700 m³/h suction, A+ energy efficiency, Grease filter, Delayed shutdown function, LED lighting.
- Certifications: CE

WARRANTY INFORMATION

This SNDOAS Island Range Hood comes with a **2-year manufacturer's warranty**. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from improper installation, misuse, accidents, or unauthorized repairs.

Please retain your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For technical assistance, warranty claims, or to order replacement parts (such as active carbon filters YYCF-WH01), please contact SNDOAS customer service through your retailer or the official SNDOAS website.

When contacting support, please have your product model number (TS0735) and purchase date available.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question