

[Manuals.plus](#) /

› [GlasFlength](#) /

› GlasFlength Queen Bed Frame User Manual

GlasFlength DDP-HX-BF-114WQ-GY

GlasFlength Queen Bed Frame with Adjustable Headboard User Manual

Model: DDP-HX-BF-114WQ-GY

Brand: GlasFlength

PRODUCT OVERVIEW

The GlasFlength Queen Bed Frame is designed for comfort and stability, featuring an adjustable upholstered headboard and a sturdy wooden slat support system. This platform bed frame eliminates the need for a box spring, offering a modern and space-saving solution for your bedroom. Its robust construction ensures long-lasting performance and support.



Image: Fully assembled GlasFlength Queen Bed Frame in grey, showcasing its design and wooden slat foundation.

IMPORTANT SAFETY INFORMATION

- **Weight Capacity:** Do not exceed a total load of 800 lbs on the bed frame. Exceeding this limit may compromise the structural integrity and lead to damage or injury.
- **Assembly Precautions:** Be cautious of sharp edges and pinch points during assembly. It is recommended to wear gloves to protect your hands.
- **Adult Assembly:** Assembly should be performed by at least two adults to ensure safety and ease of handling large components.
- **Secure Connections:** Ensure all bolts, screws, and fasteners are tightened securely before use. Periodically check and re-tighten connections.
- **Level Surface:** Assemble and place the bed frame on a flat, level surface to prevent wobbling and ensure stability.
- **Children and Pets:** Keep children and pets away from the assembly area to prevent accidents.

ASSEMBLY INSTRUCTIONS

Follow these step-by-step instructions for a smooth and easy assembly process. All necessary tools and hardware are

included.



Image: Important note indicating that assembly accessories are stored inside the zippered compartment of the headboard panel. Unzip to access.

Important Note: Before beginning assembly, please check the zippered compartment located on the back of the headboard panel. All hardware and smaller components are typically stored inside this compartment for shipping efficiency.

Step 1: Prepare Components

Unpack all components and lay them out on a clean, soft surface (like a rug or blanket) to prevent scratches. Verify that all parts listed in the hardware pack are present.



Image: Visual guide showing three key assembly steps: attaching side rails, securing the headboard, and installing wooden slats.

Step 2: Assemble the Frame

1. Attach the side rails to the headboard and footboard using the provided bolts and Allen wrench. Ensure the connections are snug but do not fully tighten yet.
2. Insert the center support beam(s) into the designated slots or brackets on the headboard and footboard.

Step 3: Install Wooden Slats

1. Place the wooden slats across the bed frame, ensuring they are evenly spaced and fit securely into the side rail supports.
2. Some slats may have pre-drilled holes for optional screws to secure them to the frame. Use these if available for added stability.

Step 4: Final Tightening

1. Once all components are in place, go back and fully tighten all bolts and screws. This ensures the frame is rigid and stable.
2. Attach any support legs to the center beam if applicable.

Assembly is typically completed within 30 minutes with two people.

OPERATING INSTRUCTIONS: ADJUSTABLE HEADBOARD

The GlasFlength Queen Bed Frame features an adjustable headboard, allowing you to customize its height to best suit your mattress thickness and personal preference.



Image: Diagram illustrating the three adjustable height settings for the upholstered headboard: 44.8 inches, 46.5 inches, and 48.8 inches from the floor.

- The headboard offers a height range of 44.8 to 48.8 inches from the floor.
- It is suitable for mattresses with a thickness between 8 to 14 inches.
- To adjust the height, loosen the bolts connecting the headboard to the side rails, slide the headboard to the desired height, and then re-tighten the bolts securely.

MAINTENANCE AND CARE

- **Cleaning:** For the upholstered headboard, spot clean with a damp cloth and mild detergent if necessary. Avoid harsh chemicals. For the metal and wooden parts, wipe with a dry or slightly damp cloth.
- **Regular Checks:** Periodically inspect all bolts and connections to ensure they remain tight. Re-tighten as needed to maintain stability and prevent squeaks.
- **Avoid Overloading:** Adhere to the maximum weight capacity of 800 lbs to prevent damage to the frame.
- **Moving the Bed:** When moving the bed frame, lift it rather than dragging it to prevent damage to the legs and floor.
- **Floor Protection:** The bed frame features non-slip and anti-scratch feet. However, for extra protection on delicate flooring, consider placing felt pads under the legs.



Image: Depiction of the 8-inch under-bed clearance, highlighting non-slip stable feet, anti-scratch floor protection, and anti-noise design.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Bed frame wobbles or is unstable.	Loose bolts or uneven assembly.	Ensure all bolts are fully tightened. Check that the bed is on a level surface.
Squeaking noises.	Loose connections, friction between parts, or slats shifting.	Re-tighten all bolts. Ensure slats are properly seated and not rubbing against the frame. Apply felt pads if necessary.
Headboard not staying at desired height.	Headboard adjustment bolts are not tight enough.	Fully tighten the bolts that secure the headboard to the side rails after adjusting its height.
Missing parts during assembly.	Parts may be stored in the headboard compartment.	Check the zippered compartment on the back of the headboard. If still missing, contact customer support.

SPECIFICATIONS

Feature	Detail
Product Dimensions (L x W x H)	83.5" x 62" x 12" (Frame height)
Headboard Height (Adjustable)	44.8" to 48.8"
Recommended Mattress Thickness	8" to 14"
Weight Capacity	Up to 800 lbs
Material	Metal frame, Linen fabric upholstered headboard, Wooden slats
Color	Queen/Grey
Assembly Required	Yes (Easy Assembly)

Feature	Detail
Model Number	DDP-HX-BF-114WQ-GY
UPC	757106494058



Image: Detailed diagram showing the dimensions of the Queen bed frame, including length, width, height, and headboard adjustability, along with key features like 800 lbs weight capacity and 30-minute assembly time.

WARRANTY AND SUPPORT

For warranty information, missing parts, or any questions regarding your GlasFlength Queen Bed Frame, please contact GlasFlength customer support. Refer to your purchase documentation for specific warranty terms and contact details. You can typically find support contact information on the manufacturer's website or through the retailer where the product was purchased.

