

[Manuals.plus](#) /

› [SMARTSTANDARD](#) /

› SMARTSTANDARD Sliding Closet Door 64x80 Inch Double Frosted 3 Panel Glass - Installation and User Manual

SMARTSTANDARD CDM-33G3B2-KIT-WT

SMARTSTANDARD Sliding Closet Door 64x80 Inch Double Frosted 3 Panel Glass

Model: CDM-33G3B2-KIT-WT

INTRODUCTION

Thank you for choosing the SMARTSTANDARD Sliding Closet Door. This manual provides essential information for the safe and correct installation, operation, and maintenance of your new double frosted 3-panel glass sliding closet door. Please read these instructions thoroughly before beginning assembly or use to ensure optimal performance and longevity of the product.

SAFETY INFORMATION

- Always wear appropriate safety gear, including gloves and eye protection, during installation.
- Ensure all components are present and undamaged before assembly. Do not proceed with installation if any parts are missing or broken.
- The door panels are made of tempered glass. Handle with care to prevent breakage.
- This product is heavy (approximately 100 pounds). It is recommended that two or more people assist with lifting and installation to prevent injury.
- Ensure the wall structure is capable of supporting the weight of the door and track system.
- Keep children and pets away from the installation area.
- Do not modify the product in any way, as this may compromise its safety and void the warranty.

PACKAGE CONTENTS

Verify that all the following components are included in your package. If any parts are missing or damaged, please contact customer support.

Accessories to be assembled



This image displays all the components required for assembling the SMARTSTANDARD sliding closet door, such as the two door panels, top track, roller mechanisms, and recessed handles.


- 2 x Door Panels (33" W x 78 9/16" H each, 7/8" thickness)
- Top Track System
- Roller Mechanisms (4 units)
- Recessed Handles (2 units)
- Floor Guide
- Mounting Hardware (screws, anchors, etc.)
- Installation Instructions

Note: Your closet door order ships in two separate packages.

SPECIFICATIONS

Brand	SMARTSTANDARD
-------	---------------

Model Number	CDM-33G3B2-KIT-WT
Door Dimensions (Each Panel)	33" (W) x 78 9/16" (H)
Overall Opening Size (Recommended)	64" (W) x 80" (H)
Door Thickness	7/8"
Material	MDF with PVC Surface, Tempered Frosted Glass
Color	White
Style	Modern
Item Weight	Approximately 100 Pounds
Required Assembly	Yes



Sliding Closet Doors Size Chart


Option Name	A: Each Panel Size	B: Fit Opening Size	Thickness	C: Panel height	D: Opening height
48"	25"x 78 9/16"	48" x 80"	7/8"	78 9/16"	80"
56"	29"x 78 9/16"	56" x 80"	7/8"	78 9/16"	80"
60"	31"x 78 9/16"	60" x 80"	7/8"	78 9/16"	80"
64"	33"x 78 9/16"	64" x 80"	7/8"	78 9/16"	80"
72"	37"x 78 9/16"	72" x 80"	7/8"	78 9/16"	80"

A detailed size chart providing various options for SMARTSTANDARD sliding closet doors, including the dimensions for each panel, the corresponding fit opening size, door thickness, panel height, and recommended opening height.

SETUP AND INSTALLATION

The SMARTSTANDARD sliding closet door is designed for easy installation with clear instructions and illustrations. Follow these steps carefully for proper assembly.

Easy to Install Instructions



1. Install the top track



2. Attach the roller to the door



3. Hang the door to the track




4. Install floor guide

A visual step-by-step guide illustrating the installation process for the SMARTSTANDARD sliding closet door. It shows installing the top track, attaching rollers to the door panels, hanging the doors on the track, and finally installing the floor guide.

1. **Install the Top Track:** Securely mount the top track to the door frame or ceiling according to the provided measurements and hardware. Ensure it is level and firmly attached.
2. **Attach Rollers to the Door Panels:** Fasten the roller mechanisms to the top edge of each door panel. The rollers are designed for smooth and noiseless operation.
3. **Hang the Door Panels:** Carefully lift and hang the door panels onto the installed top track. Ensure the rollers engage properly with the track.
4. **Install the Floor Guide:** Position and secure the floor guide at the bottom of the door opening. This guide prevents the doors from swinging and ensures smooth parallel movement.

The track system features an internal convex rail allowing wheels to roll flexibly without jumping off the track. Upgraded nylon bearings ensure quiet and smooth sliding. The height of the door can be adjusted using the equipped wrench up to 7mm.



A detailed diagram illustrating the high-quality box rail system of the SMARTSTANDARD sliding door. It explains features such as precision extrusion molding, the internal convex rail for smooth operation, upgraded nylon bearings for quiet sliding, and the ability to adjust door height.

OPERATING INSTRUCTIONS

The SMARTSTANDARD sliding closet door operates by gliding smoothly along the top track. To open or close the doors, gently push or pull the door panels using the recessed handles.



High-quality Box Rail

1. Precision extrusion molding, not easy to deform. And the track can carry each door weighing up to **150lbs**.
2. The internal convex rail allows the wheel to roll flexibly without jumping off the track. Three-Wheel Rollers
1. Upgraded nylon bearings that have been tested thousands of times allow the doors to slide quietly and smoothly.
2. Quick locking tab makes the door can be removed without removing the track.
3. The height of the door can be adjusted by the equipped wrench up to **7mm**.
4. The weight of the door can be evenly distributed on each wheel.

A visual comparison showing the SMARTSTANDARD sliding closet door in three different states: fully opened to reveal the interior, half closed for partial access, and fully closed for complete privacy.

- **Opening:** Slide one or both door panels to the side to reveal the closet interior.
- **Closing:** Slide the door panels back into position until they meet in the middle, fully covering the opening.
- **Partial Opening:** The doors can be positioned at any point along the track to allow partial access or ventilation.

The design allows the doors to move in parallel, saving space compared to traditional hinged doors. The frosted glass panels provide privacy while allowing natural light to filter through.

MAINTENANCE

Regular maintenance will help keep your SMARTSTANDARD sliding closet door in excellent condition.

- **Cleaning the Door Panels:** The PVC film surface is designed to prevent scratches and is easy to clean. Use a soft, damp cloth with a mild, non-abrasive cleaner to wipe down the door panels and glass. Avoid harsh chemicals or abrasive materials that could damage the finish or glass.
- **Track Maintenance:** Periodically inspect the top track and rollers for any debris or dust accumulation. Clean the track with a dry cloth or vacuum cleaner to ensure smooth operation. Avoid lubricating the track unless specifically recommended by the manufacturer, as this can attract more dust.
- **Hardware Check:** Occasionally check all screws and fasteners to ensure they remain tight. Retighten if necessary.

TROUBLESHOOTING

If you encounter any issues with your sliding closet door, refer to the following common problems and solutions:

- **Doors are difficult to slide:**
 - Check the top track for obstructions (dust, debris). Clean if necessary.
 - Inspect the rollers for damage or wear.
 - Ensure the floor guide is clean and not obstructed.
- **Doors are noisy when sliding:**
 - Clean the top track and rollers.
 - Verify that the rollers are properly seated in the track.
- **Doors are not aligned:**
 - Check if the top track is level. Adjust if needed.
 - Use the equipped wrench to adjust the door height (up to 7mm) if one door appears lower than the other.
- **Door panels appear loose:**
 - Ensure all mounting screws for the track and rollers are securely tightened.

If these steps do not resolve the issue, please contact SMARTSTANDARD customer support for further assistance.

WARRANTY INFORMATION

SMARTSTANDARD products are manufactured to high-quality standards. This product comes with a limited warranty covering manufacturing defects. Please retain your proof of purchase for warranty claims. For specific warranty terms and conditions, refer to the documentation included with your purchase or visit the official SMARTSTANDARD website.

CUSTOMER SUPPORT

For technical assistance, replacement parts, or any questions regarding your SMARTSTANDARD Sliding Closet Door, please contact our customer support team. Contact information can typically be found on our official website or on the packaging materials.