

FORIOUS EU69102CH-F10

FORIOUS Thermostatic Shower Column Instruction Manual

Model: EU69102CH-F10 | Brand: FORIOUS

1. INTRODUCTION

Thank you for choosing the FORIOUS Thermostatic Shower Column. This manual provides essential information for the safe installation, correct operation, and proper maintenance of your new shower system. Please read these instructions thoroughly before installation and keep them for future reference.

2. PRODUCT OVERVIEW AND FEATURES

The FORIOUS Thermostatic Shower Column is designed to provide a comfortable and safe showering experience with its advanced features and durable construction.

- **Temperature Safety and Stability:** Equipped with an updated thermostatic cartridge and a 38°C safety lock to prevent scalding. The integrated limiter maintains a constant water temperature without sudden changes. A nickel alloy spring control button allows setting the desired temperature without resetting it after each use.
- **Rain Shower Experience:** The large 25 cm overhead shower offers a full 360° coverage, providing a relaxing rain-like water flow.
- **Adjustable Shower Rail:** Features a 360° swivel design with freely adjustable height and angle for the overhead jet. The shower support kit extends from 900 mm to 1200 mm, accommodating various user heights, making it convenient for both adults and children.
- **Premium Materials:** The thermostatic shower mixer attachment is made of SUS 304 stainless steel and brass, resistant to high temperatures, corrosion, rust, and scratches. The multi-layer polished chrome finish ensures long-lasting shine without fading or flaking. Includes a kink-free stainless steel hose.
- **Easy Cleaning:** The hand shower and overhead shower are made of durable and eco-friendly ABS material, resistant to corrosion and rust. Ultra-thin water holes prevent impurities and limescale from clogging the nozzles,

allowing for easy cleaning with a gentle touch.



Image: FORIOUS Thermostatic Shower Column, Chrome finish.

3. SAFETY INFORMATION

Please observe the following safety guidelines during installation and use:

- Ensure all water supply lines are turned off before beginning installation.
- If you are unsure about any installation steps, consult a qualified plumber.
- Do not use abrasive cleaners or harsh chemicals on the shower system, as this may damage the finish.
- The 38°C safety lock is designed to prevent scalding. Do not bypass or modify this feature.
- Regularly check for leaks and ensure all connections are secure.

4. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Thermostatic Faucet x 1
- Shower Bar x 1
- Overhead Shower Head x 1
- Hand Shower x 1
- Shower Hose x 1
- Hand Shower Holder x 1
- Installation Accessories x 1 (includes mounting hardware, gaskets, etc.)
- Installation Instructions x 1

5. INSTALLATION INSTRUCTIONS

The FORIOUS shower mixer set comes with detailed installation instructions and a video to guide you through the process. Before installation, purge any sediments from the pipes to prevent blockages or odors.

5.1. Installation Video Guide

Your browser does not support the video tag.

Video: Step-by-step installation guide for the FORIOUS shower column. This video demonstrates the process of mounting the mixer, shower bar, and shower heads to the wall.

5.2. Key Installation Steps

1. **Prepare the Wall Connections:** Ensure your hot and cold water supply lines are correctly positioned and spaced. Apply PTFE tape to the threads of the eccentric connectors.
2. **Install Eccentric Connectors:** Screw the eccentric connectors into the wall outlets. Adjust them to ensure the correct distance for the mixer.
3. **Mount the Mixer:** Place the thermostatic mixer onto the eccentric connectors. Tighten the nuts securely, ensuring the mixer is level.
4. **Assemble the Shower Bar:** Connect the sections of the shower bar. Attach the hand shower holder to the bar.
5. **Install the Shower Bar to the Mixer:** Secure the shower bar to the top outlet of the thermostatic mixer.
6. **Mark and Drill for Wall Mount:** Position the shower bar against the wall and mark the location for the upper wall bracket. Drill holes, insert wall plugs, and secure the bracket.
7. **Attach Shower Heads:** Connect the square rain shower head to the top arm of the shower bar. Connect the hand shower hose to the bottom outlet of the mixer and then to the hand shower.



Image: Installed FORIOUS shower column in a modern bathroom setting.

6. OPERATING INSTRUCTIONS

6.1. Temperature Control

The thermostatic mixer maintains a constant water temperature. To adjust the temperature:

- Turn the right knob to select your desired temperature.
- The 38°C safety lock prevents accidental scalding. To exceed 38°C, press the safety button on the knob while turning.

6.2. Temperature Calibration (if needed)

If the water temperature does not match the setting, calibration may be required. This video demonstrates the calibration process:

Your browser does not support the video tag.

Video: Guide on how to calibrate the thermostatic mixer. It shows rotating the temperature knob between cold and hot settings multiple times to reactivate the internal piston and reset temperature control.

6.3. Water Flow Control

Use the left knob to control the water flow and switch between the overhead shower and the hand shower.

6.4. Hand Shower Spray Types

The hand shower offers 3 types of jets:

- Rain Jet
- Mixed Jet
- Massage Jet

Adjust the spray type by rotating the shower head or pressing the button on the hand shower, depending on the model.



Image: Detailed view of the hand shower with its three spray types.

6.5. Adjustable Shower Rail

The height and angle of the overhead shower and hand shower holder can be adjusted. Loosen the locking mechanism on the shower bar, adjust to the desired position, and then tighten to secure.

NUOVA CARTUCCIA TERMOSTATICA INTELLIGENTE AGGIORNATA





Image: Illustration of the adjustable height and angle features of the shower rail.

7. MAINTENANCE AND CLEANING

To ensure the longevity and optimal performance of your FORIOUS shower column, follow these maintenance and cleaning tips:

- **Regular Cleaning:** Clean the shower heads and mixer regularly with a soft cloth and mild soap or a non-abrasive cleaner. Avoid harsh chemicals, abrasive sponges, or scouring agents, as these can damage the chrome finish.
- **Limescale Removal:** The silicone nozzles on the shower heads are designed for easy limescale removal. Simply rub them with your finger to dislodge any mineral deposits.
- **Hose Care:** The stainless steel hose is designed to be kink-free. Avoid excessive pulling or twisting that could damage the connections.

Raggiungere una Doccia Sicura



ALTRI





Image: Demonstrating easy cleaning of shower head nozzles by hand.

8. TROUBLESHOOTING

If you encounter any issues with your shower column, refer to the table below for common problems and solutions:

Problem	Possible Cause	Solution
Inconsistent water temperature	Thermostatic cartridge needs calibration or is faulty.	Perform temperature calibration as described in Section 6.2. If the problem persists, contact customer support.
Low water pressure from shower heads	Clogged nozzles or sediment in pipes.	Clean shower head nozzles (Section 7). Check water supply filters. Ensure pipes were purged before installation.

Problem	Possible Cause	Solution
Leaks from connections	Loose connections or worn gaskets.	Ensure all connections are tightened correctly. Check and replace gaskets if necessary.
Water not switching between shower heads	Diverter mechanism issue.	Ensure the flow control knob is fully turned to the desired position. If the issue persists, contact customer support.

9. SPECIFICATIONS

Feature	Detail
Manufacturer	FORIOUS
Product Dimensions	125 x 32 x 38 cm
Item Model Number	EU69102CH-F10
Size	Square 25cm
Color	Chrome
Style	Modern
Finish	Polished
Material	Stainless Steel, Acrylonitrile Butadiene Styrene (ABS), Brass
Shape	Square
Installation Method	Wall-mounted
Flow Rate Efficiency	2.5 GPM
Number of Handles	1
Handle Material	Stainless Steel and Brass
Item Weight	3.85 Kilograms


MATERIALE DI ALTA QUALITÀ



Nuova cartuccia
termostatica
intelligente
aggiornata

Corpo in ottone

Raccordi in
acciaio inossidabile



- Controllo del Flusso D'acqua regola liberamente il flusso d'acqua



Controllo della temperatura

- Pulsante di sicurezza del termostato a **38°**

Image: Product dimensions diagram.

10. WARRANTY AND SUPPORT

FORIOUS offers a **5-year warranty** or replacement for this product. If you have any questions or require assistance with your shower column, please contact FORIOUS customer service via Amazon. FORIOUS provides 24-hour online customer service to quickly resolve your issues and provide reliable support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question