Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

FORIOUS EU69101B-Y10

FORIOUS Thermostatic Shower System Instruction Manual

Model: EU69101B-Y10

Introduction

Thank you for choosing the FORIOUS Thermostatic Shower System. This manual provides detailed instructions for the safe installation, operation, maintenance, and troubleshooting of your new shower system. Please read this manual thoroughly before installation and keep it for future reference.
The FORIOUS Thermostatic Shower System features a 25cm round rain shower head, an adjustable rail from 90-125cm, and a hand shower with 3 spray modes, all constructed from durable SUS 304 stainless steel and brass with a matte black finish.

Package Contents

Please verify that all components are present before beginning installation.

- Thermostatic Mixer Bar
- 25cm Round Rain Shower Head
- Adjustable Shower Rail (90-125cm)
- Hand Shower with 3 Spray Modes
- Shower Hose (120 cm)
- Mounting Hardware
- Installation Instructions (this manual)



Figure 1: Exploded view of the FORIOUS Thermostatic Shower System components.

Setup and Installation

Important: Installation should be performed by a qualified professional if you are unsure about any steps. Ensure the main water supply is turned off before starting installation.

1. Prepare the Installation Area

1. Turn off the main water supply to your bathroom.
2. Remove any existing shower fixtures.
3. Clean the wall surface where the shower system will be mounted.

2. Mount the Thermostatic Mixer Bar

1. Identify the hot and cold water inlets. Typically, hot water is on the left and cold water on the right.
2. Attach the S-connections to the wall water outlets, ensuring they are level and the correct distance apart for the

mixer bar.

3. Apply PTFE tape to the threads of the S-connections to ensure a watertight seal.
4. Mount the thermostatic mixer bar onto the S-connections. Tighten securely but do not overtighten.



Figure 2: Installation of the thermostatic mixer bar, highlighting the intelligent thermostatic cartridge and temperature stability.

3. Install the Shower Rail and Rain Shower Head

1. Assemble the adjustable shower rail according to the included diagrams.
2. Attach the shower rail to the wall, ensuring it is vertical and securely fastened. The rail is adjustable from 900mm to 1200mm.
3. Connect the rain shower head to the top of the shower rail. Ensure all connections are tight.
4. The rain shower head features a 360° swivel design and 15° tilt adjustment for optimal positioning.



Figure 3: Adjustable height and angle features of the shower rail and rain shower head, suitable for various user heights.

4. Connect the Hand Shower

1. Connect one end of the 120cm shower hose to the outlet on the thermostatic mixer bar.
2. Connect the other end of the shower hose to the hand shower.
3. Place the hand shower in its adjustable holder on the shower rail.



Figure 4: The hand shower offering three distinct spray patterns for varied showering experiences.

5. Test for Leaks

1. Slowly turn on the main water supply.
2. Check all connections for leaks. If leaks are present, turn off the water, tighten the connections, and re-test.

Operating Instructions

Temperature Control

The thermostatic mixer bar features an intelligent thermostatic cartridge that maintains a constant water temperature. The safety stop is set at 38°C (100.4°F) to prevent accidental scalding. To exceed 38°C, press and hold the safety button while turning the temperature knob.



Figure 5: The intelligent thermostatic cartridge ensures stable water temperature, preventing sudden changes.

Water Flow Control

Use the flow control knob on the mixer bar to adjust the water volume. Turn the knob to select between the rain shower head and the hand shower.

Hand Shower Spray Modes

The hand shower offers three spray modes: Rain, Mixed, and Massage. Rotate the spray plate on the hand shower to switch between these modes.



Figure 6: The hand shower's adjustable spray settings for a personalized experience.

Air-Water Mixing Technology

The rain shower head incorporates air-water mixing technology, which infuses air into the water stream. This provides a softer, more luxurious shower experience while also saving up to 30% water.



Figure 7: Air-water mixing technology enhances the shower experience and conserves water.

Maintenance and Cleaning

Regular cleaning will help maintain the appearance and functionality of your FORIOUS shower system.

General Cleaning

- Clean the surfaces with a soft cloth and mild soap or a non-abrasive bathroom cleaner.
- Avoid using abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the matte black finish.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.

Nozzle Cleaning

The hand shower and rain shower head feature silicone nozzles designed for easy cleaning. Simply rub the nozzles with your finger to dislodge any mineral buildup or impurities.



Figure 8: The "Touch to Clean" silicone nozzles simplify maintenance and prevent clogging.

TROUBLESHOOTING

If you encounter any issues with your shower system, please refer to the following common problems and solutions.

Problem	Possible Cause	Solution
No water flow or low pressure	• Main water supply is off. • Clogged nozzles or filters. • Kinked shower hose.	• Ensure main water supply is on. • Clean shower head and hand shower nozzles (refer to Maintenance). Check and clean any inline filters. • Straighten the shower hose.

Problem	Possible Cause	Solution
Water temperature is inconsistent or too cold/hot	• Thermostatic cartridge issue. • Incorrect hot/cold water supply. • Safety stop engaged.	• Ensure hot and cold water supplies are correctly connected. • If temperature is too cold, press the safety button on the temperature knob to increase above 38°C. • If problem persists, contact customer support; the thermostatic cartridge may need inspection.
Leaks from connections	• Loose connections. • Missing or damaged seals/washers. • Insufficient PTFE tape.	• Turn off water supply. • Tighten all connections. • Check for proper placement of rubber washers and apply PTFE tape to threaded connections.

Specifications

Feature	Detail
Brand	FORIOUS
Model Number	EU69101B-Y10
Color	Intense Black
Material	SUS 304 Stainless Steel, Brass, ABS
Installation Type	Wall Mounted
Rain Shower Head Size	25 cm (Circular)
Adjustable Rail Height	90 cm - 125 cm
Hand Shower Spray Modes	3 (Rain, Mixed, Massage)
Hose Length	120 cm
Water Efficiency	≤2.0 GPM (≤7.6 LPM)
Origin	China



Figure 9: Detailed product dimensions for installation planning.

Warranty Information

FORIOUS products are manufactured to high-quality standards. Specific warranty details may vary by region and retailer. Please retain your proof of purchase for any warranty claims. For detailed warranty terms, refer to the documentation provided at the time of purchase or contact FORIOUS customer support.

Customer Support

If you require further assistance, have questions about installation, or need to report a problem, please contact FORIOUS customer support.

- **Online Support:** Visit the official FORIOUS website or the retailer's support page where you purchased the product.
- **Email:** Refer to your product packaging or the FORIOUS brand store on Amazon for contact email.

- **Phone:** Check the FORIOUS brand store or product documentation for a customer service phone number.

When contacting support, please have your model number (EU69101B-Y10) and proof of purchase readily available.

© 2023 FORIOUS. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DDXV5RRW

More documents and user manuals: **https://manuals.plus/**