

PVWIIK B0DFTK1P35

PVWIIK Twin Bunk Bed Instruction Manual

Model: B0DFTK1P35

Brand: PVWIIK

1. IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before assembling and using this bunk bed. Keep this manual for future reference.

- Always use the guardrails for the top bunk to prevent falls.
- Do not exceed the weight capacity: Upper bed: 250 LBS (113 kg); Bottom bed: 350 LBS (159 kg).
- Ensure all connections are tight before use and check periodically.
- Only use mattresses of the specified size and thickness (6" - 8" recommended).
- Do not allow children under 6 years of age on the upper bunk.
- Prohibit horseplay on or under the bed.
- Always use the ladder for entering and exiting the upper bunk.
- This bunk bed has passed several Children's Product Certificate (CPC) tests.

2. PRODUCT OVERVIEW

The PVWIIK Twin Bunk Bed is a heavy-duty, sturdy metal bunk bed designed for space-saving in dorms, bedrooms, and guest rooms. It features a noise-reduced design and does not require a box spring.



Image: The PVWIIK Twin Bunk Bed, black metal frame, set up in a child's room with mattresses, pillows, and blankets. The image highlights its functional design and space-saving benefits.

Key Features:

- **Solid Construction:** Made from strong and sturdy metal for durability and stability. Metal slats support mattresses and extend their life.
- **Safety Guaranteed:** Full-length guard rails on the top bunk provide enhanced safety.
- **Noise Reduced Design:** Features an EVA center support beam and slat lockers to minimize squeak noise.
- **Space Saving:** Convenient built-in ladders on each side and no need for a box spring, providing extra storage space under the lower bunk.

3. SETUP AND ASSEMBLY

This bunk bed is designed for fast assembly. A detailed instruction guide and all necessary tools are provided with your purchase. It is recommended to have two people for assembly.

Assembly Steps:

1. **Unpack and Identify Components:** Carefully unpack all parts and hardware. Refer to the parts list

in your included assembly guide to ensure all components are present and labeled correctly.

2. **Assemble Bed Ends:** Attach the side rails to the headboard and footboard sections for both the upper and lower bunks. Do not fully tighten bolts at this stage.
3. **Install Support Slats:** Place and secure the metal support slats onto the designated rails for both bunks. Ensure they are evenly spaced and locked into place.
4. **Connect Bunk Sections:** Carefully lift and align the upper bunk frame over the lower bunk frame. Secure them using the provided connectors and bolts.
5. **Attach Ladders and Guardrails:** Securely attach the built-in ladders to the bunk bed frame. Install the full-length guardrails on the top bunk.
6. **Final Tightening:** Once all components are in place and aligned, systematically tighten all bolts and screws using the provided tools. Ensure all connections are firm and secure.
7. **Placement:** Position the assembled bunk bed in its desired location, ensuring it is stable and level.

Product Information

SIZE: INCH



Weight Capacity



Suitable Mattress

Twin Size (38" x 75")
Recommend Bed Thickness: 6"

Image: A technical diagram illustrating the overall dimensions of the bunk bed (77.95"L x 41.42"W x 64.96"H), weight capacity (400 LBS total, with individual bunk capacities specified in safety section), and recommended mattress thickness (6").

4. OPERATING INSTRUCTIONS

Using your PVWIIK Twin Bunk Bed is straightforward. Follow these guidelines for optimal use and safety:

- **Mattress Placement:** Place twin-size mattresses (38" x 75") on both the upper and lower bunks. Ensure the mattress thickness is between 6" and 8" for the upper bunk to maintain guardrail effectiveness.
- **Ladder Use:** Always use the built-in ladder to access and exit the upper bunk. Do not jump on or off the bed.
- **Weight Distribution:** Distribute weight evenly on both bunks. Adhere strictly to the stated weight capacities for each bunk.
- **Ventilation:** Ensure adequate air circulation around the bed, especially if placed against a wall, to prevent moisture buildup.

5. MAINTENANCE

Regular maintenance will ensure the longevity and safety of your bunk bed.

- **Cleaning:** Wipe the metal frame with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish. For best results, follow the "Dry Clean Only" instruction for the furniture finish.
- **Hardware Check:** Periodically check all bolts, screws, and connections to ensure they remain tight. Re-tighten if necessary to maintain stability and prevent squeaking.
- **Slat Inspection:** Inspect the metal slats regularly for any signs of bending or damage. Ensure they are securely in place.
- **Noise Reduction:** If any squeaking occurs, identify the source and re-tighten the corresponding bolts. The EVA center support beam and slat lockers are designed to reduce noise, but occasional checks are beneficial.

6. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

Problem	Possible Cause	Solution
Bed is wobbly or unstable.	Loose bolts or uneven placement.	Ensure all assembly bolts are fully tightened. Check that the bed is on a level surface. If possible, secure to a wall for added stability.
Squeaking noises.	Loose connections or friction between metal parts.	Re-tighten all bolts. Apply a small amount of silicone lubricant to connection points if squeaking persists.
Missing parts during assembly.	Packaging error or lost components.	Carefully check all packaging materials. Contact PVWIJK customer support with your purchase details to request replacement parts.
Ladder is uncomfortable.	Design of the ladder rungs.	Consider adding padding or wraps to the ladder rungs for improved comfort.
Mattress slides on slats.	Lack of friction between mattress and slats.	Place a non-slip mat or rug gripper between the mattress and the slats.

7. SPECIFICATIONS

Attribute	Detail
Product Type	Bunk Bed
Size	Twin over Twin
Color	Black
Material	Steel (Metal)
Overall Product Dimensions	78.11"L x 41.42"W x 61.02"H
Upper Bed Weight Capacity	250 LBS (113 kg)
Bottom Bed Weight Capacity	350 LBS (159 kg)
Recommended Mattress Thickness	6" - 8"
Number of Slats (Upper/Bottom)	21 / 21
Box Spring Required	No
Assembly Required	Yes
Country of Origin	Vietnam
Item Weight	76.7 pounds (34.8 kg)
UPC	742937012205

8. WARRANTY AND SUPPORT

Specific warranty information for the PVWIIK Twin Bunk Bed is not provided in this manual. For warranty details, product support, or to order replacement parts, please contact PVWIIK customer service directly through their official website or the retailer where the product was purchased.

Please have your model number (B0DFTK1P35) and proof of purchase ready when contacting support.