

Behringer B1C

Behringer B1C 200W All-in-One Portable PA Bluetooth Speaker

INSTRUCTION MANUAL

Introduction

The Behringer B1C is a versatile 200W All-in-One Portable PA Bluetooth Speaker designed for superior sound quality and portability. Featuring a Class-D power amplifier, built-in Reverb effect, and Bluetooth connectivity, it is suitable for various applications from small venues to presentations. This manual provides essential information to help you set up, operate, and maintain your B1C speaker.




Figure 1: Behringer B1C Portable PA Speaker

Important Safety Instructions

Please read and follow all safety instructions before operating the device. Keep this manual for future reference.

- Do not use this apparatus near water.
- Clean only with dry cloth.
- Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
- Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
- Do not defeat the safety purpose of the polarized or grounding-type plug.
- Protect the power cord from being walked on or pinched.
- Only use attachments/accessories specified by the manufacturer.
- Unplug this apparatus during lightning storms or when unused for long periods of time.
- Refer all servicing to qualified service personnel.

Key Features

- **Superior Sound:** 6.5" woofer and 1" dome tweeter for clear audio with a wide frequency response (60 Hz to 20 kHz).
- **Ultimate Portability:** Lightweight (15.9 lbs) and compact design with a built-in battery for extended performance.
- **Powerful Performance:** 200W Class-D amplifier with short circuit, open circuit, and thermal protection.
- **Versatile Connectivity:** 2x XLR/TRS combo jacks, 3.5mm aux input, and Bluetooth 5.3 for various audio sources.
- **Enhanced Audio Control:** Intuitive controls for volume, reverb, bass, and treble EQ adjustments, plus a high/low pass crossover.

What's in the Box

- Behringer B1C 200W All-In-One Portable PA Bluetooth Speaker
- Standard IEC Power Cord

Controls and Connections

The Behringer B1C features a comprehensive control panel on its rear, allowing for flexible audio input and precise sound shaping.



Figure 2: Rear Control Panel Overview

Input Section (Input A & Input B)

- **XLR/TRS Combo Jacks:** Accept XLR connectors for microphones or 1/4" TRS/TS connectors for line-level instruments (e.g., keyboards, guitars with active pickups).

- **BASS Control:** Adjusts the low-frequency response for the respective input.
- **TREBLE Control:** Adjusts the high-frequency response for the respective input.
- **VOLUME Control:** Sets the input level for the respective channel.
- **CLIP LED:** Illuminates when the input signal is too high, indicating potential distortion. Reduce the input volume if this LED lights up frequently.

Master Section

- **REVERB Control:** Adjusts the amount of reverb effect applied to the overall mix.
- **PAIR/LINK Button:** Used for Bluetooth pairing and linking two B1C speakers for stereo operation.
- **AUX IN (3.5mm):** Stereo input for connecting external audio devices like smartphones or MP3 players.
- **LINE OUT (XLR):** Provides a balanced output of the mixed audio signal for connecting to another PA system or recording device.
- **VOLUME (AUX):** Controls the volume level of the Aux input.

Power Section

- **AC IN:** Connects the supplied IEC power cord.
- **ON/OFF Switch:** Powers the unit on or off.
- **POWER LED:** Indicates the power status of the unit.

Setup Guide

Unpacking

Carefully remove the speaker from its packaging. Inspect the unit for any signs of damage that may have occurred during transit. Retain the original packaging for future transport or storage.

Power Connection

1. Ensure the B1C's ON/OFF switch is in the 'OFF' position.
2. Connect the supplied IEC power cord to the AC IN socket on the rear panel of the speaker.
3. Plug the other end of the power cord into a suitable AC power outlet.

Initial Placement

Place the B1C speaker on a stable, flat surface or mount it on a compatible speaker stand. Ensure adequate ventilation around the unit to prevent overheating.

Connecting Audio Sources

- **Microphones/Instruments:** Connect microphones or instruments to the XLR/TRS combo jacks (Input A or Input B).
- **External Devices (Aux):** Connect smartphones, tablets, or other audio players to the 3.5mm AUX IN jack using a stereo audio cable.

Operation

Powering On/Off

1. Before powering on, ensure all volume controls are set to their minimum position.
2. Flip the ON/OFF switch to the 'ON' position. The POWER LED will illuminate.
3. To power off, first reduce all volumes, then flip the ON/OFF switch to 'OFF'.

Bluetooth Pairing

1. Turn on the B1C speaker.
2. Press and hold the PAIR/LINK button until the Bluetooth indicator starts flashing, indicating it's in pairing mode.
3. On your Bluetooth-enabled device (e.g., smartphone, tablet), search for available Bluetooth devices and select "Behringer B1C".
4. Once paired, the Bluetooth indicator will glow solid. You can now stream audio wirelessly to the speaker.

Using Microphones and Instruments

1. Connect your microphone or instrument to Input A or Input B.
2. Slowly increase the VOLUME control for the respective input.
3. Adjust the BASS and TREBLE controls to achieve your desired tone.
4. Monitor the CLIP LED; if it flashes frequently, reduce the input volume to prevent distortion.

Adjusting Sound

- **Reverb:** Turn the REVERB knob clockwise to add more spatial effect to your sound.
- **EQ:** Use the BASS and TREBLE controls on each input channel to fine-tune the low and high frequencies.
- **Overall Volume:** Adjust the individual channel volumes and the AUX volume to balance the mix.

Maintenance and Care

- **Cleaning:** Disconnect the power before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or aerosols.
- **Storage:** Store the speaker in a cool, dry place away from direct sunlight and extreme temperatures.
- **Handling:** Avoid dropping or subjecting the speaker to strong impacts. Use the integrated handle for transport.
- **Ventilation:** Ensure ventilation openings are clear of dust and debris to prevent overheating.

Troubleshooting

Problem	Possible Cause	Solution
No sound output	Power off; volume too low; incorrect input connection; faulty cable.	Check power switch and LED; increase volume controls; ensure cables are securely connected to correct inputs; try a different cable.
Distorted sound	Input signal too high (CLIP LED active); speaker overloaded; EQ settings.	Reduce input volume until CLIP LED no longer flashes; lower overall volume; adjust BASS/TREBLE controls.
Bluetooth not connecting	Speaker not in pairing mode; device too far; interference; previously paired.	Press and hold PAIR/LINK button until flashing; move device closer; avoid obstacles; forget device on your phone and re-pair.
Humming or buzzing noise	Ground loop; faulty cable; electrical interference.	Ensure all equipment is on the same electrical circuit; try different cables; disconnect inputs one by one to isolate the source.


Technical Specifications

Feature	Specification
Model Name	B1C
Speaker Type	Portable PA Speaker
Speaker Maximum Output Power	200 Watts
Woofer Diameter	6.5 Inches
Tweeter Diameter	1 Inch
Connectivity Technology	Bluetooth 5.3, XLR/TRS Combo, 3.5mm Aux
Battery Life	Up to 6 Hours
Item Weight	15.9 Pounds (Product data states 21.7 pounds, using feature bullet value for portability)
Product Dimensions	14.3 x 9.4 x 11.4 Inches (from feature bullet for portability)
Power Source	Corded Electric, Battery Powered
Control Method	Touch (Knobs and Buttons)
Indoor/Outdoor Usage	Indoor


Warranty and Support

Behringer products are designed for reliability and performance. For detailed warranty information and technical support, please refer to the official Behringer website or contact your local distributor. Keep your purchase receipt as proof of purchase for any warranty claims.

Documents - Behringer – B1C



[pdf] User Manual Quick Start Guide Instructions Specifications Guide
Behringer B1C Manual sounddd shop Specification BEHRINGER |||
Quick Start Guide **B1C** All-in-One Portable 200-Watt Speaker with Battery Operation, Bluetooth Audio Streaming and Reverb V 0.0 2 **B1C** Important Safety Instructions
Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-...
lang:en score:39 filesize: 1019.6 K page_count: 9 document date: 2024-09-25




[\[pdf\]](#) User Manual Quick Start Guide Instructions Guide

Behringer B1C Thomann France 587624 qsg be 0313 aig b1c ww images static thomann de pics atg atgdata document manual |||

Quick Start Guide **B1C** All-in-One Portable 200-Watt Speaker with Battery Operation, Bluetooth Audio Streaming and Reverb V 0.0 2 **B1C** Important Safety Instructions
Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-...

lang:en score:34 filesize: 11.1 M page_count: 49 document date: 2024-01-08




[\[pdf\]](#) User Manual Quick Start Guide Instructions Guide

User Manual Music Tribe Commercial MY Sdn Bhd B1C Loudspeakers QWHB1C b1c

Quick Start Guide Draft **B1C** All-in-One Portable 200-Watt Speaker with Battery Operation, Bluetooth Audio Streaming and Reverb V 4.0 2 **B1C** Important Safety Instructions 9. Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider tha...

lang:en score:30 filesize: 1.54 M page_count: 24 document date: 2023-08-10



[\[pdf\]](#) Quick Start Guide Instructions Guide

Quick Start Guide MediaValet Operación con dos altavoces TWS True Wireless Stereo Nota en el modo solo la señal de Bluetooth se transmite al segundo altavoz 1 Encienda ambos QSG BE 0313 AIG B1C WW cdn mediavalet aunsw musictribe SU JrnHt90G7Eg21unjPqw l40l m v2EWQlqbGUHo5XQ Original |||

Quick Start Guide **B1C** All-in-One Portable 200-Watt Speaker with Battery Operation, Bluetooth Audio Streaming and Reverb V 1.0 2 **B1C** Important Safety Instructions
Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-...

lang:en score:27 filesize: 11.07 M page_count: 48 document date: 2024-10-16

Behringer B1C - PrzenoÅna kolumna All-in-One o mocy 200 W z zasilaniem bateryjnym, łączem Bluetooth i efektem reverb.
Indeks: 598944 Producent: Behringer Kod producenta: 27001051

Cena: 1,499.38 zł

Opis

Behringer B1C - PrzenoÅna kolumna All-in-One o mocy 200 W z zasilaniem bateryjnym, łączem Bluetooth i efektem reverb.
Producent: Behringer

Parametry

Stan	Henry
------	-------

[pdf]

Behringer B1C PrzenoÅna kolumna All in One o mocy 200 W z zasilaniem bateryjnym ÅÄczem Bluetooth i efektem reverb Sklep internetowy stylem pl behringer b1c przenosna all one w laczem bluetooth 598944 upload files product |||

Behringer **B1C** - Przenona kolumna All-in-One o mocy 200 W z zasilaniem bateryjnym, lczem Bluetooth i efektem reverb. Indeks: 598944 Producent: Behringer Kod producenta: 27001051 Cena: 1,499.38 zł Opis Behringer **B1C** - Przenona kolumna All-in-One o mocy 200 W z zasilaniem bateryjnym, lczem Bluetooth i... lang:en score:26 filesize: 17.04 K page_count: 1 document date: 2025-01-17

MagicQ User Manual

MagicQ User Manual

[pdf] User Manual Guide


MagicQ User Manual ShopWL Jan 31 2024 · MQ80 MQ500 M Midi Card V2 Display Controller and console blank screen not booting Chamsys Compact Mini Connect Guide shopwl content |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER Latest DATE 31/01/2024 REVIS ... 6 Frame 7 Frame 8 Default Encoder P1F C1X C1Y C1A C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A B2B B1X B1Y B2X B2Y B1F B1E B2F B2E B2C B2D B3C B3D B3X B3Y B3F B3E B3A B3B B4A B4B B4C ...

lang:en score:19 filesize: 16.59 M page_count: 622 document date: 2024-01-31

Quick Start Guide

EN ES FR DE PT IT NL SE PL JP CN



B1C
All-in-One Portable 200-Watt Speaker with Battery Operation, Bluetooth Audio Streaming and Reverb


behringer

[pdf] Quick Start Guide Instructions Guide

1137759 bhphotovideo lit files |||

Quick Start Guide **B1C** All-in-One Portable 200-Watt Speaker with Battery Operation, Bluetooth Audio Streaming and Reverb V 0.0 2 **B1C** Important Safety Instructions
Terminals marked with this symbol carry electrical current of sufficient magnitude to constitute risk of electric shock. Use only high-...

lang:en score:14 filesize: 11.09 M page_count: 48 document date: 2024-03-18




[pdf] Guide

Untitled Dungeon Master Guide the eye eu public Books rpg rem uz Dungeons Dragons AD D 2nd Edition Core |||

Dii--n-1g-edoVnasl iltrcae --as-o-ns---- 2- Edition The revised And updAted DUNGEON MASTEII Guid ... dat1naubhable from normal, non- magkal protective wea.r. When wom by l charadu type or ctlllurf . **b1c** to employ a bow, they enable lhe wearer to exctl at arch- y. TM braars empower such a wearer to...

lang:en score:14 filesize: 60.54 M page_count: 194 document date: 2015-08-19




[pdf] User Manual

MagicQ User Manual chamsys Series manual jpleisure co uk Data |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER v1.9.2.3 DATE 25/01/2022 REV ... I1X I1Y P1X P1Y P1A P1B P1C P1D P1E P1F C1X C1Y C1A C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A Function Intensity Intensity mode Pan Tilt Position Vector Speed Col Wheel 1 Col Whee...

lang:en score:13 filesize: 16.33 M page_count: 577 document date: 2022-01-25



[pdf] User Manual

MagicQ User Manual Consola Magic Q Compact ChamSys Velocity Lighting Chilemagicq

MQCOMPACTcdn shopify s files 1 0550 7989 5279 magicq MQCOMPACT v 1714662594 ChileConsola

Mini MQMINIcdn 1714662594cdn MQMINI 1714662140 MQ500M Stadium mq500magicq mq500

1715176812cdn ChileInterfaz DMX Basic MQMINImagicq MDMXFULLcdn 1714662140cdn MDMXFULL

1714665604 ||| ||| MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER Latest

DATE 26/03/2024 REVISION HISTORY DESCRIPTION ii NAME ChamSys MagicQ User Manual iii

Contents 1 Introduction 1 1.1 MagicQ software and consoles 2 1.2 MagicQ MQ500 Stadi ||| MagicQ User

Manual i MagicQ User Manual MagicQ User Manual NUMBER Latest DATE 26/03/2024 REVISION

HISTORY DESCRIPTION ii NAME ChamSys MagicQ User Manual iii Contents 1 Introduction 1 1.1

MagicQ software and consoles 2 1.2 MagicQ MQ500 Stadi ||| MagicQ User Manual i MagicQ User Manual

MagicQ User Manual NUMBER Latest DATE 26/03/2024 REVISION HISTORY DESCRIPTION ii NAME

ChamSys MagicQ User Manual iii Contents 1 Introduction 1 1.1 MagicQ software and consoles 2 1.2

MagicQ MQ500 Stadi

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER Latest


DATE 26/03/2024 REVIS ... 6 Frame 7 Frame 8 Default Encoder P1F C1X C1Y C1A

C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A B2B B1X

B1Y B2X B2Y B1F B1E B2F B2E B2C B2D B3C B3D B3X B3Y B3F B3E B3A B3B

B4A B4B B4C ...

lang:en score:12 filesize: 16.6 M page_count: 625 document date: 2024-03-26




[\[pdf\]](#) User Manual

MagicQ User Manual chamsys magicq user manual Chamsys Mini Wing Buy now from 10Kused
attachment id 442575 10kused |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER v1.9.2.1
DATE 05/10/2021 REV ... I1X I1Y P1X P1Y P1A P1B P1C P1D P1E P1F C1X C1Y
C1A C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A
Function Intensity Intensity mode Pan Tilt Position Vector Speed Col Wheel 1 Col
Whee...

lang:en **score:12** filesize: 15.31 M page_count: 564 document date: 2021-10-05




[\[pdf\]](#) User Manual

MagicQ User Manual 991198 bhphotovideo lit files |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER v1.9.4.2
DATE 31/03/2023 REV ... 6 Frame 7 Frame 8 Default Encoder P1F C1X C1Y C1A
C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A B2B B1X
B1Y B2X B2Y B1F B1E B2F B2E B2C B2D B3C B3D B3X B3Y B3F B3E B3A B3B
B4A B4B B4C ...

lang:en **score:11** filesize: 16.54 M page_count: 601 document date: 2023-03-31




[\[pdf\]](#) User Manual

MagicQ User Manual 1157750 bhphotovideo lit files |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER Latest
DATE 20/08/2024 REVIS ... 6 Frame 7 Frame 8 Default Encoder P1F C1X C1Y C1A
C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A B2B B1X
B1Y B2X B2Y B1F B1E B2F B2E B2C B2D B3C B3D B3X B3Y B3F B3E B3A B3B
B4A B4B B4C ...

lang:en **score:11** filesize: 16.97 M page_count: 631 document date: 2024-08-20



[\[pdf\]](#) User Manual

MagicQ User Manual 1111238 bhphotovideo lit files |||

MagicQ User Manual | MagicQ User Manual MagicQ User Manual NUMBER Latest
DATE 26/03/2024 REVIS ... 6 Frame 7 Frame 8 Default Encoder P1F C1X C1Y C1A
C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A B2B B1X
B1Y B2X B2Y B1F B1E B2F B2E B2C B2D B3C B3D B3X B3Y B3F B3E B3A B3B
B4A B4B B4C ...

lang:en score:11 filesize: 16.6 M page_count: 625 document date: 2024-03-26

[\[pdf\]](#) Specifications Borchure

FEEL Prod Grap PH Artwork P0190 B 2 PRO PID 2015 11 09 Rev 1 indd montri ■■■■■■■■

BEHRINGER B ■■■■■■■■■■ B2 ■■■■■■■■■■

■■■■■ BEHRINGER Brochure sounddd shop Specification ||

012345689 21 6 2925496 1 1 51229 62433 24269631931 1 5124 29 1 # # # # # # # #
03 21 ... 8*9 ,:.; J, 0 4K=#7L 38K QM79K7 QA3;B6C7D EF G HBFN9O L P R
8*K9 ,:K; ,L Q 0=#5 28 3590 7A/;**B1C**/D EF G HBFR9S P P

TTe5UU8ZVVYWWXX27 8YY221145 598Wei78 8e8c5 5 97

1j4T419U17V9WZX 57 Y72...


lang:i-klingon score:11 filesize: 1.43 M page count: 6 document date: 2018-02-12

[\[pdf\]](#) User Manual

MagicQ User Manual magicq 2 tsllighting 2022 01 |||

MagicQ User Manual | MagicQ User Manual MagicQ User Manual NUMBER v1.9.2.3
DATE 04/01/2022 REV ... I1X I1Y P1X P1Y P1A P1B P1C P1D P1E P1F C1X C1Y
C1A C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A
Function Intensity Intensity mode Pan Tilt Position Vector Speed Col Wheel 1 Col
Whee...

lang:en score:11 filesize: 15.88 M page count: 574 document date: 2022-01-04




[\[pdf\]](#) User Manual Documentation

MagicQ User Manual Knight Sound Lighting This manual is designed for operators of the to help them quickly and effectively learn how use system It has MQ500M srsItid

AfmBOoqbRjK0tEgSbE97DxNhEZm241NPDaGef6geldLlrE3m8679QoXn goknight content documentation |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER v1.9.2.0
DATE 17/08/2021 REV ... I1X I1Y P1X P1Y P1A P1B P1C P1D P1E P1F C1X C1Y
C1A C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A
Function Intensity Intensity mode Pan Tilt Position Vector Speed Col Wheel 1 Col
Whee...

lang:en **score:11** filesize: 15.29 M page_count: 557 document date: 2021-08-17




[\[pdf\]](#) User Manual

MagicQ User Manual magicq v 1674645858137 cdn accentuate io 7799502930082 |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER v1.9.4.1
DATE 22/12/2022 REV ... 6 Frame 7 Frame 8 Default Encoder P1F C1X C1Y C1A
C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A B2B B1X
B1Y B2X B2Y B1F B1E B2F B2E B2C B2D B3C B3D B3X B3Y B3F B3E B3A B3B
B4A B4B B4C ...

lang:en **score:11** filesize: 16.53 M page_count: 598 document date: 2022-12-22




[\[pdf\]](#) User Manual

MagicQ User Manual magicq v 1674640406975 cdn accentuate io 7799405871266 1674640406974 |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER v1.9.4.1
DATE 22/12/2022 REV ... 6 Frame 7 Frame 8 Default Encoder P1F C1X C1Y C1A
C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A B2B B1X
B1Y B2X B2Y B1F B1E B2F B2E B2C B2D B3C B3D B3X B3Y B3F B3E B3A B3B
B4A B4B B4C ...

lang:en **score:10** filesize: 17.54 M page_count: 598 document date: 2022-12-22



[\[pdf\]](#) User Manual

MagicQ User Manual ChamSys MQ50 Compact ConsoleChamSys Manualfocon showtechnic myfactory
CustomUpload 374035703400370035603690350032503660354036603650 |||

MagicQ User Manual | MagicQ User Manual MagicQ User Manual NUMBER v1.9.2.5
DATE 11/04/2022 REV ... I1X I1Y P1X P1Y P1A P1B P1C P1D P1E P1F C1X C1Y
C1A C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A
Function Intensity Intensity mode Pan Tilt Position Vector Speed Col Wheel 1 Col
Whee...

lang:en score:10 filesize: 16.38 M page_count: 585 document date: 2022-04-11



[\[pdf\]](#) Specifications Borchure

FEEL Prod Grap PH P0120 XM8500 PID 2015 11 10 Rev 1 indd montri ■■■■■■■■■■ BEHRINGER
■■■■■■■■■■■■■■■■■■■■ XM 8500 ■■■■■■■■■■ Brochure sounddd shop Specification |||

012345689 21 6 2925496 9 5 51229 # 9 5 13 2 325 51229 2192 2-65 5 923 ... 8*9 ,;L;
J, 0 4K=#7L 38K QM79K7 QA3;B6C7D EF G HBFN9O L P R 8*K9 ,;K; ,L Q 0=#5 28
3590 7A/;**B1C**/D EF G HBFR9S P P _TTe5UU8ZVVYWWXX27 8YY221145
598Wei78 8e8c5 5 97 _ 1j4T419U17V9WZX 57 Y72...

lang:i-klingon score:10 filesize: 1003.7 K page_count: 4 document date: 2018-01-25



[\[pdf\]](#) Specifications Borchure

FEEL Prod Grap PH Approval P0B0Q HPA40 PID 2015 11


20 Rev 1 indd montri BEHRINGER

40W XM1800S Brochure

sounddd shop Specification |||

012345689 21 6 2925496 93306 , -. * 9 351 2 6562 9 1 93 # 13 0 661 56122 966 29 0
0 0 0 0 ... 8*9 ,:.; J, 0 4K=#7L 38K QM79K7 QA3;B6C7D EF G HBFN9O L P R 8*K9
,:K; ,L Q 0=#5 28 3590 7A/;**B1C**/D EF G HBFR9S P P T_eT5UU8ZVVYWWXX27
8YY221145 598Wei78 8e8c5 5 97 1i4T419U17V9WZX 57 Y72...

lang:i-klingon score:10 filesize: 1.43 M page count: 8 document date: 2017-12-18




[\[pdf\]](#) User Manual

MagicQ User Manual Compact Connect ChamSys Stage Depot magicqCompactConnectUsermanual stagedepot co uk sites default files inlinedocs |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER v1.9.4.0
DATE 10/11/2022 REV ... 6 Frame 7 Frame 8 Default Encoder P1F C1X C1Y C1A
C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A B2B B1X
B1Y B2X B2Y B1F B1E B2F B2E B2C B2D B3C B3D B3X B3Y B3F B3E B3A B3B
B4A B4B B4C ...

lang:en score:9 filesize: 16.53 M page_count: 597 document date: 2022-11-10



[\[pdf\]](#) User Manual

MagicQ User Manual DISCONTINUED ChamSys Extra Wing Compact Expansion Device Sound Productions magicq soundpro content product documents |||

MagicQ User Manual i MagicQ User Manual MagicQ User Manual NUMBER v1.9.3.1
DATE 25/05/2022 REV ... I1X I1Y P1X P1Y P1A P1B P1C P1D P1E P1F C1X C1Y
C1A C1B C1C C1D C1E C1F C2A C2B C2C C2D C2F B1A B1B **B1C** B1D B2A
Function Intensity Intensity mode Pan Tilt Position Vector Speed Col Wheel 1 Col
Whee...

lang:en score:9 filesize: 16.51 M page_count: 590 document date: 2022-05-25