

KPAW MAX 6

KPAW MAX 6 Automatic Card Shuffler and Dealer User Manual

Model: MAX 6

1. INTRODUCTION

This manual provides essential instructions for the safe and efficient operation of your KPAW MAX 6 Automatic Card Shuffler and Dealer. Please read this manual thoroughly before use and retain it for future reference.

2. WHAT'S IN THE BOX

- 1 × MAX 6 Automatic Card Shuffler & Dealer
- 4 × Drawing Remotes
- 1 × USB-C Charging Cable
- 1 × User Manual
- 1 × Packaging Box

3. SETUP

3.1 Initial Charging

The KPAW MAX 6 is powered by 4 C batteries (included) and can also be charged via the provided USB-C cable. Ensure the device is fully charged before first use for optimal performance. Do not use the device while charging.

LARGER BATTERIES FOR EXTENDED PLAYTIME

Powerful Battery for Hundreds of Plays



5,200mAh

Shuffle and handle up to **150** decks on a full charge

NOTE : Do not use while charging.

Image: The KPAW MAX 6 device with its battery compartment open, illustrating the placement of 4 C batteries. The image highlights the device's power source for extended playtime.

3.2 Card Loading

Place up to two decks of cards into the designated card trays on either side of the device. The adjustable baffle can be moved to accommodate various card sizes, from standard poker decks to UNO and Phase 10 cards.

FITS VARIOUS CARD SIZES



Standard
2.5 x 3.5 in



Bridge
2.25 x 3.5 in



UNO
2.25 x 3.5 in



Phase 10
2.5 x 3.5 in



Five Crowns
2.5 x 3.5 in



The Adjustable
Baffle Adapts
Different Card Size

Image: The KPAW MAX 6 demonstrating its adaptability to different card sizes, including standard playing cards, Bridge cards, UNO, Phase 10, and Five Crowns cards. The adjustable baffle is shown adapting to the card dimensions.

3.3 Remote Pairing

To pair the drawing remotes, navigate to the 'Remote Pairing' option in the device settings. Follow the on-screen prompts to link each remote to a player position. The device supports up to 4 drawing remotes included in the package.

4. OPERATING INSTRUCTIONS

4.1 Power On/Off and Navigation

Press the **POWER/HOME** button to turn the device on or off, or to return to the homepage. Use the **PLUS/UP** and **MINUS/DOWN** buttons to navigate through menu options and adjust quantities. Press the **SETTING/NEXT** button to enter settings or confirm selections.

03 Card Conveyor Wheels

Provide Smooth and Efficient Shuffling



Image: A detailed diagram illustrating the function buttons on the KPAW MAX 6 device, explaining the purpose of each button for navigation and operation.

4.2 Shuffling and Dealing

After loading cards, press the **DEAL** button to initiate shuffling and dealing. The device combines both functions for a seamless experience. The high-speed motor can shuffle a deck in approximately 7 seconds.

4.3 Game Modes and Player Settings

The KPAW MAX 6 offers preset gameplay settings for popular card games like Texas Hold'em, Bridge, Blackjack, Crazy Eights, UNO, and Rummy. You can also select a custom mode to adjust the number of players (up to 12) and cards dealt per player.

PRESET GAMEPLAY SETTINGS

Ready-to-Play Settings for Texas Hold'em and Bridge




Image: The device's display screen showing options for preset gameplay settings, specifically highlighting Texas Hold'em and Bridge game modes.

4.4 Dealing Direction and Distance

Choose between 180° (back-forth) or 360° (rotate) dealing modes. The 360° mode supports up to 12 players. You can also adjust the dealing distance (Far, Mid, Close) for optimal card placement on your playing surface.

DICE TO RANDOM START

Add Surprise to Your Games



Press to start dealing
from a random position.

Image: The KPAW MAX 6 illustrating its adjustable dealing distances, showing cards being dealt to "Far," "Mid," and "Close" positions around the device.

4.5 Random Start Position

For added randomness, press the **RANDOM/SPECIFIED DEAL** button to start dealing from a random player position.

REMOTE CARD DRAWING

4 Wireless Drawing Remotes Included



Image: A group of people playing cards with the KPAW MAX 6, highlighting the remote button used to start dealing from a random position.

4.6 Touch-Sensitive Pause Sensor

The device features a touch-sensitive area that allows for quick pauses during dealing. Gently place your hand on this area to pause, and press the deal button to resume.

5. CARD COMPATIBILITY

The KPAW MAX 6 is designed to handle various card sizes. The open-sided tray and adjustable baffle ensure compatibility with:

- Standard (2.5 x 3.5 inches)
- Bridge (2.25 x 3.5 inches)
- UNO (2.25 x 3.5 inches)
- Phase 10 (2.5 x 3.5 inches)
- Five Crowns (2.5 x 3.5 inches)

For optimal performance, ensure cards are clean and not excessively worn or bent.

6. FEATURES OVERVIEW

- **2-in-1 Automatic Card Shuffler & Dealer:** Combines shuffling and dealing for efficiency.
- **Supports up to 12 Players:** Versatile for large gatherings.
- **Adapts to Different Card Sizes:** Adjustable baffle for various card types.
- **4 Drawing Remotes Included:** Allows players to draw cards remotely.
- **Fast & Efficient Dealing:** Shuffles a deck in as little as 7 seconds.
- **Touch-Sensitive Pause Sensor:** For quick interruption and resumption of dealing.
- **Durable Construction:** Built from recyclable plastic for longevity.
- **5,200mAh Battery:** Provides extended playtime, shuffling up to 150 decks on a full charge.
- **Borderless Display:** Clear screen for settings and game information.
- **Transparent Visible Window:** Allows observation of the shuffling process.

7. MAINTENANCE

To ensure the longevity and optimal performance of your KPAW MAX 6, follow these maintenance guidelines:

- **Cleaning:** Regularly wipe the exterior with a soft, dry cloth. Avoid using abrasive cleaners or solvents.
- **Card Care:** Use clean, undamaged cards. Worn or bent cards may cause jams or affect shuffling quality.
- **Storage:** Store the device in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery:** If storing for an extended period, ensure the battery is partially charged (around 50%) to prolong its lifespan.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Device not powering on	Low battery or power issue.	Charge the device using the USB-C cable or replace the C batteries.
Cards jamming during shuffle/deal	Worn/bent cards, incorrect card size setting, or foreign object.	Use new cards, adjust the baffle for card size, or check for obstructions.
Inaccurate dealing (e.g., wrong number of cards)	Incorrect player/card settings in game mode.	Verify and adjust the player count and cards per player settings.
Remotes not responding	Remotes not paired or out of range.	Re-pair remotes via 'Remote Pairing' menu. Ensure clear line of sight.

9. SPECIFICATIONS

- **Model:** MAX 6
- **Product Type:** 2-in-1 Automatic Card Shuffler & Dealer
- **Material:** ABS/POM Plastic
- **Dimensions:** 6.38 x 5 x 4.57 inches (16.2 x 12.7 x 11.6 cm)
- **Item Weight:** 2.24 pounds (830 g)
- **Batteries:** 4 C batteries required (included), 5200mAh capacity
- **Input:** USB-C 5V 2A
- **Display:** OLED
- **Player Support:** 1-12 players

- **Manufacturer:** KPAW

10. WARRANTY AND SUPPORT

For warranty information, technical support, or any inquiries regarding your KPAW MAX 6, please contact KPAW customer service.

Email: info@wxkpaw.com

Website: www.wxkpaw.com

Support Email: support@wxkpaw.com




11. OFFICIAL PRODUCT VIDEOS




KPAW Max 6 - Bridge, Blackjack, Crazy Eights game mode

Your browser does not support the video tag.

Video: Demonstrates the KPAW MAX 6 in action, showcasing its functionality for Bridge, Blackjack, and Crazy Eights game modes. This video highlights the device's ability to deal cards according to specific game rules.

Related Documents - MAX 6

	<p>KPAW Drawing Remote User Manual</p> <p>User manual for the KPAW Drawing Remote, including setup, usage instructions, warranty information, and FCC compliance.</p>
	<p>FIMER UNO-DM-TL-PLUS-Q Solar Inverter Quick Installation Guide</p> <p>A quick installation guide for the FIMER UNO-DM-TL-PLUS-Q series of solar inverters, covering models from 1.2kW to 5.0kW. This guide provides essential information on labels, symbols, components, installation procedures, and technical specifications.</p>
	<p>C-MAP Chart Compatibility Guide for Marine Plotters</p> <p>A comprehensive compatibility guide detailing C-MAP chart compatibility across various marine plotter models from numerous manufacturers, including chart formats and media types.</p>

	<p>Converting a 3D Printer Into an Automatic Spray Coater</p> <p>A step-by-step guide on how to convert a standard 3D printer into an automated spray coater using an airbrush, servomotor, and Arduino control. Learn to build a precise spray system for applications like conductive ink development.</p>
	<p>Russound CAV6.6 Six-Zone, Six-Source Audio-Video Controller Amplifier Instruction Manual</p> <p>This instruction manual provides detailed information on the Russound CAV6.6 Six-Zone, Six-Source Audio-Video Controller Amplifier, covering product introduction, operation, installation, programming, and technical specifications.</p>
	<p>KPAW Drawing Remote User Manual</p> <p>User manual for the KPAW Drawing Remote, including setup, usage instructions, warranty information, and FCC compliance.</p>

Documents - KPAW – MAX 6

no relevant documents