

Lamicall BCSP05

Lamicall Motorcycle Phone Mount Holder - Instruction Manual

Model: BCSP05

[Overview](#)[Setup](#)[Operating](#)[Maintenance](#)[Troubleshooting](#)[Specifications](#)[Warranty](#)[Support](#)

1. OVERVIEW

The Lamicall Motorcycle Phone Mount Holder is designed to securely hold smartphones on motorcycle and bicycle handlebars. It features a patented dual vibration dampener to protect your phone's camera from engine vibrations and road shocks. The mount includes a metal adjustment arm for flexible positioning and a security lock for enhanced phone stability.

Key Features:

- **Patented Dual Vibration Dampener:** Reduces high-frequency vibrations to protect your phone's internal components, especially the camera.
- **Metal 720° Adjustment Arm:** Provides extensive adjustability for optimal viewing angles, featuring two 1-inch ball heads and a safety knob.
- **Anti-Theft Design & Security Lock:** Equipped with special safety screws and a wrench to deter theft, along with a rear security lock to keep your phone firmly in place.
- **Wide Compatibility:** Fits smartphones from 4.7 to 6.7 inches, with a maximum phone thickness of 0.59 inches. Compatible with handlebars ranging from 0.78 to 1.38 inches (20-35mm) in diameter.
- **Shock Absorption Silicone:** Cushioned rubber pads on the phone clamp and non-slip pads on the handlebar clip ensure phone protection and secure grip.

lamicall

Less is more



The Lamicall Motorcycle Phone Mount Holder securely holds a smartphone for navigation during a ride.



Detailed view of the patented anti-vibration mechanism, highlighting the damping springs and cushioned pads designed to reduce shakes.

Your browser does not support the video tag.

Video: Lamicall Anti Vibration Motorcycle Phone Mount. This video demonstrates the features and benefits of the Lamicall Anti Vibration Motorcycle Phone Mount, including its anti-theft design, 720-degree adjustment arm, damping springs, and one-second lock mechanism.


2. SETUP INSTRUCTIONS

Follow these steps to properly install your Lamicall Motorcycle Phone Mount Holder:

1. **Prepare the Handlebar Clamp:** Loosen the screws on the handlebar clamp component. Ensure the clamp is open enough to fit around your motorcycle or bicycle handlebar.
2. **Attach to Handlebar:** Position the clamp on a suitable section of your handlebar. The clamp is designed for handlebars with a diameter between 0.78 and 1.38 inches (20-35mm). Tighten the screws securely using the provided wrench until the clamp is firm and does not rotate freely.
3. **Connect the Adjustment Arm:** Attach the metal adjustment arm to the handlebar clamp and the phone holder base. Ensure both ball heads are properly seated and the safety knob is tightened to secure the arm in place. This allows for 720-degree rotation and angle adjustment.
4. **Verify Stability:** After installation, gently test the mount's stability by attempting to move it. It should be firmly attached to the handlebar without excessive play.



The handlebar clamp is compatible with bars measuring 0.78 to 1.38 inches in diameter, suitable for various motorcycles and bikes.



EXTENSION ARM

Offer the best viewing angle

A visual guide illustrating the three main steps for installing the phone mount: loosening screws, securing the clamp to the handlebar, and adjusting the angle.

3. OPERATING INSTRUCTIONS

Inserting Your Phone:

1. Ensure the security lock on the back of the phone holder is in the unlocked position.
2. Gently press the top of the phone clamp to expand the arms.
3. Place your smartphone into the holder, ensuring it is centered and the cushioned rubber pads grip the corners securely.
4. Release the clamp, allowing it to automatically adjust and hold your phone firmly.
5. Engage the security lock on the back of the holder to prevent accidental release during your ride.

Removing Your Phone:

1. Disengage the security lock on the back of the phone holder.
2. Press the top of the phone clamp to release the grip.
3. Carefully remove your smartphone from the holder.

Adjusting Viewing Angle:

The metal adjustment arm allows for 720-degree rotation. Loosen the safety knob on the adjustment arm, position your phone to the desired viewing angle (portrait or landscape), and then tighten the safety knob firmly to secure the position.

ONE-HAND OPERATION

Take 1s to install & release your phone



The mount supports convenient one-hand operation for quick installation and release of your phone.

4. MAINTENANCE

To ensure the longevity and optimal performance of your Lamicall Motorcycle Phone Mount Holder, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the mount regularly with a soft, damp cloth to remove dust and grime. Avoid using harsh chemicals or abrasive cleaners, which can damage the materials.
- **Check Fasteners:** Periodically inspect all screws and knobs to ensure they are tight. Vibrations from riding can sometimes loosen fasteners over time. Re-tighten as necessary.
- **Inspect Pads:** Check the condition of the cushioned rubber pads on the phone clamp and the non-

slip pads on the handlebar clamp. If they show signs of wear or damage, contact customer support for potential replacements to maintain optimal grip and protection.

- **Storage:** When not in use for extended periods, store the mount in a clean, dry place away from direct sunlight and extreme temperatures.

5. TROUBLESHOOTING

Phone Not Fitting Securely:

- **Check Phone Size:** Ensure your phone is within the compatible size range of 4.7-6.7 inches.
- **Check Phone Thickness:** The maximum thickness the phone clip can hold is 0.59 inches. If your phone has a thick case, it might exceed this limit. Consider using a thinner case or removing the case if necessary. Note: The mount is not compatible with Galaxy S23 Ultra or S24 Ultra models.
- **Engage Security Lock:** Always ensure the security lock on the back of the holder is engaged after inserting your phone.

Mount is Loose on Handlebar:

- **Verify Handlebar Diameter:** Confirm your handlebar diameter is between 0.78 and 1.38 inches (20-35mm).
- **Tighten Screws:** Re-tighten the screws on the handlebar clamp using the provided wrench. Ensure they are snug but do not overtighten.
- **Check Non-Slip Pads:** Ensure the non-slip pads inside the handlebar clamp are properly positioned and not damaged.

Excessive Vibration:

- While the mount has a vibration dampener, extreme road conditions or very high engine vibrations might still cause some movement. Ensure the phone is seated correctly and the security lock is engaged.
- Inspect the damping springs for any visible damage or obstruction.

Your browser does not support the video tag.

Video: Lamicall Motorcycle Phone Mount - Anti Vibration Test. This video demonstrates the effectiveness of the anti-vibration feature of the Lamicall Motorcycle Phone Mount under simulated conditions.

6. SPECIFICATIONS

Brand	Lamicall
Model Name	Motorcycle Phone Mount
Model Number	BCSP05
Color	Black
Compatible Devices	Smartphones (4.7-6.7 inches)
Max Phone Thickness	0.59 inches
Handlebar Diameter Compatibility	0.78 - 1.38 inches (20-35mm)

Mounting Type	Anti Vibration Bar Mount
Material	Metal, Plastic, Silicone
Additional Features	1s Lock, Anti Theft, Anti-Shake Protection, Metal Adjustable Arm, One-Hand Operation
Water Resistance Level	Not Water Resistant
Compatible Vehicle Type	Bicycle, Motorcycle

Compatible Phone Models (Examples):

- iPhone: 17, 17e, 17 Pro, Air, 16, 16 Plus, 16 Pro, 16 Pro Max, 15, 15 Plus, 15 Pro, 15 Pro Max, 14, 14 Plus, 14 Pro, 14 Pro Max, 13 series, 12 series, 11 series, SE, XS Max, XS, XR, X, 8 Plus, 8, 7 Plus, 7, 6S Plus, 6S, SE, 6.
- Samsung Galaxy: S10e, S10+, S10, S9+, S9, S8+, S8, S7 Edge, M20, J3 Pro, J3, E5, Core Max, C9 Pro, C8, C7 Pro, C7, C5 Pro, C5, A9s, A9 Star, A9, A8s, A8, A70, A7, A6s, A60, A50, A40S, A10, On7.
- LG: G8, G7, V60, V50 ThinQ, V40 ThinQ, V30, V20, G6, G8s ThinQ, W10, V30s+, G4 One, V30s, Q60, W30, Stylo 4, X Power, Q6+, K40, Q7, X300, Stylo 3, K8, Q7 Plus, X2, Aristo, Q7α, Q8, G5, V30 Plus, G5 SE, Stylus 2 Plus, Q6, Q6α, X Venture, X400, K10, G6+, X Screen.
- OnePlus: 10, 9, 8, 7, 6, 5T, 3T.
- Google Pixel: 7, 6, 5, 4, 3 XL, 2 XL, 3a, 3a XL, 3 Lite.
- Motorola: Z4, Z3 Play, Z2 Play, Z Play, Z Force, Z, X4, P30 Play, P30 Note, P30, P40, P50, M, G7 Power, G7 Plus, G7 Play, G7, G6 Plus, G6 Play, G5S+, G5 Plus, G5, G4 Plus, E5 Plus, E5 Play, E4 Plus, C Plus, C.
- Other: ZTE Axon 7 mini, P9, P8, HTC One M9, M8, M7, Nexus 6, 6P, 5, 4, BlackBerry.

Note: Not compatible with Samsung Galaxy S23 Ultra or S24 Ultra.



WIDE COMPATIBILITY



16 pro max



15 pro



SE3



The mount offers wide compatibility for smartphones ranging from 4.7 to 6.7 inches.

7. WARRANTY INFORMATION

This Lamicall Motorcycle Phone Mount Holder is covered by a **2-Year Manufacturer Warranty**. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.

For warranty service or inquiries, please contact Lamicall customer support.

8. CUSTOMER SUPPORT

For any questions, assistance, or technical support regarding your Lamicall Motorcycle Phone Mount Holder, please visit the official Lamicall website or contact their customer service team directly. You can also visit the [Lamicall Store on Amazon](#) for more information and contact options.