

Manuals.plus /

› tectake /

› TecTake Basin Base Cabinet, Model B - Instruction Manual

**tectake 405367**

# TecTake Basin Base Cabinet, Model B - Instruction Manual

Model: 405367

## 1. PRODUCT OVERVIEW

---

The TecTake Basin Base Cabinet, Model B, is a functional and elegant storage solution designed to bring order and style to your bathroom. Its modern and simple design integrates seamlessly into various bathroom aesthetics, providing a tidy and harmonious atmosphere.

This cabinet features two spacious compartments, ideal for organizing towels, care products, and other toiletries. The soft-open swing doors are equipped with a magnetic system for secure closure and stylish metal pulls for convenient access. Constructed from durable materials, it offers a sturdy structure with a high load capacity.

### Key Features:

- Two spacious compartments for ample storage.
- Soft-opening swing doors with magnetic closure and metal handles.
- Sturdy construction with a load capacity of up to 20 kg.
- Practical edge protection made of durable plastic for the siphon trimming.
- Quick and easy assembly.
- Easy-to-clean surfaces.

### Product Image:



Image: Front view of the TecTake Basin Base Cabinet, Model B, showcasing its clean design and closed swing doors.

## 2. SAFETY INSTRUCTIONS

---

Please read and understand all safety instructions before assembling and using the cabinet. Failure to follow these instructions may result in injury or damage to the product.

- **Keep children away:** During assembly, keep small parts and packaging materials out of reach of children to prevent choking hazards.
- **Use appropriate tools:** Ensure you have the correct tools for assembly as specified in the detailed assembly instructions.
- **Assemble on a clean, soft surface:** To prevent scratches or damage, assemble the cabinet on a clean, soft, and flat surface (e.g., a carpet or blanket).
- **Do not overload:** The cabinet has a maximum load capacity of 20 kg. Do not exceed this weight to prevent structural damage or tipping.
- **Secure placement:** Ensure the cabinet is placed on a stable, level surface to prevent wobbling or tipping.
- **Avoid moisture:** While designed for bathrooms, avoid prolonged exposure to excessive moisture. Wipe up spills immediately.
- **Regular checks:** Periodically check all screws and fittings to ensure they remain tight. Retighten if necessary.

### 3. PACKAGE CONTENTS

---

Before beginning assembly, verify that all components are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Under sink unit components (panels, doors)
- Mounting material (screws, dowels, hinges, handles, magnetic catches)
- Assembly instructions (detailed guide)

### 4. SETUP AND ASSEMBLY

---

The TecTake Basin Base Cabinet is designed for quick and straightforward assembly. Please refer to the included detailed assembly instructions for step-by-step guidance and illustrations.

#### General Assembly Steps:

1. **Preparation:** Unpack all components and lay them out on a clean, soft surface. Identify each part using the assembly instructions.
2. **Base Assembly:** Begin by assembling the base frame of the cabinet according to the diagrams.
3. **Side Panels:** Attach the side panels to the base and back panel, ensuring all connections are secure.
4. **Top Panel:** Secure the top panel to complete the main cabinet structure.
5. **Door Installation:** Attach the hinges to the doors and then mount the doors to the cabinet. Adjust hinges as needed for proper alignment.
6. **Handles and Magnetic Catches:** Install the metal handles on the doors and the magnetic catches to ensure secure closure.
7. **Siphon Trimming:** Position the cabinet under your sink. The cabinet features a pre-cut opening for the siphon. Ensure the plastic edge protection is correctly installed around this opening.
8. **Final Check:** Verify that all screws are tightened and the cabinet is stable.

*Note: Assembly requires basic tools, typically a screwdriver. Do not overtighten screws to avoid damaging the material.*

### 5. OPERATING INSTRUCTIONS

---

Using your TecTake Basin Base Cabinet is straightforward:

- **Opening Doors:** Gently pull the metal handles to open the swing doors. The soft-open mechanism ensures smooth operation.
- **Closing Doors:** Push the doors gently until the magnetic catches engage, ensuring they remain securely closed.
- **Storage:** Utilize the two spacious compartments to store bathroom essentials such as towels, cleaning supplies, toiletries, and other items. Organize items to maximize space and accessibility.
- **Load Capacity:** Do not exceed the maximum load capacity of 20 kg per cabinet to maintain stability and prevent damage. Distribute weight evenly within the compartments.

## 6. MAINTENANCE

---

Proper maintenance will ensure the longevity and appearance of your TecTake Basin Base Cabinet.

- **Cleaning:** Wipe surfaces with a soft, damp cloth. For stubborn marks, use a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive materials that could damage the finish.
- **Drying:** Always dry the cabinet thoroughly after cleaning, especially in areas prone to moisture, to prevent water damage or swelling of the material.
- **Spills:** Immediately wipe up any water or liquid spills to prevent absorption and potential damage to the chipboard and MDF components.
- **Hardware Check:** Periodically inspect all screws, hinges, and handles. Tighten any loose fittings to maintain the cabinet's structural integrity and door alignment.
- **Avoid Direct Heat/Sunlight:** While durable, prolonged exposure to direct sunlight or extreme heat sources can affect the material and finish.

## 7. TROUBLESHOOTING

---

Here are solutions to common issues you might encounter:

- **Cabinet is wobbly:**
  - Ensure the cabinet is on a level surface.
  - Check that all assembly screws are securely tightened.
- **Doors do not close properly or are misaligned:**
  - Adjust the hinges. Most hinges allow for minor adjustments to align doors horizontally, vertically, and in depth.
  - Ensure the magnetic catches are correctly installed and aligned with the door plates.
  - Check for any obstructions preventing the doors from closing fully.
- **Siphon opening does not fit:**
  - Verify the dimensions of your sink's siphon against the cabinet's opening dimensions (approx. 10 x 19.5 cm).
  - Ensure the cabinet is correctly positioned directly under the sink.

## 8. SPECIFICATIONS

---

Feature	Detail
Brand	tectake
Model Number	405367
Overall Dimensions (W x D x H)	approx. 63 x 31 x 55 cm (24.8"W x 11.42"D x 21.65"H)
Inner Dimensions (W x D x H)	approx. 60 x 27.5 x 47 cm
Dimensions per Door (W x H)	approx. 25.5 x 46.5 cm
Opening for Siphon (Width x Depth)	approx. 10 x 19.5 cm
Load Capacity	20 kg
Weight	approx. 10.2 kg (22.49 lbs)
Material	Chipboard, MDF, TPE plastic, Steel
Mounting Type	Floor Mount
Required Assembly	Yes

## 9. WARRANTY AND SUPPORT

---

This TecTake product is manufactured with quality materials and undergoes strict quality control. For specific warranty information, please refer to the documentation provided with your purchase or contact TecTake customer service.

For further assistance, missing parts, or technical support, please visit the official TecTake store or contact their customer service department. You can find more information and contact details on the tectake Store on Amazon.