

Orient RA-TX0303L10B

Orient Stretto Solar Chronograph 40mm Navy Blue Dial Steel Strap Men's Watch RA-TX0303L10B Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the proper use and care of your Orient Stretto Solar Chronograph watch, model RA-TX0303L10B. Please read this manual thoroughly to ensure optimal performance and longevity of your timepiece. This watch features a solar-powered quartz movement and a chronograph function.

SETUP

1. Initial Charge

Your Orient Stretto watch is powered by light. Before initial use, or if the watch has stopped, expose the dial to a bright light source (natural sunlight is ideal) for several hours to ensure a full charge. Avoid extreme temperatures during charging.



Front view of the Orient Stretto Solar Chronograph watch, showing the dial and sub-dials. Ensure the dial is exposed to light for charging.

2. Setting Time and Date

1. Pull the crown out to the second click position. The second hand will stop.
2. Rotate the crown to set the hour and minute hands. Ensure the AM/PM is correctly set (the date changes around midnight).
3. Push the crown back to the first click position.
4. Rotate the crown to set the date.
5. Push the crown back to the normal position. The second hand will resume movement.



Side view of the watch, highlighting the crown and chronograph pushers for time and date adjustment.

3. Bracelet Adjustment

The stainless steel bracelet can be adjusted by adding or removing links. For precise fitting, it is recommended to have this adjustment performed by a qualified jeweler or watch technician.



Close-up of the stainless steel bracelet and deployment clasp, which may require professional adjustment for a perfect fit.

OPERATING THE CHRONOGRAPH

Your watch is equipped with a chronograph function for measuring elapsed time.

1. Basic Timekeeping

The main hands display the current time. The small sub-dials are used for the chronograph function and a 24-hour indicator.

2. Using the Chronograph

- **Start:** Press the upper pusher (A) to start the chronograph. The chronograph second hand will begin to move.
- **Stop:** Press the upper pusher (A) again to stop the chronograph. The elapsed time will be indicated by the chronograph hands.
- **Reset:** After stopping, press the lower pusher (B) to reset the chronograph hands to their zero positions.

MAINTENANCE

1. Cleaning

Wipe the watch case and bracelet regularly with a soft, dry cloth. For stubborn dirt, use a soft brush and mild soapy water, then rinse thoroughly with fresh water and dry completely. Ensure the crown is pushed in before cleaning with water.

2. Water Resistance

This watch has a water resistance rating of 50 meters (5 ATM). This means it is suitable for short periods of recreational swimming, but not for diving or prolonged water immersion. Always ensure the crown is fully pushed in to maintain water resistance.



The case back of the watch, indicating its water resistance rating of 5 BAR (50 meters).

3. Solar Cell Care

To maintain the solar cell's efficiency, avoid prolonged storage in dark places. Regular exposure to light will keep the watch charged and functioning correctly. If the watch is stored in darkness for an extended period, it may require a full recharge.

TROUBLESHOOTING

- **Watch Not Running:** If the watch stops, expose it to bright light for several hours to recharge the solar cell. If it still does not run, consult a service center.
- **Chronograph Hands Not Resetting to Zero:** If the chronograph hands do not return to the zero position after resetting, refer to the detailed manual for specific calibration instructions or contact customer support.
- **Date Not Changing:** Ensure the time is set correctly, especially the AM/PM cycle. The date typically changes around midnight.

SPECIFICATIONS

Model Name	Orient Stretto Solar Chronograph 40mm Navy Blue Dial Steel Strap Men's Watch
-------------------	--

Model Number	RA-TX0303L10B
Brand	Orient
Movement Type	Quartz (Solar Powered)
Case Material	Stainless Steel
Case Diameter	40 Millimeters (Note: Product title states 40mm, specifications list 43mm. Using 40mm as per title for consistency.)
Case Thickness	11.1 Millimeters
Band Material	Stainless Steel
Band Width	20 Millimeters
Crystal	Sapphire Crystal
Water Resistance Depth	50 Meters (5 ATM)
Additional Features	Chronograph, Date Display
Dial Color	Navy Blue

WARRANTY & SUPPORT

This Orient watch is covered by a manufacturer's warranty. For specific warranty terms, conditions, and duration, please refer to the warranty card included with your purchase or visit the official Orient website. For technical support or service inquiries, please contact an authorized Orient service center.