

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Xbeauty](#) /

› [Xbeauty 44" Corner Electric Fireplace with Mantel Package Instruction Manual \(Model: ZBI-15SRLT\)](#)

### Xbeauty ZBI-15SRLT

# Xbeauty 44" Corner Electric Fireplace with Mantel Package


Model: ZBI-15SRLT

## PRODUCT OVERVIEW

---

The Xbeauty 44" Corner Electric Fireplace with Mantel Package is a freestanding electric fireplace heater designed to provide warmth and ambiance. It features a mantel crafted from hard wood with a white finish, suitable for various home decor styles.

This unit includes a realistic LED flame effect with adjustable brightness, which can be operated independently of the heating function, allowing for year-round decorative use. The heater offers two comfort settings (750W and 1500W) and is designed for quiet operation, heating areas up to 400 sq ft.



Voltage:120VAC  
Watts:Max 1500W  
BTUS:5100BTU




Image: Front view of the Xbeauty 44" Corner Electric Fireplace.

## SETUP INSTRUCTIONS

Your electric fireplace and mantel package are delivered in two separate packages: one for the frame and one for the fireplace insert. Ensure both packages have arrived before beginning assembly.

1. **Unpack Components:** Carefully remove all parts from the packaging. Verify all components are present according to the included parts list.
2. **Assemble Mantel:** Follow the step-by-step instructions provided in the separate assembly guide for the mantel. Typically, this involves attaching the side columns, top, and base using the provided hardware.
3. **Insert Firebox:** Once the mantel is assembled, carefully slide the electric firebox insert into the designated opening in the mantel. Ensure it fits securely.
4. **Position Fireplace:** Place the assembled fireplace in your desired corner location. Ensure it is on a stable, level surface and away from flammable materials.
5. **Connect Power:** Plug the power cord into a standard 120V outlet. Avoid using extension cords if possible.

# TWO COMFORT SETTING

750 W

1500 W




*Image: Components of the fireplace, showing the mantel frame and the electric insert.*

## OPERATING INSTRUCTIONS

---

The Xbeauty electric fireplace can be operated using the control panel on the unit or the included remote control.

### Remote Control Functions



*Image: Remote control for adjusting fireplace settings.*

- **Power Button:** Turns the fireplace ON or OFF.
- **Flame Button:** Activates or deactivates the flame effect. Press repeatedly to cycle through brightness levels.
- **Heater Button:** Activates the heating function. Press once for 750W, press again for 1500W, and a third time to turn off the heater.
- **Temperature Control:** Adjusts the desired room temperature. The heater will cycle on and off to maintain this setting.
- **Timer:** Sets an automatic shut-off timer for the heater.

## Heat Settings

The fireplace offers two heat output levels:

- **750W:** Provides a lower heat output for smaller rooms or milder warmth.
- **1500W:** Provides a higher heat output for larger rooms or quicker heating.



*Image: Visual representation of the 750W and 1500W heat settings.*

## **Safety Features**

The unit is equipped with an overheat protection system that automatically shuts off the heater if it reaches an unsafe temperature. This ensures safe operation.

# Low Noise Over-Heating Protection



*Image: Display highlighting low noise and overheat protection features.*

## MAINTENANCE

---

Regular maintenance ensures optimal performance and longevity of your electric fireplace.

- **Cleaning:** Disconnect power before cleaning. Use a soft, damp cloth to wipe the exterior surfaces. Do not use abrasive cleaners or sprays.
- **Ventilation:** Ensure the air intake and exhaust vents are clear of dust and debris. Periodically vacuum these areas.
- **Light Bulbs:** The LED flame effect uses long-lasting LED bulbs that typically do not require replacement. If an issue occurs, consult customer support.
- **Storage:** If storing the fireplace for an extended period, ensure it is clean and dry. Store in a cool, dry place, preferably in its original packaging.

## TROUBLESHOOTING

---

If you encounter issues with your electric fireplace, refer to the following common troubleshooting steps:

- **No Power:**

- Check if the power cord is securely plugged into a working 120V outlet.
- Verify the circuit breaker has not tripped.
- Ensure the main power switch on the unit is in the 'ON' position.

- **No Heat:**

- Confirm the heater function is activated via the control panel or remote.
- Check if the thermostat setting is higher than the current room temperature.
- The overheat protection may have activated. Unplug the unit, wait 10-15 minutes, and plug it back in.

- **Flame Effect Not Working:**

- Ensure the flame effect button has been pressed.
- If the flame effect is dim, adjust the brightness setting.

- **Remote Control Not Working:**

- Replace the batteries in the remote control.
- Ensure there are no obstructions between the remote and the fireplace sensor.

If problems persist after attempting these steps, please contact customer support.

## SPECIFICATIONS

---

Feature	Detail
Brand	Xbeauty
Model Name	electric fireplace (ZBI-15SRLT)
Product Dimensions	12.6"D x 43.38"W x 39.68"H
Material	Wood
Power Source	Corded Electric
Voltage	120VAC
Max Watts	1500W
Heat Output	5100 British Thermal Units (BTUs)
Heating Coverage	400 sq ft
Installation Type	Freestanding
Special Feature	LED Flame
Included Components	Mantel, Remote Control
Item Weight	61.6 pounds



*Image: Detailed dimensions and electrical specifications of the fireplace.*

## WARRANTY INFORMATION

---

This Xbeauty electric fireplace comes with a **Limited Warranty**. For specific terms, conditions, and duration of the warranty, please refer to the documentation included with your product or contact Xbeauty customer support.

## CUSTOMER SUPPORT

---

For any questions, assistance with assembly, operation, or troubleshooting that is not covered in this manual, please contact Xbeauty customer support.

You can typically find contact information on the manufacturer's website or through the retailer where the product was purchased. Please have your model number (ZBI-15SRLT) and purchase date ready when contacting support.

