

[Manuals.plus](#) /

› [Elevon](#) /

› Elevon Dog Door for Sliding Glass Door (83-91 Inch Height) Instruction Manual

Elevon QD-EL-PD-8391H-BLK-L

Elevon Dog Door for Sliding Glass Door

Model: QD-EL-PD-8391H-BLK-L

INTRODUCTION


Thank you for choosing the Elevon Dog Door for Sliding Glass Doors. This manual provides essential information for the safe and correct installation, operation, and maintenance of your new pet door. Please read these instructions thoroughly before installation and retain them for future reference.

SAFETY INFORMATION

- Always ensure the pet door is securely installed to prevent accidental dislodgement.
- Regularly inspect the pet door for any signs of wear or damage, especially the flap and locking mechanism. Replace damaged parts immediately.
- Supervise pets during their initial uses of the door to ensure they learn to use it safely.
- The lockable panel is designed to control pet access and enhance security. Always engage the lock when unsupervised or when wild animals may be present.
- Keep small children away from the pet door to prevent injury.

PRODUCT OVERVIEW

The Elevon Dog Door is designed for easy, no-cut installation into most standard sliding glass door tracks. It features an adjustable height, a magnetic closing flap, and a lockable panel for security and weather resistance.






Image: Main view of the Elevon Dog Door for Sliding Glass Door.

SPECIFICATIONS

Frame Size (W x H)	15.2 inches x 83 to 91 inches (Adjustable)
Flap Size (W x H)	11.8 inches x 16.7 inches
Minimum Track Width	0.8 inches
Suitable Pet Width	Less than 11 inches
Suitable Pet Height	Less than 20 inches
Material	Weather-resistant Aluminum Frame, Shatter-resistant Tempered Glass
Closure Type	Magnetic
Model Number	QD-EL-PD-8391H-BLK-L
UPC	810177850052






Image: Detailed dimensions of the Elevon Dog Door, showing frame width (15.2"), height (83"-91"), and flap dimensions (11.8" W x 16.7" H).

PRE-INSTALLATION MEASUREMENTS

Accurate measurements are crucial for proper fit and function. Please measure your sliding glass door frame and your pet carefully before installation.

1. **Door Frame Height:** Measure the distance from the inside of the upper track to the inside of the lower track of your sliding glass door. This height must be between 83 inches and 91 inches for this model.
2. **Track Width:** Measure the inner width of your sliding glass door track. The track must be at least 0.8 inches wide.
3. **Pet Height:** Measure your pet's height from their back to the ground. This should be less than 20 inches.
4. **Pet Width:** Measure the widest distance of your pet's chest. This should be less than 11 inches.





Image: Guide for measuring the sliding glass door frame height (83"-91") and track width (minimum 0.70").

Dog Door Size Chart

Please measure the height and width of your pet, choose the right dog door.

Height : Measure the distance from the pet's back to the ground.



Width : Measure the widest distance of pet's chest.

Dog Width

Dog Height

< 11"

< 20"




Image: Dog Door Size Chart illustrating how to measure your pet's height and width to ensure proper fit with the door flap.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Top Frame (x1)
- Bottom Frame (x1)
- Middle Panel (x1)
- Middle Longer Height Extension Panel (x1)
- Joining Rod (x2)
- Side Aluminum Part (x2)
- Toggle Lock (x1)
- Foam Strip (x1)

- "L" Mount Bracket (x2)
- "T" Mount Bracket (x2)
- M4.2 x 32mm Screw (x6)
- M4.2 x 13mm Screw (x24)




Image: Visual representation of all components included in the package, such as frames, panels, rods, brackets, and screws.

INSTALLATION GUIDE

This dog door is designed for a no-cut installation. Follow these steps carefully:

1. **Assemble the Panels:** Connect the Top Frame, Middle Panel, Middle Longer Height Extension Panel, and Bottom Frame using the Joining Rods and Side Aluminum Parts as indicated in the diagram. Ensure all connections are secure. There are two mounting methods for connecting components, choose the one that best suits your needs.

Two mounting methods for connecting components




Image: Illustration of two different methods for connecting the dog door components, allowing flexibility during assembly.

2. **Prepare for Insertion:** Ensure the spring mechanism at the top of the dog door panel is fully compressed.
3. **Insert into Upper Track:** Carefully insert the top of the assembled dog door panel into the upper track of your sliding glass door frame, pushing up against the spring mechanism.
4. **Align and Insert into Lower Track:** While holding the top in place, swing the bottom of the panel into alignment with the lower track. Once aligned, release the spring mechanism and gently lower the panel until it sits firmly in the lower track.

RESOLVE YOUR INSTALLATION CONFUSION




Image: Step-by-step visual guide for installing the dog door, showing how to adjust the spring mechanism and insert the panel into the upper and lower tracks.

5. **Secure the Installation:** Apply the foam strip to seal any gaps between the dog door and your sliding glass door for improved insulation. Use the provided "L" Mount Brackets, "T" Mount Brackets, and screws to further secure the dog door to your door frame if desired. Some reinforcement accessories may require drilling.
6. **Install Toggle Lock:** Attach the toggle lock to your sliding glass door and the dog door frame to provide additional security, preventing the sliding door from being opened from the outside.

OPERATION

The Elevon Dog Door is designed for ease of use for both pets and owners.

- **Pet Flap:** The pet flap features a magnetic closure to keep it securely shut when not in use, helping to maintain indoor temperatures and prevent drafts.
- **Lockable Panel:** A T-lock is integrated into the panel. This allows you to restrict your pet's access or prevent unwanted entry from outside. Simply slide the lock into place to secure the flap.



Image: Close-up view of the magnetic attraction design on the pet flap, ensuring a secure closure.



Image: Detail of the lockable panel, showing how it can be engaged to secure the pet door.

MAINTENANCE

To ensure the longevity and proper function of your Elevon Dog Door, follow these maintenance tips:

- **Cleaning:** Clean the aluminum frame and tempered glass with a mild soap and water solution. Avoid abrasive cleaners that could scratch the surfaces. The pet flap can be wiped clean with a damp cloth.
- **Flap Inspection:** Periodically check the pet flap for any tears, cracks, or stiffness. Ensure the magnetic strips are clean and free of debris to maintain a good seal.
- **Track Cleaning:** Keep the sliding glass door tracks clean and free of dirt, pet hair, or other obstructions that could impede the smooth operation of the door.
- **Hardware Check:** Regularly inspect all screws, brackets, and the toggle lock to ensure they are tight and secure. Tighten any loose fasteners.

TROUBLESHOOTING

If you encounter issues with your Elevon Dog Door, refer to the following common problems and solutions:

- **Door Does Not Fit:**
 - **Issue:** The dog door is too tall or too short for your sliding glass door frame.
 - **Solution:** Re-measure your door frame height from the inside of the upper track to the inside of the lower track. Ensure it falls within the 83"-91" range. If it does not, this model is not compatible with your door.
- **Gaps Around the Door:**
 - **Issue:** Drafts or insects are entering around the installed dog door.

- **Solution:** Ensure the foam strip is properly installed and sealed between the dog door and your sliding glass door. Check that the dog door is fully seated in both the upper and lower tracks.

- **Flap Not Closing Properly:**

- **Issue:** The pet flap does not swing freely or close completely.
- **Solution:** Check for any debris or obstructions in the flap's path or on the magnetic strips. Clean the flap and magnets. Ensure the door frame is plumb and level, as misalignment can affect flap operation.

- **Sliding Door Does Not Lock:**

- **Issue:** Your main sliding glass door cannot be locked after installing the pet door.
- **Solution:** Ensure the toggle lock is correctly installed and engaged between your sliding glass door and the pet door frame. This lock is designed to secure the sliding door in place.

WARRANTY & SUPPORT

Elevon products are manufactured with quality and durability in mind. For specific warranty details, please refer to the product packaging or contact Elevon customer support. If you have any questions, require assistance with installation, or need to report a missing or damaged part, please contact our customer service team through the retailer's platform or our official website.

© 2026 Elevon. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

