

HIKMICRO LC06S

HIKMICRO Lynx LC06S Thermal Monocular User Manual

Brand: HIKMICRO | Model: LYNX LC06S

1. INTRODUCTION

The HIKMICRO LYNX LC06S is a compact and powerful thermal imaging monocular designed for person and animal detection, observation, and distance measurement. It is suitable for various applications including hunting, outdoor activities, and nature observation, providing clear and detailed images even in complete darkness. This manual provides essential information for the proper setup, operation, and maintenance of your device.

2. PACKAGE CONTENTS

Please verify that all items are present in your package:

- HIKMICRO Thermomonocular LYNX LC06S
- Charging cable (USB Type-C)
- Protective case
- Lint free cloth
- Quick start guide

3. PRODUCT OVERVIEW

Familiarize yourself with the components of your HIKMICRO Lynx LC06S thermal monocular.



Figure 1: HIKMICRO Lynx LC06S Thermal Monocular. The image displays the device from a top-front angle, highlighting the objective lens, the control buttons on the top surface (Power, Capture, Menu, Zoom), the HIKMICRO logo on the side, and the eyepiece with its diopter adjustment knob.

Key Components:

- **Objective Lens:** Front lens for thermal image capture.
- **Control Buttons:** Located on the top surface for power, capture, menu navigation, and digital zoom.
- **Eyepiece:** For viewing the thermal image.
- **Diopter Adjustment Knob:** Adjusts the eyepiece focus for individual vision.
- **USB Type-C Port:** For charging and data transfer.
- **Tripod Mount:** Standard thread for mounting on a tripod.

4. KEY FEATURES

The HIKMICRO Lynx LC06S offers the following features:

- High-resolution 0.32 inch OLED display (800 × 600 pixels) for clear and detailed images.
- Built-in 8GB memory for storing videos and pictures.

- Rechargeable lithium battery providing up to 10 hours of continuous operation.
- 50 Hz frame rate for smooth and detailed image reproduction.
- Multiple color palettes adaptable to different observation environments.
- User-friendly UI design for quick access to functions.
- Compact dimensions and lightweight (250 grams) for easy portability.
- Built-in Wi-Fi hotspot for connection and control via the HIKMICRO Sight app.
- VOx Uncooled Focal Plane Arrays for high image quality in various lighting conditions.
- Waterproof and dust-proof according to IP67 standards, suitable for challenging operating conditions.

5. SETUP

5.1 Charging the Battery

1. Locate the USB Type-C port on the device.
2. Connect the provided USB Type-C charging cable to the device and to a compatible USB power adapter (not included) or computer USB port.
3. The charging indicator will show the charging status. Allow sufficient time for a full charge before first use.

5.2 Initial Power-On

1. Press and hold the Power button (usually marked with a  symbol) located on the top of the device until the HIKMICRO logo appears on the display.
2. Adjust the diopter knob near the eyepiece to achieve a clear view of the display for your vision.

5.3 Connecting to the HIKMICRO Sight App (Optional)

The device features a built-in Wi-Fi hotspot for connecting to the HIKMICRO Sight app on your smartphone or tablet.

1. Download and install the HIKMICRO Sight app from your device's app store.
2. On the monocular, activate the Wi-Fi hotspot function (refer to the on-screen menu or quick start guide for specific steps).
3. On your smartphone, go to Wi-Fi settings and connect to the HIKMICRO device's Wi-Fi network. The network name and password will be displayed on the monocular's screen.
4. Open the HIKMICRO Sight app and follow the instructions to connect to your device. This allows for remote control, live view, and file management.

6. OPERATING INSTRUCTIONS

6.1 Power On/Off

- **Power On:** Press and hold the Power button until the device starts.
- **Power Off:** Press and hold the Power button until the power-off prompt appears, then confirm.
- **Standby Mode:** A short press of the Power button may put the device into standby mode to conserve battery. Press again to wake up.

6.2 Basic Observation

Hold the monocular to your eye and adjust the diopter for a clear image. Point the objective lens towards the area of interest.

6.3 Image and Video Capture

- **Capture Image:** Press the Capture button (often marked with a camera icon) once to take a still image.
- **Record Video:** Press and hold the Capture button to start video recording. Press again to stop.
- Captured media is saved to the internal 8GB memory.

6.4 Palette Selection

The monocular offers multiple color palettes to enhance observation in different conditions. Access the menu (often marked with 'M' or a menu icon) and navigate to the palette settings to select your preferred option (e.g., White Hot, Black Hot, Red Hot, Fusion).

6.5 Digital Zoom

Use the Zoom button (often marked with + or +/-) to digitally magnify the image. Repeated presses may cycle through available zoom levels.

6.6 Data Transfer

Connect the monocular to a computer using the USB Type-C cable. The device will appear as a removable storage device, allowing you to transfer captured images and videos.

7. MAINTENANCE

7.1 Cleaning

- Use the provided lint-free cloth to gently wipe the objective lens and eyepiece.
- For stubborn smudges, use a lens cleaning solution specifically designed for optics. Apply to the cloth, not directly to the lens.
- Clean the device body with a soft, damp cloth. Do not use abrasive cleaners or solvents.

7.2 Storage

- Store the monocular in its protective case when not in use to prevent damage.
- Keep the device in a cool, dry place, away from direct sunlight and extreme temperatures.
- For long-term storage, ensure the battery is partially charged (around 50%) to prolong its lifespan.

7.3 Battery Care

- Avoid fully discharging the battery frequently.
- Charge the battery using only the provided cable and a compatible power source.
- Do not expose the battery to high temperatures or puncture it.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Device does not power on.	Battery is depleted or not charged.	Charge the device fully using the USB Type-C cable.
Image is blurry or unclear.	Diopter not adjusted correctly.	Adjust the diopter knob near the eyepiece until the image is sharp.
Cannot connect to Wi-Fi hotspot.	Wi-Fi hotspot not activated on device; incorrect password; device too far from smartphone.	Ensure Wi-Fi hotspot is enabled on the monocular. Verify the password. Move closer to the device.
Device freezes or becomes unresponsive.	Temporary software glitch.	Perform a soft reset by pressing and holding the Power button for an extended period (e.g., 10-15 seconds) until the device restarts.
Cannot transfer files to computer.	Incorrect USB connection mode; faulty cable.	Ensure the device is connected correctly and recognized as a storage device. Try a different USB port or cable.

9. SPECIFICATIONS

Feature	Detail
Model	HIKMICRO LYNX LC06S
Display	0.32 inch OLED, 800 x 600 pixels
Frame Rate	50 Hz
Internal Memory	8GB
Detection Range (Forest)	Up to 250 meters
Detection Range (Distant)	Up to 1200 meters
Field of View	43.8 m at 100 m distance
Battery Life	Up to 10 hours (rechargeable lithium battery)
Connectivity	Wi-Fi Hotspot, USB Type-C
Waterproof Rating	IP67
Dimensions (L x W x H)	15.8 x 5.7 x 6 centimetres
Weight	250 Grams
Min Focal Length	6.2 Millimetres
Focus Type	Focus-free operation
Power Source	Battery Powered (1 Lithium Ion battery included)
Compatible Devices	Laptop, Smartphone, Tablet (via app)

10. WARRANTY AND SUPPORT

For warranty information, technical support, or service inquiries, please refer to the official HIKMICRO website or contact your authorized dealer. Keep your proof of purchase for warranty claims.
Official HIKMICRO Website: www.hikmicrotech.com

Related Documents - LC06S

	HIKMICRO LYNX S & LYNX Pro Series Thermal Monocular Quick Start Guide A quick start guide for the HIKMICRO LYNX S and LYNX Pro series thermal monoculars, detailing features, package contents, appearance, button functions, charging, and app connection.
	HIKMICRO LYNX S & LYNX Pro Series Thermal Monocular Quick Start Guide Get started quickly with your HIKMICRO LYNX S & LYNX Pro thermal monocular. This guide provides essential information on introduction, package contents, appearance, button functions, charging, and app connection for your device.

	HIKMICRO LYNX S & LYNX Pro Thermal Monocular User Manual - Features, Settings, and Operation User manual for the HIKMICRO LYNX S and LYNX Pro Series thermal monoculars. Covers setup, image settings, system configurations, and troubleshooting for optimal performance in hunting and outdoor observation.
	HIKMICRO Handheld Thermal Monocular Camera Quick Start Guide Thermal Imaging Device Discover the HIKMICRO Handheld Thermal Monocular Camera, a portable thermal imaging device for observation, target tracking, and distance measurement. Ideal for law enforcement, hunting, and outdoor exploration, it offers clear vision in darkness and connectivity via the T-Vision app. Learn more in this quick start guide.
	HIKMICRO Sight iOS Mobile Client User Manual Comprehensive user manual for the HIKMICRO Sight iOS Mobile Client, detailing how to connect thermal imaging devices, manage captured pictures and videos, and configure device and application settings for optimal thermal imaging.
	HIKMICRO HEIMDAL Series Digital Night Vision Monocular User Manual User manual for the HIKMICRO HEIMDAL Series digital night vision monocular, covering device description, functions, preparation, image settings, picture/video recording, maintenance, and troubleshooting.


Documents - HIKMICRO – LC06S



[\[pdf\]](#) Quick Start Guide Specifications Datasheet Guide
HM TS01 06XF W LC06 Datasheet en US 20210101 LYNX Handheld Thermal Monocular Camera 2023 12 31 — HIKMICRO handheld thermal monocular camera LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12 lang:en score:34 filesize: 944.09 K page_count: 3 document date: 2023-12-30



[\[pdf\]](#)
IV HIKMICRO LYNX LC06SDas S LC06S ist ein kompaktes und leistungsstarkes Wärmebildmonokular es besonders für Jäger Outdoor Aktivitäten undlc06sodn bt. HIKMICRO LYNX **LC06S** leichtes und tragbares Wrmebild-Monokular / Wrmebildkamera EAN: 6974004643225 Das HIKMICRO LYI lang:de score:32 filesize: 129.66 K page_count: 2 document date: 2024-10-01



[\[pdf\]](#) Quick Start Guide Guide
Handheld Thermal Monocular Camera Quick Start Guide LC06 scv sa ch 2020 10
Handheld Thermal Monocular Camera Quick Start Guide Handheld Thermal Monocular Camera Camra thermique monoculaire port: lang:en score:31 filesize: 3.03 M page_count: 155 document date: 2020-10-21



[\[pdf\]](#) Quick Start Guide Specifications Guide Accessories

DS LYNX LC06 × 61 mm 57 6 23 2 40 24 Weight 250 g 0 55 lb Available Model HM TS01 06XF W Dimension Accessory Quick Start Guide ×1 Non dust Cloth U
LYNX LC06 Handheld Thermal Monocular Camera HikMicro LC06 handheld thermal monocular camera is equipped with a 160 120
lang:en score:31 filesize: 1.62 M page_count: 3 document date: 2020-10-21



[\[pdf\]](#) Specifications

LYNX LC06 Handheld Thermal Monocular Camera aEq9UbwzXz9BiejXcmXOANP4gLsKeKEnmKpAUb2U hikmicrotech en storage images Hikmicro Lynx Specif
Australiav1HIKMICRO Specificationoptichuntinggear au assets documents hikmicro lynx lc06 specification srsltid AfmBOors50SulQ5Gm3Ov5Lp1zduqfXIY7PrQuu
infrared detector and a 720 540 LCOS display. It supports functions of observation, distance measurement, Wi-Fi hot spot,
LYNX LC06 Handheld Thermal Monocular Camera HikMicro LC06 handheld thermal monocular camera is equipped with a 160 120
lang:en score:30 filesize: 962.66 K page_count: 3 document date: 2022-07-07



[\[pdf\]](#) Specifications

LYNX LC06 Handheld Thermal Monocular Camera HikMicro handheld thermal monocular camera is equipped with a 160 × 120 infrared detector and 720 540 LCO
LYNX LC06 Handheld Thermal Monocular Camera HikMicro LC06 handheld thermal monocular camera is equipped with a 160 120
lang:en score:30 filesize: 427.16 K page_count: 3 document date: 2021-03-03



[\[pdf\]](#) Specifications Datasheet

LC06S Datasheet V5 5 72 en US 20240104 HIKMICRO LYNX S NAX naxsg 2024 03 |||
LC06S Thermal Monocular HIKMICRO LYNX S LC06S thermal monocular is equipped with a 160 120 infrared detector and a 800 61
lang:en score:29 filesize: 959.64 K page_count: 5 document date: 2024-03-21



[\[pdf\]](#) Specifications Datasheet Borchure

LC06S Datasheet V5 5 72 en US 20240104 Hikmicro Lynx S Thermal Monocular greatescapecamping au assets brochures |||
LC06S Thermal Monocular HIKMICRO LYNX S LC06S thermal monocular is equipped with a 160 120 infrared detector and a 800 61
lang:en score:29 filesize: 959.64 K page_count: 5 document date: 2024-04-24



[pdf] Specifications

HM TS01 06XF W LC06 20210101 2023 02 13 HIKMICRO LYNX L15 Thermal Monocular webassets hikmicrotech global asset 7480aacdb69148578af5eff458afeel
LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 120
lang:en score:28 filesize: 944.07 K page_count: 3 document date: 2023-02-12



[pdf] User Manual Specifications

LYNX LC06 Handheld Thermal Monocular Camera FFC (Flat Field Correction) Mode Auto Manual External Correction Digital Zoom 1 × 2 4 Smart Function Hot T
LYNX LC06 Handheld Thermal Monocular Camera HikMicro LC06 handheld thermal monocular camera is equipped with a 160 120
lang:en score:28 filesize: 428.05 K page_count: 3 document date: 2020-09-29



[pdf] User Manual

UD35835B LYNX S and Pro UM V5 5 72 de DE 20231212 Bedienungsanleitung HIKMICRO Thermalkamera Lynx LC06S 82071 Manual optik pro Produkt |||
W rmbild-Monokular LYNX S und LYNX Pro Serie Benutzerhandbuch V5.5.72 202312 Kontakt Benutzerhandbuch f r W rmbild-Mc
lang:de score:28 filesize: 2.4 M page_count: 46 document date: 2024-02-13



[pdf] Specifications Datasheet

LC06S Datasheet V5 5 72 en US 20240104 Fisa tehnica Camera cu termoviziune HikMicro Lynx spy shop ro media custom upload |||
LC06S Thermal Monocular HIKMICRO LYNX S LC06S thermal monocular is equipped with a 160 120 infrared detector and a 800 60
lang:en score:28 filesize: 959.64 K page_count: 5 document date: 2024-03-28



HIKMICRO LYNX S & LYNX Pro Thermal Monocular User Manual - Features, Settings, and Operation

User manual for the HIKMICRO LYNX S and LYNX Pro Series thermal monoculars. Covers setup, image settings, system configurat
lang:nl score:28 filesize: 2.04 M page_count: 45 document date: 2024-02-13



[\[pdf\]](#) User Manual Specifications Datasheet

LC06S Datasheet V5 5 72 en US 20240104 Thermal Monocular 2024 02 15 — ◯ Leading thermal image processing technology Adaptive AGC DDE 3D DNR Auto
LC06S Thermal Monocular HIKMICRO LYNX S **LC06S** thermal monocular is equipped with a 160 120 infrared detector and a 800 6
lang:en score:28 filesize: 959.64 K page_count: 5 document date: 2024-02-13



[\[pdf\]](#) Specifications Borchure

HM TS01 06XF W LC06 20210101 Elma HIKMICRO Brochure EN HIK LYNX termisk monocular 6974004640088 elma dk Admin Public DWSDownload.aspx File F
LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12
lang:en score:27 filesize: 944.07 K page_count: 3 document date: 2022-12-13



[\[pdf\]](#) Specifications Datasheet

LC06S Datasheet V5 5 72 en US 20250724 29 de jul 2025LC06S 7 2025HIKMICRO LYNX S Thermal MonocularTermovízny monokulár HIKMICRO Swebassets h
LC06S Thermal Monocular HIKMICRO LYNX S **LC06S** thermal monocular is equipped with a 160 120 infrared detector and a 800 6
lang:en score:27 filesize: 949.77 K page_count: 5 document date: 2025-07-29



[\[pdf\]](#) Specifications Datasheet

Gedetailleerde kenmerke en specificatiesBuy the HikMicro Lynx LC06 Thermal Imaging MonocularCape Monocular For Sale LYNX Datasheetodn shopify s files
LYNX LC06 Handheld Thermal Monocular Camera HikMicro LC06 handheld thermal monocular camera is equipped with a 160 120
lang:en score:27 filesize: 729.47 K page_count: 3 document date: 2020-11-19




[\[pdf\]](#) User Manual Instructions

UD25187B A EN Baseline Handheld Thermal Monocular Camera User Manual 5 4 26 LYNX 20221129 2022 12 02 HIKMICRO LC06 L15 webassets hikmicrotech
Handheld Thermal Monocular Camera User Manual Handheld Thermal Monocular Camera User Manual Legal Information 2021 Har
lang:en score:27 filesize: 1.67 M page_count: 30 document date: 2022-12-01



[pdf] User Manual Instructions

Handheld Thermal Monocular Camera User Manual iv 2006 66 EC battery directive This product contains a that cannot be disposed of as unsorted municipal waste Surveillance à SpyCameraCCTV HIK opticswarehouse co uk quot PRO LH19 HIKMICRO various jurisdictions Other trademarks and logos mentioned are propriete SpyCameraCCTV Hikvision 3HikMicro ManuallHikvision 2HikMicro 3Hikvision 2HIK ManuallHikMicro 1HikMicro 1Hikvision 4Hikvision 1HIK 2Hikvision Manualoptics Handheld Thermal Monocular Camera User Manual Handheld Thermal Monocular Camera User Manual Legal Information 2020 Har lang:en score:27 filesize: 1.23 M page_count: 30 document date: 2020-09-21



[pdf]

Microsoft Word Hikmicro Outdoor Rudi Katalógus 2022 02 01 Spektiv hu LYNX LC06 50 200m Észlelési távolság Spektiv huHIKMICRO 9 oldal 250 400m Felbontás HIKMICRO LYNX LC06 50-200m LYNX LC06 50-200m Tvolsg: 50m / Nagyts: 1x szélsí tvolsg: 250m Felbonts: 160x120 17m Tvolsg lang:id score:27 filesize: 705.7 K page_count: 2 document date: 2022-02-02



[pdf] Quick Start Guide Guide Borchure

OUTDOOR PRODUCTS hace 1 día — Quick Start Guide Battery x2 USB Cable Non dust Cloth Protective Bag Charger Wrist Strap Less than 20 mK @25°C F 0 1 OUTDOOR PRODUCTS See the world in a new way 1 ABOUT HIKMICRO HIKMICRO, with its innovative technol ... on. Download c lang:en score:26 filesize: 5.63 M page_count: 37 document date: 2025-03-03



[pdf] User Manual

Datenblatt LYNX LC06 DEMO SCV SA DB Serie LE06 LE10 LE15 1 scv sa ch 2020 10 || Kategorie Wrmebild-Beobachtungstechnik LYNX-Series LC06 / LE10 / LE15 klein und handlich Wi-Fi App-Anbindung IP67 Schutz w lang:de score:26 filesize: 4.12 M page_count: 2 document date: 2022-03-17



[pdf] User Manual Specifications Datasheet

LYNX LC06 Handheld Thermal Monocular Camera Hikvision FFC Flat Field Correction Mode Auto Manual External Digital Zoom 1 x 2 4 Smart Function Hot Track Ruční řada 20210101 hikvision content dam products S000000001 S000000313 S000000321 S000000322 OFR000433 M000043284 KARTA KATALOGOWA Dat šilumos jutikliu product attachment pr3090 html hikmicroLYNX Sensor SecurityLYNX HikvisionHikvision LC06HM kartaHM HikvisionHIKMICRO of FFC Range5 Tin htmlihikvision 20210101promitel LC06hikvision ||| LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equi LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12 lang:en score:26 filesize: 945.31 K page_count: 3 document date: 2021-01-05



[pdf] Specifications

HM TS01 06XF W LC06 20210101 LYNX Handheld Thermal Monocular Camera HIKMICRO handheld thermal monocular camera is equipped with a 160 x 120 inf LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12 lang:en score:26 filesize: 944.07 K page_count: 3 document date: 2023-01-14



[pdf]

Garantiekarte V3 a4 test HIKMICRO Lynx LC06S Wärmebildkamera ALDI ONLINESHOP 0e1d313b0e28d354166d501e1ee4ee5d 138721 8goqxsag2x 10102690 bWFzdGVyGltYWdlc3w1MzM3NDR8YXBwbGljYXRpb24vcGRmGFEWm1MMmhpTnk4eE1qUTROVFU0TnpBM05URXNdNaTh3WIRGa016RXpZakJsTWpoa016\

|||

Liebe Kundin, lieber Kunde, sollte der von Ihnen bestellte Artikel nicht wie erwartet funktionieren, ... e: Inkovideo GmbH Co. KG Z.Hc lang:de score:26 filesize: 521.23 K page_count: 1 document date: 2024-11-06



[pdf]

Fiche technique LYNX LC06 LYNX démo SCV SA FT Serie LE06 LE10 LE15 scv sa ch 2022 03 |||

CK a t e g o r i e TWecrhmeiqbuiledd-B oebosbearcvhattuionngsptaerchimniakgerie thermique LYNX-Series LC06 / LE10 / LE15 P lang:fr score:26 filesize: 1.6 M page_count: 2 document date: 2022-03-17



[pdf] Specifications Datasheet

LC06S Datasheet V5 5 72 en US 20240104 10 jan 2024 HIKMICRO LYNX S Thermal Monocular webassets hikmicrotech global asset 6a5bbbfe2dd24ef8b020a29

LC06S Thermal Monocular HIKMICRO LYNX S LC06S thermal monocular is equipped with a 160 120 infrared detector and a 800 6l lang:en score:26 filesize: 959.64 K page_count: 5 document date: 2024-05-30



[pdf] Specifications

HM TS01 06XF W LC06 Index of storage Depliant cdn setik biz |||

LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12 lang:en score:25 filesize: 955.43 K page_count: 3 document date: 2021-06-11



[pdf] Specifications

HM TS01 06XF W LC06 20210101 Tooteleht 10 termokas ee 2023 01 |||

LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12 lang:en score:24 filesize: 944.07 K page_count: 3 document date: 2023-01-09



[pdf] Specifications Datasheet

LC06S Datasheet V5 5 72 en US 20240104 webassets hikmicrotech global asset 749b80cc55a24f6bb4a0037f2bd40d2a |||

LC06S Thermal Monocular HIKMICRO LYNX S **LC06S** thermal monocular is equipped with a 160 120 infrared detector and a 800 6l lang:en score:24 filesize: 959.64 K page_count: 5 document date: 2024-04-16



[pdf] Specifications Datasheet

LC06S Datasheet V5 5 72 en US 20240104 webassets hikmicrotech global asset fc4d15f9fe8a4f33ad96b6249c2ea161 |||

LC06S Thermal Monocular HIKMICRO LYNX S **LC06S** thermal monocular is equipped with a 160 120 infrared detector and a 800 6l lang:en score:24 filesize: 959.64 K page_count: 5 document date: 2024-03-12



[pdf] Specifications Datasheet

HM TS01 06XF W LC06 Datasheet en US 20210101 webassets hikmicrotech global asset fb6a436538a447cf922004bc6e34ea64 |||

LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12 lang:en score:24 filesize: 944.09 K page_count: 3 document date: 2024-03-04



[pdf] Specifications Datasheet

HM TS01 06XF W LC06 Datasheet en US 20210101 webassets hikmicrotech global asset 6ed2489b4b5e4c2fba075e814c6f2603 |||

LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12 lang:en score:24 filesize: 944.09 K page_count: 3 document date: 2023-04-26



[pdf] Specifications Datasheet

HM TS01 06XF W LC06 Datasheet en US 20210101 webassets hikmicrotech global asset 85b6932cb8024c3da2d873fe9f04bdcf |||

LYNX LC06 Handheld Thermal Monocular Camera HIKMICRO LC06 handheld thermal monocular camera is equipped with a 160 12 lang:en score:24 filesize: 944.09 K page_count: 3 document date: 2023-07-25



[pdf] Borchure

HIKMICRO 2022 Outdoor Brochure Preview Optics Trade Onboard 16GB memory offers storage space for the snapshots and video clips Video Snapshot LE10 L
OUTDOOR PRODUCTS See the World in a New Way ABOUT HIKMICRO HIKMICRO is a leading provider of thermal imaging equip
lang:en score:22 filesize: 10.98 M page_count: 48 document date: 2022-10-17



[pdf] Borchure

HIKMICRO 2022 Outdoor Brochure Preview Express Alarm Onboard 16GB memory offers storage space for the snapshots and video clips Video Snapshot LE10 L
OUTDOOR PRODUCTS See the World in a New Way ABOUT HIKMICRO HIKMICRO is a leading provider of thermal imaging equip
lang:en score:22 filesize: 10.98 M page_count: 48 document date: 2022-09-08




[pdf]

LYNX LC06 LE10 LE15 Pro LH15 Xeye C2W CTP 13 Clip on E3W BEZEICHNUNG Ideal für kurze Distanzen bei welchen Ratgeber Jagd Waermebildkamera 10 2
Wald BEZEICHNUNG REICHWEITE ERKENNUNG LYNX LC06 S. 12 100m LYNX LE10 S. 14 458m LYNX LE15 S. 16 800m LYNX
lang:de score:21 filesize: 3.79 M page_count: 5 document date: 2021-10-12




[pdf]

Bases promocion Plan Renove Hikmicro 2023 El Calden Outdoor OK elcalden es 06 |||
Exclusivo para 1 aquellos que posean un plan de fidelizacin HDPP. Los productos 4 entregados deben funcionar correctamente. Prc
lang:es score:21 filesize: 556.63 K page_count: 4 document date: 2023-06-01




[pdf]

HiKMicro Thermal Outdoor Products 2020 indd LH19 LH25 Resolution Focal Length Field of Display Detection Range 1 7×0 5 m Battery Life Operating Temperatur
See the World in a New Way HIKMICRO OUTDOOR PRODUCTS HIKMICRO OUTDOOR PRODUCTS ABOUT HIKMICRO HIKMIC
lang:en score:21 filesize: 13.35 M page_count: 16 document date: 2020-12-10



[pdf] Quick Start Guide Guide

UD22661B C Baseline Handheld Thermal Monocular Camera LYNX QSG 220628 2022 12 02 HIKMICRO LC06 L15 webassets hikmicrotech global asset 71c7f9b1
Handheld Thermal Monocular Camera Quick Start Guide Handheld Thermal Monocular Camera Tragbare, monokulare Wrmebildkar
lang:en score:20 filesize: 6.31 M page_count: 167 document date: 2022-12-01



[pdf] Quick Start Guide Guide

UD22661B C Baseline Handheld Thermal Monocular Camera LYNX QSG 220628 2023 02 13 HIKMICRO LC06 L15 webassets hikmicrotech global asset db608a1
Handheld Thermal Monocular Camera Quick Start Guide Handheld Thermal Monocular Camera Tragbare, monokulare Wrmebildkar
lang:en score:20 filesize: 6.31 M page_count: 167 document date: 2023-02-12