

ELKO EP RFSAI-62B-SL/MT

ELKO EP RFSAI-62B-SL/MT Matter Switching Actuator User Manual

Model: RFSAI-62B-SL/MT

1. INTRODUCTION

The ELKO EP RFSAI-62B-SL/MT is a state-of-the-art switching actuator designed for smart home environments. This unit features two output relays, making it suitable for controlling various consumer appliances and lighting systems. It integrates seamlessly into Matter-compatible ecosystems through the Thread protocol, ensuring broad interoperability with other Matter-certified devices.

Beyond traditional switches and buttons, the RFSAI-62B-SL/MT can also be controlled using wireless wall switches like the RFGB-40-MT. Its robust design allows for a range of up to 200 meters in open air, providing flexible installation options. The device supports a maximum switching capacity of 2000 W (8 A) and utilizes an AgSnO₂ + Zero Cross relay contact, optimized for switching lighting loads efficiently.

2. SAFETY INFORMATION

Please read this manual carefully before installation and operation. Failure to follow these instructions may result in electric shock, fire, or other hazards.

- Installation must be performed by a qualified electrician in accordance with all local and national electrical codes.
- Disconnect power at the circuit breaker before installing or servicing the device.
- Do not expose the device to moisture, extreme temperatures, or direct sunlight.
- Ensure the device is used within its specified voltage and current ratings (AC 230 V, 8 A).
- Do not attempt to repair or modify the device. Refer all servicing to qualified personnel.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- 1x ELKO EP RFSAI-62B-SL/MT Matter Switching Actuator
- 1x User Manual (this document)

4. PRODUCT OVERVIEW

The RFSAI-62B-SL/MT is a compact unit designed for flush mounting. Below is an image of the device with key components highlighted.



Figure 4.1: ELKO EP RFSAI-62B-SL/MT Matter Switching Actuator.

This image shows the ELKO EP RFSAI-62B-SL/MT Matter Switching Actuator. The device is white with black screwless terminals at the bottom. The top surface features the 'iNELS' logo, 'Switch unit', 'RFSAI-62B-SL/MT', and the 'matter' logo. There are labels for 'LED' and 'PROG' indicating an LED indicator and a program button. Wiring diagrams are printed above the terminals, labeled S1, S2, N, L, V2, and V1.

Key Components:

- **LED Indicator:** Provides status feedback.
- **PROG (Program/RESET) Button:** Used for pairing, resetting, and other programming functions.
- **Screwless Terminals:** For secure and easy wiring connections.
 - **S1, S2:** Input terminals for external switches/buttons.
 - **N:** Neutral wire connection.
 - **L:** Live wire connection (AC 230V).
 - **V1, V2:** Output terminals for controlled loads (e.g., lighting, appliances).

5. SETUP AND INSTALLATION

Before proceeding with installation, ensure power is disconnected at the main circuit breaker.

5.1 Wiring Instructions

1. **Power Disconnection:** Turn off the main power supply to the circuit where the actuator will be installed. Verify with a voltage tester.
2. **Connect Power:**
 - Connect the **Live (L)** wire (AC 230V) to the 'L' terminal on the actuator.
 - Connect the **Neutral (N)** wire to the 'N' terminal on the actuator.
3. **Connect Loads:**
 - Connect the load (e.g., light fixture) to the **V1** and/or **V2** terminals. Ensure the neutral wire of the load is connected to the main neutral line.
4. **Connect External Switches (Optional):**
 - If using external push-buttons or switches, connect them to the **S1** and **S2** terminals. These inputs can be configured for various control modes.
5. **Secure Installation:** Place the actuator securely within a suitable electrical box or enclosure.
6. **Restore Power:** Once all connections are secure and verified, restore power at the circuit breaker.

5.2 Matter Network Integration

To integrate the RFSAI-62B-SL/MT into your smart home system, you will need:

- One or more Thread Border Routers connected to your Wi-Fi network.
- A Matter-compatible hub (e.g., Home Assistant, Apple HomeKit, Google Home, Amazon Alexa).
- The associated mobile application for your chosen Matter hub.

Follow the pairing instructions provided by your Matter hub's application. Typically, this involves putting the device into pairing mode (often by pressing the PROG/RESET button for a specified duration) and scanning a QR code or entering a pairing code provided with the device.

6. OPERATING INSTRUCTIONS

Once successfully integrated into your Matter network, the RFSAI-62B-SL/MT can be controlled in several ways:

- **Via Matter Hub Application:** Use your preferred Matter controller application (e.g., Home Assistant, Apple Home, Google Home) to remotely switch the connected loads ON or OFF.
- **Via External Switches:** If wired, the S1 and S2 inputs allow control via traditional wall switches or push-buttons. The functionality of these inputs can be configured within your Matter ecosystem.
- **Via Wireless Wall Switches:** Compatible wireless wall switches, such as the ELKO EP RFGB-40-MT, can be paired with the actuator for convenient local control without additional wiring.
- **PROG/RESET Button:** While primarily for pairing and resetting, the PROG button may also offer basic toggle functionality depending on the specific firmware and Matter configuration.

7. MAINTENANCE

The ELKO EP RFSAI-62B-SL/MT is designed for maintenance-free operation. However, consider the following:

- **Cleaning:** If necessary, gently wipe the device with a dry, soft cloth. Do not use abrasive cleaners or solvents.
- **Firmware Updates:** Periodically check your Matter hub's application for available firmware updates for the actuator to ensure optimal performance and security.
- **Environmental Conditions:** Ensure the device remains within its specified operating environment (temperature,

humidity) to prevent damage.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Device not responding.	No power; Not paired; Out of Thread network range.	Check power supply; Re-pair the device; Ensure it's within range of a Thread Border Router.
Cannot connect to Matter network.	Incorrect pairing procedure; Matter hub issue; Thread Border Router issue.	Refer to your Matter hub's pairing guide; Restart Matter hub and Thread Border Router; Try factory resetting the actuator (long press PROG/RESET button).
Connected load does not switch.	Incorrect wiring; Overload; Faulty load.	Verify wiring connections; Check load's power consumption against actuator's max rating (2000W/8A); Test the load independently.
External switch (S1/S2) not working.	Incorrect wiring; Switch type not compatible; Configuration issue in Matter app.	Check wiring to S1/S2; Ensure switch is compatible (e.g., momentary push-button vs. toggle); Verify input configuration in your Matter hub.

9. SPECIFICATIONS

Feature	Detail
Product Dimensions (L x W x H)	4.3 x 4.4 x 2.2 cm (1.69 x 1.73 x 0.87 inches)
Manufacturer	ELKO EP
Model Number	8975 (Internal), RFSAI-62B-SL/MT (Product)
Operating Mode	Electrical
Current Rating	8 A (Max. 2000 W)
Operating Voltage	230 Volts (AC)
Contact Type	Normally Closed (AgSnO2 + Zero Cross relay)
Connector Type	Flush Mount
Switch Type	Dimmer (Note: Product description indicates a switching unit, not a dimmer)
Terminal Type	Wago (Screwless terminals)
Material	Plastic
Communication Protocol	Matter (Application Protocol), Thread (Communication Protocol)
Number of Switches	2 (8 A/AC1)
Range	Up to 200 m (open air)


10. WARRANTY AND SUPPORT

ELKO EP products are manufactured to the highest quality standards. For warranty information and technical support, please refer to the official ELKO EP website or contact your local distributor.
For further assistance, please visit: www.elkoep.com




© 2024 ELKO EP. All rights reserved.
This manual is subject to change without notice.

Documents - ELKO EP – RFSAI-62B-SL/MT



[\[pdf\]](#) User Manual
untitled CS manual rfsai 62b sl mt Spínací prvok RFSAI 62B SL MT so vstupmi pre externé tlačidlá 230V
AC MATTER eshop ELKO EP SLOVAKIA elkoep sk obchod homedir data 1710 prilohy |||
Connection / Zapojen / Zapojenie / Podlczenie/ Bekts / / Conexiune / Verbindung /
Conexin / Veza **RFSAI-62B-SL/MT** 02-87/2023 **RFSAI-62B-SL/MT** 1 EN 1. PROG
button, status indication and output control 2. Terminals for external buttons /
switches 3. Neutral conductor 4. Relay output contacts 5. Pha...
lang:es score:67 filesize: 161.7 K page_count: 2 document date: 2024-10-02



[\[pdf\]](#)
untitled RFSAI 62B SL MT ELKO EP elkoep de âº Elko RFx Datenblatt media import DE |||
Schaltaktor 1 **RFSAI-62B-SL/MT** Schaltaktor mit Eingngen fr externe MATTER-
Tasten Die Schalteinheit mit zwei Ausgangsrelais ist fr die Steuerung von
Verbrauchsgerten und Beleuchtungen geeignet. Das Thread-Protokoll verbindet die
anderen Matter Produkte Zur Steuerung knnen neben klassischen Schal...
lang:de score:50 filesize: 1 M page_count: 1 document date: 2024-06-20



[\[pdf\]](#)

NEWS FROM ELKO EP iNELS WORLD I4 Highlights 2024 NewDesign elkoep hu media files item 522 |||
NEWS FROM ELKO EP iNELS WORLD CONTENT iNELS Wireless wonders Matter
Marvels Showcase the latest ... B-40G/MT On-wall button controller 4 buttons
RFDEL-71B-SL/MT Universal dimmer 1-channel 1 300 VA **RFSAI-62B-SL/MT** Switch
unit with inputs for external buttons, zero crossing 2 8 A total 8 9 iN...
lang:en **score:31** filesize: 19.33 M page_count: 17 document date: 2024-04-29



[\[pdf\]](#)

NEWS FROM ELKO EP iNELS WORLD I1 sec Highlights 2024 view elkoep cz media files item 522 |||
NEWS FROM ELKO EP iNELS WORLD CONTENT iNELS Wireless wonders Matter
Marvels Showcase the latest ... B-40G/MT On-wall button controller 4 buttons
RFDEL-71B-SL/MT Universal dimmer 1-channel 1 300 VA **RFSAI-62B-SL/MT** Switch
unit with inputs for external buttons, zero crossing 2 8 A total 8 9 iN...
lang:en **score:31** filesize: 2.3 M page_count: 17 document date: 2024-05-29



[\[pdf\]](#)

NEWS FROM ELKO EP iNELS WORLD I1 sec Highlights 2024 elkoep rs media files item 522 ||| |||
NEWS FROM ELKO EP iNELS WORLD CONTENT iNELS Wireless wonders Matter Marvels Showcase
the latest advancements in our wireless technologies. Unveil the magic of our Matter-compatible devices.
Icons configurator Introduce news-worthy icons con
NEWS FROM ELKO EP iNELS WORLD CONTENT iNELS Wireless wonders Matter
Marvels Showcase the latest ... B-40G/MT On-wall button controller 4 buttons
RFDEL-71B-SL/MT Universal dimmer 1-channel 1 300 VA **RFSAI-62B-SL/MT** Switch
unit with inputs for external buttons, zero crossing 2 8 A total 8 9 iN...
lang:en **score:31** filesize: 2.3 M page_count: 17 document date: 2024-07-15



[\[pdf\]](#)

NEWS FROM ELKO EP iNELS WORLD I1 Highlights 2024 print elkoep.cz media files item 522 Tisková kvalita Formát 24 MB Katalogy s r o |||

NEWS FROM ELKO EP iNELS WORLD CONTENT iNELS Wireless wonders Matter Marvels Showcase the latest ... B-40G/MT On-wall button controller 4 buttons RFDEL-71B-SL/MT Universal dimmer 1-channel 1 300 VA **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons, zero crossing 2 8 A total 9 iNELS...

lang:en **score:30** filesize: 23.89 M page_count: 32 document date: 2024-05-29



[\[pdf\]](#)

Tisková kvalita Formát 32 MB Katalogy ELKO EP s r o I1 WIRELESS 2024 CZ print elkoep.cz media files item 519 |||

iNELS Beždrátová elektroinstalace elkoep.cz/wireless 2 ELKO EP ELKO EP je tradicní, inovativní a ryze ... R 65

RFSAI-62B-SL/MT Spínač prvek se vstupy pro externí tlačítka MATTER BOX-SL

lang:hr **score:30** filesize: 32.37 M page_count: 96 document date: 2024-10-25



[\[pdf\]](#)

Webová kvalita Formát 9 MB Katalogy ELKO EP s r o I1 sec WIRELESS 2024 CZ elkoep.cz media files item 519 |||

iNELS Beždrátová elektroinstalace elkoep.cz/wireless 2 3 Fakta a statistiky 30 Česko 40 expo ... R 65 **RFSAI-62B-SL/MT** Spínač prvek se vstupy pro externí tlačítka MATTER BOX-SL

lang:hr **score:30** filesize: 8.9 M page_count: 49 document date: 2024-10-25



[\[pdf\]](#)

Tisková kvalita Formát 31 MB Katalogy ELKO EP s r o I1 iNELS WIRELESS 2025 cz print elkoep media files item 519 |||

iNELS Bezdrtov elektroinstalace elkoep.cz/wireless 2 ELKO EP ELKO EP je tradicn, inovativn a ryze ... R 67

RFSAI-62B-SL/MT Spnac prvek se vstupy pro extern tlactka MATTER BOX-SL

lang:hr **score:30** filesize: 31.25 M page_count: 100 document date: 2025-04-14



[\[pdf\]](#)

Tisková kvalita Formát 32 MB Katalogy ELKO EP s r o I1 iNELS WIRELESS 2024 cz print elkoep media files item 519 |||

iNELS Bezdrtov elektroinstalace elkoep.cz/wireless 2 ELKO EP ELKO EP je tradicn, inovativn a ryze ... R 65

RFSAI-62B-SL/MT Spnac prvek se vstupy pro extern tlactka MATTER BOX-SL

lang:hr **score:29** filesize: 32.4 M page_count: 96 document date: 2024-09-18



[\[pdf\]](#)

Webová kvalita Formát 9 MB Katalogy ELKO EP s r o I1 sec iNELS WIRELESS 2025 cz web elkoep media files item 519 |||

iNELS Bezdrtov elektroinstalace elkoep.cz/wireless 2 3 Fakta a statistiky 30 Cesko 40 expo ... R 67 **RFSAI-62B-**

SL/MT Spnac prvek se vstupy pro extern tlactka MATTER BOX-SL

lang:hr **score:29** filesize: 9.15 M page_count: 51 document date: 2025-04-14



[pdf]

iNELS Wireless electro installation ELKO EP The picture of device is illustrative the icons symbols are configurable sensing sensor glued over circular unit face gauge I4 sec WIRELESS 2025 en web elkoep media files item 519 |||

iNELS Wireless electro-installation elkoep.com/wireless 2 3 Facts stats 30 Czech 40 expo ... 67 **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL lang:en score:29 filesize: 9.04 M page_count: 51 document date: 2025-04-14



[pdf]

iNELS Wireless 2024 EN kratochvil ElkoEP 2 3 30 % 40 ELKO EP World leader in DIN rail relays production have been your partner the fi eld for years developing and manufacturing highest quality I4 elkoep ua media files item 519 |||

iNELS Wireless electro-installation elkoep.com/wireless 2 3 Facts stats 30 Czech 40 expo ... 61 **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL lang:en score:29 filesize: 6.55 M page_count: 47 document date: 2024-04-15



[pdf]

RF 2024 indd kratochvil Wireless electro installation ELKO EP 2 3 30 % 40 World leader in DIN rail relays production have been your partner the fi eld for years developing and manufacturing highest quality I128 sec iNELS elkoep cz media files item 519 |||

iNELS Wireless electro-installation elkoep.com/wireless 2 3 Facts stats 30 Czech 40 expo ... 61 **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL lang:en score:29 filesize: 6.55 M page_count: 47 document date: 2024-04-04



[pdf]

CS prohlášení o shode rf sai 62b sl mt Spínací prvok RfSAI 62B SL MT so vstupmi pre externé tlačidlá 230V AC MATTER eshop ELKO EP SLOVAKIA elkoep sk obchod homedir data 1710 prílohy |||

...

lang:en score:26 filesize: 625.11 K page_count: 1 document date: 2024-04-17



[pdf]

Wireless electro installation I4 iNELS WIRELESS EN elkoep cz media files item 519 |||
iNELS Wireless electro-installation elkoep.com/wireless 2 ELKO EP ELKO EP have been your partner i ... 2B-SL, RfSAI-11B-SL Switch units with the inputs for external buttons BOX-SL 26 **RfSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL

lang:en score:24 filesize: 12.22 M page_count: 88 document date: 2023-10-11



[pdf]

Highlights 2024 indd kratochvil Untitled I1 elkoep cz media files item 522 |||

Wireless Wonders Showcase the latest advancements in our wireless technologies. 4
See page Bus Bre ... tion detector RFDEL-71B-SL/MT Universal dimmer 1-channel 1
300 VA RFWD-100/MT Window/Door detector **RfSAI-62B-SL/MT** Switch unit with
inputs for external buttons MATTER, 2 8 A total 9 iNELS Online ...

lang:en score:24 filesize: 3.93 M page_count: 15 document date: 2024-03-01



[pdf]

RF 122023 HU indd student iNELS Vezeték nélküli rendszer ELKO EP Az EP vállalat 350 embert foglalkoztat termékeit több mint hetven országba exportálja és tizennégy külföldi képvisellel rendelkezik l256 sec WIRELESS viewelkoep hu media files item 519 l256 view |||

iNELS Vezeték nélküli rendszer webshop.elkoep.hu 2 ELKO EP Az ELKO EP egy hagyományos, innovatív és tiszt... es MATTER

..... 61 **RFSAI-62B-SL/MT**

Kapcsológység kls gomb bemenetekkel - MATTER BOX-SL

lang:no **score:24** filesize: 20.47 M page_count: 92 document date: 2024-01-05



[pdf]

RF 2023 indd kratochvil l4 iNELS Wireless EN print elkoep media files item 519 |||

iNELS Wireless electro-installation elkoep.com/wireless 2 ELKO EP ELKO EP have been your partner i 61

RFSAI-62B-SL/MT Switch unit with inputs for external buttons MATTER BOX-SL

.....

lang:en **score:24** filesize: 29.44 M page_count: 92 document date: 2024-02-21



[pdf]

Wireless electro installation l4 iNELS WIRELESS 2024 en print elkoep media files item 519 |||

iNELS Wireless electro-installation elkoep.com/wireless 2 ELKO EP ELKO EP have been your partner i 65

RFSAI-62B-SL/MT Switch unit with inputs for external buttons MATTER BOX-SL

.....

lang:en **score:24** filesize: 31.92 M page_count: 96 document date: 2024-09-18



[\[pdf\]](#)

Wireless electro installation I16384 sec iNELS WIRELESS 2024 en elkoep bg media files item 519 |||
iNELS Wireless electro-installation elkoep.com/wireless 2 3 Facts stats 30 Czech 40
expo ... 65 **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL
lang:en **score:24** filesize: 8.82 M page_count: 49 document date: 2024-09-18



[\[pdf\]](#)

Wireless electro installation I4 iNELS 2023 elkoep media files item 519 |||
iNELS Wireless electro-installation elkoep.com/wireless 2 3 Facts stats 30 Czech 40
expo ... 61 **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL
lang:en **score:24** filesize: 20.04 M page_count: 47 document date: 2023-12-13



[\[pdf\]](#)

RF 2023 indd kratochvil I4 sec iNELS Wireless en view elkoep media files item 519 |||
iNELS Wireless electro-installation elkoep.com/wireless 2 3 Facts stats 30 Czech 40
expo ... 61 **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL
lang:en **score:24** filesize: 6.56 M page_count: 47 document date: 2024-02-26



[\[pdf\]](#)

Wireless electro installation I4 sec WIRELESS 2024 EN elkoep media files item 519 |||

iNELS Wireless electro-installation elkoep.com/wireless 2 3 Facts stats 30 Czech 40 expo ... 65 **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL
lang:en score:24 filesize: 8.8 M page_count: 49 document date: 2024-10-25



[\[pdf\]](#)

I4 iNELS WIRELESS 2025 en print elkoep media files item 519 |||

iNELS Wireless electro-installation elkoep.com/wireless 2 ELKO EP ELKO EP have been your partner i ... 67 **RFSAI-62B-SL/MT** Switch unit with inputs for external buttons MATTER BOX-SL
lang:en score:24 filesize: 30.69 M page_count: 100 document date: 2025-04-14



[\[pdf\]](#)

Highlights 2024 NewDesign indd kratochvil I1 PRINT elkoep sk media files item 522 |||

NEWS FROM ELKO EP iNELS WORLD CONTENT iNELS Wireless wonders Matter
Marvels Showcase the latest ... B-40G/MT On-wall button controller 4 buttons
RFDEL-71B-SL/MT Universal dimmer 1-channel 1 300 VA **RFSAI-62B-SL/MT** Switch
unit with inputs for external buttons, zero crossing 2 8 A total 9 iNELS...

lang:en **score:24** filesize: 30.6 M page_count: 32 document date: 2024-05-14



[\[pdf\]](#)

RF 2023 indd kratochvil Beždrátová elektroinstalace I1 sec iNELS Wireless CZ view elkoep cz media files
item 519 |||

iNELS Beždrtov elektroinstalace elkoep.cz/wireless 2 3 Fakta a statistiky 30 Cesko 40
expo ... R 61 **RFSAI-62B-SL/MT** Spnac prvek se vstupy pro extern tlactka MATTER BOX-SL

lang:hr **score:23** filesize: 6.54 M page_count: 47 document date: 2024-02-21



[\[pdf\]](#)

RF 2023 indd kratochvil Beždrátová elektroinstalace I1 iNELS Wireless CZ print elkoep cz media files item
519 |||

iNELS Beždrtov elektroinstalace elkoep.cz/wireless 2 ELKO EP ELKO EP je tradicn,
inovativn a ryze ... R 61 **RFSAI-62B-SL/MT** Spnac prvek se vstupy pro extern tlactka MATTER BOX-SL
.....

lang:hr **score:23** filesize: 29.51 M page_count: 92 document date: 2024-02-21



[\[pdf\]](#)

iNELS Wireless 2024 CZ kratochvil I1 sec elkoep cz media files item 519 |||

iNELS Bezdrtov elektroinstalace elkoep.cz/wireless 2 3 Fakta a statistiky 30 Cesko 40 expo ... R 61 **RFSAI-62B-**

SL/MT Spnac prvek se vstupy pro extern tlactka MATTER BOX-SL

lang:hr **score:23** filesize: 6.56 M page_count: 47 document date: 2024-04-15



[\[pdf\]](#)

Bezdátová elektroinstalace I2 sec iNELS WIRELESS 2024 cz elkoep hu media files item 519 |||

iNELS Bezdrtov elektroinstalace elkoep.cz/wireless 2 3 Fakta a statistiky 30 Cesko 40 expo ... R 65 **RFSAI-62B-**

SL/MT Spnac prvek se vstupy pro extern tlactka MATTER BOX-SL

lang:hr **score:23** filesize: 8.93 M page_count: 49 document date: 2024-09-18



[iNELS Bezdátová elektroinstalace - Katalog produktů](#)


Prozkoumejte rozsáhlý katalog bezdrátové elektroinstalace iNELS. Objevte inovativní řešení pro chytré domácnosti a budovy, včetně ovladačů, spínacích prvků, senzorů a systémových komponent.

lang:hr **score:23** filesize: 24.47 M page_count: 53 document date: 2025-08-05



[pdf]

iNELS Wireless I1 WIRELESS CZ elkoep de media files item 519 |||
iNELS Wireless Bezdrtov elektroinstalace www.elkoep.cz/rf 2 ELKO EP ELKO EP je
tradicn, inovativn ... 2B-SL, RFSA-11B-SL Spnac prvky se vstupy pro extern tlactka
BOX-SL 26 **RFSAI-62B-SL/MT** Spnac prvek se vstupy pro extern
tlactka, MATTER
lang:hr score:21 filesize: 27.79 M page_count: 88 document date: 2023-09-20



[pdf] Decleration of Conformity

EC Declaration of conformity RFSAI 62B SL MT Format Size 524 kB 11 2024 Switch unit with inputs for
external buttons MATTER ELKO EP UK Ltd elkoep uk media import Elko RFx EN |||
...
lang:hr score:20 filesize: 523.69 K page_count: 1 document date: 2024-11-08



[pdf]

Product overview 2024 en view vyoralova PRODUCT OVERVIEW I4 sec elkoep uk media files item 520
||| ||| PRODUCT OVERVIEW Monitoring / Protection relays Timers / Relays Wireless electro-installation
iNELS Wired electro-installation iNELS Design switches sockets www.elkoep.com ELKO EP ELKO EP
have been your partner in the field for 30 years, de
PRODUCT OVERVIEW Monitoring / Protection relays Timers / Relays Wireless
electro-installation iNELS ... e frame design. Glass touch controllers with 4 buttons, in
black or white glass with sharp edges. **RFSAI-62B-SL/MT** RFDEL-71B-SL/MT
RFWD-100/MT RFMD-200/MT - - - 230 V AC 230 V AC / 50 Hz 1x 3...
lang:en score:20 filesize: 13.76 M page_count: 56 document date: 2023-12-18



[pdf]

Prohlaseeni o shode RFSAI 62B SL MT Formát Velikost 622 kB 11 2024 Spínací prvek se vstupy pro externí tlačítka MATTER ELKO EP s r elkoep cz media import Elko RFx CS |||

...

lang:en score:20 filesize: 621.92 K page_count: 1 document date: 2024-11-08



[pdf]

PST 2024 indd vyoralova Tisková kvalita Formát 14 MB Katalogy ELKO EP s r o l1 prehled sortimentu cz print elkoep media files item 520 |||

PEHLED SORTIMENTU Casovace / Rel Hldac / Monitorovac rel Bezdrtov elektroinstalace iNELS Sbrnicov el ... l/tlactek Napjen Proveden Barva Rozmry Protokol Objednac kd PLAST SHARP RFWB-40G/MT RFGB-40/MT **RFSAI-62B-SL/MT** RFDEL-71B-SL/MT RFWD-100/MT RFMD-200/MT 4 3 V baterie CR 2032 LOGUS90 barvy dle vzo...

lang:af score:19 filesize: 14.51 M page_count: 56 document date: 2024-02-27



[pdf]

PST 2024 indd vyoralova Webová kvalita Formát 14 MB Katalogy ELKO EP s r o l1 sec prehled sortimentu cz view elkoep media files item 520 |||

PEHLED SORTIMENTU Casovace / Rel Hldac / Monitorovac rel Bezdrtov elektroinstalace iNELS Sbrnicov el ... l/tlactek Napjen Proveden Barva Rozmry Protokol Objednac kd PLAST SHARP RFWB-40G/MT RFGB-40/MT **RFSAI-62B-SL/MT** RFDEL-71B-SL/MT RFWD-100/MT RFMD-200/MT 4 4 - - - 3 V baterie CR 2032 LOGUS...

lang:it score:19 filesize: 14.36 M page_count: 29 document date: 2024-02-27



[\[pdf\]](#)

PST 2024 indd vyoralova I1 prehled sortimentu cz print elkeep sk media files item 520 |||

PEHLED SORTIMENTU Casovace / Rel Hldac / Monitorovac rel Bezdrtov

elektroinstalace iNELS Sbrnicov el ... l/tlactek Napjen Proveden Barva Rozmry

Protokol Objednac kd PLAST SHARP RFWB-40G/MT RFGB-40/MT **RFSAI-62B-**

SL/MT RFDEL-71B-SL/MT RFWD-100/MT RFMD-200/MT 4 3 V baterie CR 2032

LOGUS90 barvy dle vzo...

lang:af **score:13** filesize: 14.39 M page_count: 56 document date: 2024-02-27