

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Yaheetech](#) /

› [Yaheetech 60.5" Freestanding Bathroom Storage Cabinet User Manual](#)

Yaheetech B0DG81NSSD

Yaheetech 60.5" Freestanding Bathroom Storage Cabinet User Manual

Model: B0DG81NSSD

1. INTRODUCTION

Thank you for purchasing the Yaheetech 60.5" Freestanding Bathroom Storage Cabinet. This manual provides important information regarding the assembly, operation, maintenance, and safety of your new storage cabinet. Please read it thoroughly before assembly and retain it for future reference.

Safety Information

- Do not exceed the maximum weight capacity of each shelf (9 kg / 20 lb).
- Use the included wall mounting hardware for improved stability and safety, especially in households with children or pets.
- Ensure all connections are securely fastened before use.
- Keep small parts away from children during assembly.
- Assemble on a soft, clean surface to prevent scratches.





Figure 1: Front view of the Yaheetech 60.5" Freestanding Bathroom Storage Cabinet in black.

2. PARTS LIST

Before beginning assembly, verify that all parts listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

Cabinet Panels: Top panel, bottom panel, side panels, back panels, door panel.

Shelves: Fixed open shelves, adjustable enclosed shelf.

Hardware: Screws, dowels, cam locks, hinges, door knob, wall anti-tipping kit.



Figure 2: Detail of key components including the MDF board material, metal door knob, and premium door hinges.

3. ASSEMBLY INSTRUCTIONS

Follow these steps carefully to assemble your storage cabinet. It is recommended to have two people for assembly.

1. **Unpack and Identify Parts:** Lay out all components on a clean, soft surface. Refer to the parts list to ensure all pieces are present.
2. **Assemble Base:** Attach the side panels to the bottom panel using the provided hardware (e.g., dowels and cam locks).
3. **Install Fixed Shelves:** Secure the fixed open shelves into the upper section of the cabinet structure.

4. **Assemble Enclosed Section:** Construct the lower enclosed section, ensuring the adjustable shelf supports are in place.
5. **Attach Door:** Mount the door panel using the premium door hinges. Ensure the door opens and closes smoothly. Attach the metal knob to the door.
6. **Install Back Panels:** Secure the back panels to the rear of the cabinet using the provided fixtures for added stability.
7. **Wall Mounting (Optional but Recommended):** For enhanced safety, attach the anti-tipping kit to the top rear of the cabinet and secure it to a wall stud.



Figure 3: Illustration of the back panel fixtures designed to provide additional stability to the cabinet structure.

4. USAGE AND OPERATION

This cabinet is designed for versatile storage in various rooms, including bathrooms, living rooms, and hallways.

Storage Capacity

- **Open Shelves:** The three-tier open storage is suitable for frequently used items, decorative pieces, or items requiring easy access.
- **Enclosed Cabinet:** The lower section with a door provides ample storage space, protecting items from dust and dirt.

Adjustable Shelf

The shelf within the enclosed cabinet is adjustable to three different heights, allowing customization for items of varying sizes. To adjust, remove the shelf, reposition the shelf pins to the desired height, and then place the shelf back on the pins.



Figure 4: The adjustable shelf inside the enclosed cabinet offers three height settings for flexible storage.

Placement Considerations

Its slim design (16"L x 12"W x 60.5"H) makes it suitable for small spaces, such as next to a sink, toilet, vanity, or washer.



Figure 5: The cabinet positioned in a bathroom, demonstrating its space-saving design and utility.



Figure 6: The cabinet used in a hallway, showcasing its versatility beyond bathroom environments.

5. MAINTENANCE

Proper care will ensure the longevity and appearance of your cabinet.

- **Cleaning:** The cabinet is covered with a paint spraying finish, making it resistant to dampness and easy to clean. Wipe with a soft, damp cloth. Avoid abrasive cleaners.
- **Inspections:** Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.
- **Moisture:** While resistant to dampness, avoid prolonged exposure to excessive moisture to prevent damage to the MDF material.

6. TROUBLESHOOTING

If you encounter any issues, refer to the following common solutions:

- **Cabinet feels wobbly:** Ensure all screws and cam locks are fully tightened. Verify that the back panels are securely attached. If not already done, install the wall anti-tipping kit.
- **Door does not close properly:** Check the alignment of the hinges. The premium door hinges are designed with a buffer function; ensure they are installed correctly and not obstructed.
- **Missing parts during assembly:** Double-check the packaging. If parts are genuinely missing, contact Yaheetech customer support with your product model number (B0DG81NSSD) and a description of the missing part.
- **Chemical smell:** Some new furniture may have a slight odor. Ensure the room is well-ventilated. The smell should dissipate over time.

7. SPECIFICATIONS

Brand	Yaheetech
Model Number (ASIN)	B0DG81NSSD
Color	Black
Product Dimensions	12"D x 16"W x 60.5"H (30.5 cm D x 40.6 cm W x 153.7 cm H)
Material	Medium-Density Fiberboard (MDF) with paint spraying
Weight Limit (per shelf)	9 kg (20 lb)
Mounting Type	Freestanding (wall mounting hardware included for stability)
Number of Shelves	3 (open) + 1 (adjustable enclosed)
Assembly Required	Yes





Figure 7: Detailed dimensions of the cabinet, including overall height, width, depth, and internal shelf spacing.

8. WARRANTY AND SUPPORT

Yaheetech is committed to providing quality products. For warranty information, product support, or to report missing/damaged parts, please contact Yaheetech customer service through the retailer where the product was purchased or visit the official Yaheetech website.

Please have your model number (B0DG81NSSD) and purchase date available when contacting support.

