

U`King zq01525

U`King Battery Powered Stage Lights User Manual

Model: zq01525

INTRODUCTION

Thank you for choosing the U`King Battery Powered Stage Lights. This manual provides essential information for the safe and efficient operation of your new lighting system. Please read this manual thoroughly before use and retain it for future reference.

SAFETY INFORMATION

- Always ensure proper ventilation around the unit.
- Do not expose the unit to rain or moisture.
- Avoid direct eye exposure to the light source.
- Disconnect from power before cleaning or servicing.
- Do not attempt to repair the unit yourself. Refer all servicing to qualified personnel.
- Ensure the mounting bracket is securely fastened when installing the light.

PACKAGE CONTENTS

The U`King Battery Powered Stage Lights package includes:

- U`King Battery Powered Stage Lights (8 units)
- Remote Controls (8 units)
- Mounting Brackets (8 units)
- Power Cables
- User Manual

PRODUCT OVERVIEW

The U`King Battery Powered Stage Light is a compact and versatile lighting fixture designed for various events. It features 18 x 2W RGB LED lamp beads, offering a wide range of color mixing and effects. The built-in 5500 mAh battery provides extended operation without external power.



Figure 1: Front view of the U`King Battery Powered Stage Light, showing the 18 RGB LED lamp beads.

VARIETY OF FUNCTIONS

Portable stage light with full 1W LED RGB lamp beads, you can set a variety of dj lighting effect, such as jump, fade, strobe, pulse, dmx 512, master-slave, sound activation and



Remote Control



Sound Activated



DMX Mode



Master-Slave



360° Stand

Figure 2: The stage light showcasing its various functions and included remote control.

SETUP

Initial Charging

Before first use, fully charge the stage lights. Connect the provided power cable to the DC12V input on the light and plug it into a standard power outlet. The charging indicator will show the battery status. A full charge typically takes several hours.

RECHARGEABLE PAR STAGE LIGHT

Please full charge par lights and battery



Powered by 100 in the first time use

After four hours of charging



The battery can reach 80%



Figure 3: Illustration of the stage light connected for charging, highlighting the 5500 mAh battery capacity.

Mounting

The lights come with mounting brackets for flexible placement. To install:

1. Attach the mounting bracket to the light using the provided bolts.
2. Securely fasten the light to a truss, stand, or place it on a flat surface.
3. Adjust the angle of the light as needed by loosening and tightening the side knobs on the bracket.



Figure 4: Detail of the mounting bracket for the stage light, allowing for angle adjustment.

OPERATING INSTRUCTIONS

The U`King Stage Lights offer multiple control modes and effects.

Control Modes

- **DMX512 Mode:** For professional control using a DMX controller. The lights support 7 DMX channels.
- **Master-Slave Mode:** Link multiple lights together. One light acts as the master, controlling the others (slaves).
- **Sound-Activated Mode:** Lights react to ambient sound or music.
- **Auto Mode:** Pre-programmed lighting sequences.
- **Remote Control:** Use the included IR remote for convenient control.

SUPPORT DMX DEVICES

The product supports DMX links and you can also control it in master-slave mode.




Figure 5: Two stage lights connected to a DMX controller, demonstrating DMX control capability.

Remote Control Functions

The remote control allows access to various functions:



Figure 6: Detailed view of the remote control, showing buttons for power, color selection, effects (flash, fade, jump, strobe, pulse), sound activation, DMX mode, and timing functions.

- **ON/OFF:** Power the unit on or off.
- **COLOR:** Select fixed colors (Red, Green, Blue, Yellow, Purple, Cyan, White).
- **FLASH:** Activates a rapid flashing effect.
- **FADE:** Smooth transition between colors.
- **JUMP:** Abrupt color changes.
- **STROBE:** Strobe effect.
- **PULSE:** Pulsating light effect.
- **SOUND:** Activates sound-activated mode.
- **DMX:** Switches to DMX control mode.
- **Timing:** Set operational timers (1 hour, 3 hours, 4 hours, 6 hours).
- **+/-:** Adjust parameters like speed, brightness, or DMX channel values depending on the selected mode.

MULTIPLE COLOR EFFECTS

It can change any color directly and this mode can help you a lot




Figure 7: Examples of various color outputs and effects achievable with the stage lights.

Battery Life

When fully charged, the lights provide the following approximate operating times:

- RGB Full Brightness: Up to 4 hours
- Red (R) only: Up to 22 hours
- Green (G) only: Up to 9 hours
- Blue (B) only: Up to 10 hours

Available time after fully charged



Figure 8: Visual representation of battery life for different color modes after a full charge.

MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the light. Do not use abrasive cleaners or solvents.
- **Storage:** Store the lights in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery Care:** For optimal battery longevity, avoid fully discharging the battery frequently. Recharge the lights regularly, even if not in use for extended periods.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Light does not turn on.	Battery is discharged. Power cable not connected. Unit is off.	Charge the battery. Ensure power cable is securely connected. Press the ON/OFF button on the unit or remote.
Remote control not working.	Remote battery is dead. Obstruction between remote and light. Remote is too far from the light.	Replace remote battery. Ensure clear line of sight. Move closer to the light.
Lights not syncing in Master-Slave mode.	Incorrect DMX cable connection. Incorrect mode setting.	Check DMX cable connections. Ensure master is set to master mode and slaves are set to slave mode.
Short battery life.	Battery not fully charged. Operating at full RGB brightness. Battery degradation over time.	Ensure full charge before use. Reduce brightness or use single colors for longer duration. Contact support if battery life is significantly below specifications.

SPECIFICATIONS

Feature	Detail
Model Number	zq01525
Light Source	18 x 2W RGB LED
Power Source	Battery Powered (5500 mAh)
Wattage	36 watts
Control Modes	DMX512 (7 CH), Master-Slave, Sound-Activated, Auto, Remote Control
Material	Acrylonitrile Butadiene Styrene (ABS)
Dimensions (L x W x H)	7" x 5" x 5.2" (17.8cm x 12.7cm x 13.2cm)
Beam Angle	60 degrees
Unit Count	8 Pack

OFFICIAL PRODUCT VIDEO

Watch the official product video for a visual guide on the U`King Battery Powered Stage Lights.

Your browser does not support the video tag.

Video: An overview of the U`King Rechargeable Par Lights, demonstrating their features and various lighting effects in action.

WARRANTY AND SUPPORT

Warranty

This product comes with a manufacturer's warranty of half a year from the date of purchase.

Customer Support

Should you encounter any issues or have questions regarding your U`King Battery Powered Stage Lights, please contact our technical support team. We aim to respond to all inquiries within 24 hours.

For support, please visit the [U`King Store on Amazon](#) or refer to the contact information provided with your purchase.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question