

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [WELLFOR](#) /

› [WELLFOR Dual Heads Shower Faucet System Model 88059 Instruction Manual](#)

WELLFOR 88059

WELLFOR Dual Heads Shower Faucet System

Model: 88059 - Instruction Manual

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your WELLFOR Dual Heads Shower Faucet System, Model 88059. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product. This system features a dual-head design with a 7-spray function, a 3-way diverter, and a metal tub spout, all controlled by a pressure-balanced brass valve.





Image 1.1: Overview of the WELLFOR Dual Heads Shower Faucet System in Matte Black.

2. PRODUCT FEATURES

- **Durable Brass Valve:** Constructed with a SUS304 brass body and valve core for long-term performance and durability. Includes a handheld shower and a solid metal tub spout.
- **3-Way Diverter:** Allows seamless switching between the main shower head, handheld shower, and tub spout for a customized water flow experience.
- **7-Spray Function:** Both shower heads feature 7 versatile spray settings, crafted from durable ABS material, to provide a personalized shower experience.
- **High-Quality Valve Trim Kit:** Intuitive design with separate handles for hot and cold water, and a central switch for mode selection, ensuring precise temperature control.
- **Extra Long Stainless Steel Hose:** Features a 59-inch stainless steel hose for flexibility and extended reach with the handheld shower.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. The package typically includes the following items:

- Main Shower Head
- Handheld Shower Head
- Shower Arm
- 3-Way Diverter
- Valve Trim Kit (Hot/Cold handles, Mode switch)
- Pressure-Balanced Brass Valve Body
- Metal Tub Spout
- 59-inch Stainless Steel Hose
- Mounting Hardware and Seals



Image 3.1: Visual representation of the components included in the package.

4. SETUP AND INSTALLATION

Installation of this shower system is designed for wall-mount applications. It is recommended that installation be performed by a qualified professional to ensure proper function and compliance with local plumbing codes. Ensure the main water supply is turned off before beginning any installation work.

4.1. Pre-Installation Checks

- Confirm all package contents are present.
- Review local plumbing codes and ensure necessary tools are available.
- Ensure wall structure can support the fixture.

4.2. Dimensional Drawing

Refer to the dimensional drawing for precise measurements and rough-in specifications required for installation.




Image 4.1: Dimensional drawing showing key measurements for installation, including hose length (59 inches) and shower head dimensions.

4.3. Valve Installation

Install the pressure-balanced brass valve body into the wall according to the dimensional drawing and local plumbing codes. Ensure secure connections for hot and cold water lines.

High-quality valve trim kit



Image 4.2: The high-quality valve trim kit and the brass valve body before and after installation.

4.4. Component Assembly

1. Attach the shower arm to the wall outlet.
2. Connect the main shower head to the shower arm.
3. Install the tub spout onto its designated outlet.
4. Connect the 59-inch stainless steel hose to the handheld shower head and the diverter outlet.
5. Install the trim plate and handles onto the valve body.

5. OPERATING INSTRUCTIONS

The WELLFOR Dual Heads Shower Faucet System is designed for intuitive operation, allowing you to customize your shower experience.

5.1. Water Flow and Temperature Control

- The **left handle** controls the hot water flow.
- The **right handle** controls the cold water flow.
- Adjust both handles to achieve your desired water temperature and flow intensity.

5.2. 3-Way Diverter Function

The central switch on the valve trim kit acts as a 3-way diverter, allowing you to select the water output source.

1. Rotate the central switch to direct water to the **main shower head**.
2. Rotate the central switch to direct water to the **handheld shower head**.
3. Rotate the central switch to direct water to the **tub spout**.



Image 5.1: The 3-way diverter in action, illustrating how water can be directed to the main shower head, handheld shower, or tub spout.

5.3. 7-Spray Function

Both the main and handheld shower heads offer 7 distinct spray patterns. To change the spray pattern, rotate the outer ring on the shower head face until the desired pattern is selected.





Image 5.2: Illustration of the 7 distinct spray patterns available on each shower head.

5.4. Tub Spout Operation

When the diverter is set to the tub spout, water will flow from the metal tub spout. This is ideal for filling a bathtub.



METAL TUB SPOUT

Image 5.3: The metal tub spout delivering water.

6. MAINTENANCE

Regular cleaning and maintenance will help preserve the finish and functionality of your WELLFOR shower system.

- **Cleaning the Finish:** Use a soft cloth and mild soap or a non-abrasive cleaner specifically designed for bathroom fixtures. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the matte black finish.
- **Cleaning Shower Head Nozzles:** Over time, mineral deposits can build up in the shower head nozzles. Gently rub the rubber nozzles with your finger or a soft brush to dislodge any deposits. For stubborn buildup, a solution of white vinegar and water can be used.
- **Hose Care:** Periodically wipe down the stainless steel hose to prevent dirt and grime buildup.
- **Leak Checks:** Regularly inspect all connections for any signs of leaks. Tighten connections as needed, but do not overtighten.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your shower system. For problems not listed

here, please contact customer support.







Problem	Possible Cause	Solution
Low Water Pressure	Clogged shower head nozzles; partially closed shut-off valve; low household water pressure.	Clean shower head nozzles. Ensure shut-off valves are fully open. Consult a plumber if household pressure is consistently low.
Water Leaks from Connections	Loose connections; worn out seals/gaskets; improper installation.	Tighten connections (do not overtighten). Replace worn seals or gaskets. Re-evaluate installation steps.
Difficulty Changing Spray Patterns	Mineral buildup in the spray selector mechanism.	Clean the shower head face and rotate the selector ring firmly. Soaking in a vinegar solution may help.
Diverter Not Switching Properly	Internal debris or wear in the diverter mechanism.	Flush the system. If the issue persists, the diverter cartridge may need inspection or replacement by a professional.

8. SPECIFICATIONS

Brand	WELLFOR
Model Number	88059
Color	Matte Black
Material	Acrylonitrile Butadiene Styrene (ABS), Brass, Stainless Steel
Finish Type	Brushed
Number of Handles	3
Handle Material	Stainless Steel
Item Weight	7 Pounds (approximately 3.17 kg)
Mounting Type	Wall Mount
Product Dimensions	4.72 x 4.72 x 59 inches (approximate, refers to overall system components)
UPC	769047274507

9. WARRANTY AND SUPPORT

For warranty information or technical support, please contact WELLFOR customer service. Keep your purchase receipt as proof of purchase for any warranty claims.
Contact information can typically be found on the WELLFOR official website or through your retailer.

	<p>WELLFOR Shower Faucet System Installation and Maintenance Guide</p> <p>Comprehensive installation and maintenance guide for WELLFOR shower faucet systems, detailing setup, troubleshooting, and cleaning procedures. Includes product specifications and contact information.</p>
	<p>WELLFOR SPA-8800BN Luxury 3-Function Shower System Installation Guide</p> <p>Comprehensive installation guide and product details for the WELLFOR SPA-8800BN Luxury 3-Function Shower System. Includes features, specifications, tools, parts list, and step-by-step installation instructions for valve, shower head, and hand shower.</p>
	<p>WELLFOR WB-0977BN/MB/BG Luxury Shower System: Installation Guide and Product Information</p> <p>Detailed installation guide, parts list, and specifications for the WELLFOR WB-0977BN/MB/BG Luxury Shower System. Includes features, maintenance tips, and warranty information. Designed in the USA, Made in China.</p>
	<p>WELLFOR WN071 Series Rainfall Shower System Installation Guide</p> <p>Comprehensive installation and maintenance guide for the WELLFOR WN071 Series Rainfall Shower System, featuring a pressure balance valve, 3-function shower head, hand shower, and storage rack. Includes model details, specifications, tools, and step-by-step instructions.</p>
	<p>WELLFOR WF-S3545 Luxury Shower System Installation Guide</p> <p>Comprehensive installation guide for the WELLFOR WF-S3545 Luxury Shower System, including pressure balance valve, rainfall shower head, hand shower, and body jets. Details on parts, tools, and step-by-step assembly.</p>
	<p>WELLFOR Luxury Shower System WF-S1607 Series Installation and Maintenance Guide</p> <p>Comprehensive guide for the WELLFOR WF-S1607BN, WF-S1607MB, and WF-S1607BG Luxury Shower System. Covers product overview, installation features, parts list, valve piping, concealed mounting, installation steps for valve, shower head, and sliding bar, diverter knob installation, and maintenance procedures. Includes specifications and warranty information.</p>