

**Brizo 83992-06MF**

# Brizo Kintsu 6-inch Dual Waterway Ceiling Mount Shower Arm and Flange

Model: 83992-06MF

## 1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Brizo Kintsu 6-inch Dual Waterway Ceiling Mount Shower Arm and Flange. Please read these instructions carefully before beginning installation to ensure safe and correct setup. This product is designed to seamlessly integrate with other components of the Brizo Kintsu collection.

## 2. PRODUCT OVERVIEW

The Brizo Kintsu 6-inch Dual Waterway Ceiling Mount Shower Arm and Flange is a precision-engineered component designed to extend from your ceiling to connect with a compatible dual waterway raincan shower head. Its robust brass construction ensures durability and reliability in a bathroom environment.




Figure 1: The Brizo Kintsu 6-inch Dual Waterway Ceiling Mount Shower Arm and Flange, shown in polished chrome finish.  
This component connects the shower head to the ceiling water supply.

### 3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Brizo Kintsu 6-inch Dual Waterway Ceiling Mount Shower Arm
- Round Flange

**Note:** A dual waterway raincan shower head (e.g., Brizo 81406 or 81406-2.5) and a dual waterway ceiling mount shower arm rough-in (e.g., Brizo R83992) are NOT included and must be purchased separately.

### 4. SPECIFICATIONS

| Attribute       | Specification                          |
|-----------------|----------------------------------------|
| Model Number    | 83992-06MF                             |
| Length          | 6 inches (measurement of longest side) |
| Flange Diameter | 3-1/4 inches                           |
| Material        | Brass                                  |

|               |                                                                                                                       |
|---------------|-----------------------------------------------------------------------------------------------------------------------|
| Finish        | Chrome (as shown, other finishes may vary)                                                                            |
| Compatibility | Requires dual waterway raincan head (81406 or 81406-2.5) and dual waterway ceiling mount shower arm rough-in (R83992) |

## 5. INSTALLATION

**Professional installation is highly recommended. Ensure all local plumbing codes are followed.**

### 5.1 Before You Begin

- Turn off the main water supply to the area where the shower arm will be installed.
- Ensure you have the necessary tools (e.g., pipe wrench, thread sealant, measuring tape).
- Confirm that the dual waterway ceiling mount shower arm rough-in (e.g., Brizo R83992) is already properly installed and secured in the ceiling.

### 5.2 Installation Steps

1. **Prepare Threads:** Apply thread sealant or Teflon tape to the male threads of the shower arm that will connect to the rough-in valve in the ceiling.
2. **Attach Flange:** Slide the round flange onto the shower arm, ensuring the finished side faces towards the ceiling.
3. **Connect to Rough-in:** Carefully thread the shower arm into the ceiling rough-in connection. Hand-tighten first, then use a pipe wrench to tighten securely, ensuring the arm is oriented correctly. Do not overtighten.
4. **Position Flange:** Slide the flange up against the ceiling, covering the rough-in opening.
5. **Install Shower Head:** Apply thread sealant or Teflon tape to the male threads at the bottom of the shower arm. Thread your compatible dual waterway raincan shower head onto the shower arm. Hand-tighten, then use a wrench if necessary, being careful not to damage the finish.
6. **Test for Leaks:** Slowly turn the main water supply back on and check all connections for leaks. Tighten any leaking connections as needed.

## 6. OPERATION

The Brizo Kintsu 6-inch Dual Waterway Ceiling Mount Shower Arm functions as a conduit for water flow from your ceiling rough-in to your dual waterway raincan shower head. Once installed, its operation is dependent on the functionality of your shower valve and the connected shower head. Ensure your shower head is properly attached to experience the intended dual waterway functionality.

## 7. CARE AND MAINTENANCE

To maintain the finish and performance of your Brizo Kintsu shower arm, follow these guidelines:

- **Cleaning:** Clean with a soft, damp cloth. For stubborn spots, use a mild soap and water solution. Rinse thoroughly and dry immediately with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, ammonia-based cleaners, or cleaners containing bleach, acids, or alcohol. These can damage the finish.
- **Regular Inspection:** Periodically check the connection points for any signs of leaks or corrosion.

Address any issues promptly.

## 8. TROUBLESHOOTING

---

While the shower arm itself is a passive component, issues can sometimes arise from its connections.

### 8.1 Leaks at Connections

- **Cause:** Insufficient thread sealant, loose connection, or damaged threads.
- **Solution:** Turn off water supply. Disconnect the leaking component (either from the ceiling rough-in or the shower head). Clean old thread sealant. Reapply fresh thread sealant or Teflon tape generously. Re-tighten securely, ensuring not to overtighten.

### 8.2 Reduced Water Flow

- **Cause:** Blockage in the shower head or rough-in, or issues with the main water supply.
- **Solution:** This is unlikely to be caused by the shower arm itself unless it is physically damaged or obstructed. Check the shower head for mineral buildup or debris. Consult the manual for your shower head or rough-in valve for troubleshooting water flow issues.

## 9. WARRANTY AND SUPPORT

---


The Brizo Kintsu 6-inch Dual Waterway Ceiling Mount Shower Arm and Flange is covered under Brizo's limited lifetime warranty. For specific details regarding warranty coverage, terms, and conditions, please refer to the official Brizo warranty documentation or visit the Brizo website.

For technical assistance, replacement parts, or warranty claims, please contact Brizo Customer Service:

- **Website:** [www.brizo.com](http://www.brizo.com)
- **Phone:** Refer to the Brizo website for regional contact numbers.

When contacting support, please have your product model number (83992-06MF) and date of purchase readily available.

© 2024 Brizo. All rights reserved.



## [pdf] Specifications Warranty

SHOWER ARM AND FLANGE BSP B 83992 06MF Rev A aaron requested info brands BRZ documents specSheets |||


**83992-06MF**- p 83992-10MF- p Submitted Model

No.: \_\_\_\_\_ Specific

Features: \_\_\_\_\_ **83992-**

**06MF**- p 3 1/4 83 mm 83992-10MF- p 3 1/4 83 mm SHOWER ARM AND FLANGE 6 and 10 Dual Waterway Ceiling Mount Shower A...

lang:en **score:47** filesize: 335.73 K page\_count: 1 document date: 2020-07-22



## [pdf] Instructions

INSTALLATION 8 13 16 in Ceiling Mount Shower Arm and Flange Chrome Brizo Ferguson 9115227

10293837 installation fergusonprod a bigcontent io v1 static |||

108399 Model/Modelo/Modle 81406-p 81406-p-2.5 **83992-06MF**-p 83992-10MF-p


Series/Series/Seria Date of Purchase: \_\_\_\_\_ Fecha de compra

Date d achat Register Online Regstrese en Inea S enregister en ligne

www.brizo.com/customer-support/product-registration X00108399 To reference

repla...

lang:es **score:33** filesize: 3.38 M page\_count: 4 document date: 2022-04-19



## [pdf] Specifications Warranty Catalog

Product Specifications Brizo 81406GL25 KIntsu 14 Square Multifunction Raincan Showerhead In Luxe


Gold AF Supply afsupply pub media catalog product matridtech brizo specs |||

81406- 81406--2.5 Submitted Model

No.: \_\_\_\_\_ Specific Feat ... low

rate 2.5 gpm 80 psi, 9.5 L/min 550 kPa 81406-2.5 Showerhead requires specific shower arm **83992-06MF** or 83992-10MF for mounting Wrench flats for tightening Showerhead ball nut pivots and r...

lang:en **score:32** filesize: 921.2 K page\_count: 1 document date: 2020-07-09



[pdf] Specifications Warranty


SHOWER ARM ROUGH Brizo 6 OKT 2020 r — r83992 media decorplanet products 193391 specs

R83992 Submitted Model

No.: \_\_\_\_\_ Specific

Features: \_\_\_\_\_ ... ss body 1/2 NPT inlets Must be plumbed to on-wall diverter or volume controls Must be used with **83992-06MF** OR 83992-10MF dual waterway shower arm Includes serviceable filters located at each inle...

lang:en score:32 filesize: 207.6 K page\_count: 1 document date: 2020-07-22



[pdf] Instructions

Installation Sheet Brizo 81406 BL at Wolff Design Center Plumbing showrooms serving Akron Medina

Sandusky and Toledo Maumee Ohio since 1965 108399 Rev C wolff requested info brands BRZ

documents installSheets |||

108399 Model/Modelo/Modle 81406-p 81406-p-2.5 **83992-06MF**-p 83992-10MF-p


Series/Series/Seria Date of Purchase: \_\_\_\_\_ Fecha de compra

Date d achat Register Online Regstrese en Inea S enregistrer en ligne

www.brizo.com/customer-support/product-registration X00108399 To reference

repla...

lang:es score:32 filesize: 3.33 M page\_count: 6 document date: 2023-11-21



[pdf] Specifications Warranty


frpovfhocpb images webfronts cache |||

**83992-06MF**- p 83992-10MF- p Submitted Model

No.: \_\_\_\_\_ Specific

Features: \_\_\_\_\_ **83992-06MF**- p 3 1/4 83 mm 83992-10MF- p 3 1/4 83 mm SHOWER ARM AND FLANGE 6 and 10 Dual Waterway Ceiling Mount Shower A...

lang:en score:30 filesize: 334.42 K page\_count: 1 document date: 2018-10-31



[pdf] Specifications Warranty

Specification Sheet Brizo 81406 BL at Wolff Design Center Plumbing showrooms serving Akron Medina

Sandusky and Toledo Maumee Ohio since 1965 BSP B Rev wolff requested info brands BRZ documents

specSheets |||

81406- 81406--2.5 Submitted Model


No.: \_\_\_\_\_ Specific Feat ... low

rate 2.5 gpm 80 psi, 9.5 L/min 550 kPa 81406-2.5 Showerhead requires specific

shower arm **83992-06MF** or 83992-10MF for mounting Wrench flats for tightening

Showerhead ball nut pivots and r...

lang:en score:30 filesize: 928.21 K page\_count: 1 document date: 2021-03-02



## [\[pdf\]](#) User Manual Instructions

BRZ8399206MFPC InstructionInstallationManual demo pacesupply s3 amazonaws DAMRoot Original 3

|||

108399 Model/Modelo/Modle 81406-p 81406-p-2.5 **83992-06MF**-p 83992-10MF-p

Series/Series/Seria Date of Purchase: \_\_\_\_\_ Fecha de compra

Date d achat Register Online Regstrese en Inea S enregistrer en ligne

www.brizo.com/customer-support/product-registration X00108399 To reference

repla...

lang:es **score:29** filesize: 3.37 M page\_count: 4 document date: 2020-05-29



## [\[pdf\]](#) Catalog

Brizo 73506BNX Catalog demo pacesupply s3 amazonaws DAMRoot Original 10011 |||

K INTSUTM A matter of balance. Simple, yet intricate. Constant, yet varied. Opposite,


yet equal. D ... TION RAINCAN SHOWERHEAD, SHOWN WITH 6 DUAL

WATERWAY CEILING MOUNT SHOWER ARM AND FLANGE 81406-2.5, **83992-**

**06MF** ALSO AVAILABLE WITH 10 SHOWER ARM AND FLANGE 7 SQUARE

H20KINETIC MULTI-FUNCTION SHOWER...

lang:i-klnglon **score:28** filesize: 8.58 M page\_count: 9 document date: 2020-10-14



## [\[pdf\]](#) Instructions

frdthjhbqqpm images webfronts cache |||

108399 Model/Modelo/Modle 81406-p 81406-p-2.5 **83992-06MF**-p 83992-10MF-p

Series/Series/Seria Date of Purchase: \_\_\_\_\_ Fecha de compra

Date d achat Register Online Regstrese en Inea S enregistrer en ligne

www.brizo.com/customer-support/product-registration X00108399 To reference

repla...

lang:es **score:28** filesize: 3.37 M page\_count: 4 document date: 2018-10-31



[\[pdf\]](#) Catalog

Catalog Brizo Kintsu Brilliance Luxe Nickel Universal Flush Lever Front or Left Side Mount Tank 696306

NK 863186 iFz3ut xrefs1 plumbersstock product 8 6 |||

BR-0704 KINTSUTM BATH COLLECTION A matter of balance. Sell Sheet 0 7. 2 7. 2

0 21 THE KINTSUTM BAT ... T006-LHP, HL6606 Available with Knob Handle Dual Waterway Multi-Function Raincan Showerhead 81406, **83992-06MF** Sensori Volume Control with Lever Handle T66606 Sensori Volume Control with Knob Handle...

lang:en **score:28** filesize: 869.35 K page\_count: 6 document date: 2024-02-26



[\[pdf\]](#)

Kintsu Bath Collection Brizo and Allaria Brilliance Luxe Nickel TempAssure Thermostatic Valve Trim with Integrated Three Function Diverter T75506 NKLHP 856066 Rz1QnO xrefs0 plumbersstock product 8 5 |||

BR-0704 KINTSUTM BATH COLLECTION A matter of balance. Sell Sheet 0 7. 2 7. 2

0 21 THE KINTSUTM BAT ... T006-LHP, HL6606 Available with Knob Handle Dual Waterway Multi-Function Raincan Showerhead 81406, **83992-06MF** Sensori Volume Control with Lever Handle T66606 Sensori Volume Control with Knob Handle...

lang:en **score:28** filesize: 1.21 M page\_count: 6 document date: 2021-08-19



[\[pdf\]](#)

Kintsu Bath Collection Brizo Brilliance Luxe Gold Widespread Lavatory Knob Handle Kit HK5306 GL

863270 eR66IT xrefs0 plumbersstock product 8 6 ||| ||| K INTSUTM A matter of balance. Simple, yet

intricate. Constant, yet varied. Opposite, yet equal. Delicate harmonies come to life in the Kintsu™ Bath Collection by Brizo. Its tranquil contours reflect the elegant minimalism of Scandinavian

K INTSUTM A matter of balance. Simple, yet intricate. Constant, yet varied. Opposite, yet equal. D ... TION RAINCAN SHOWERHEAD, SHOWN WITH 6 DUAL

WATERWAY CEILING MOUNT SHOWER ARM AND FLANGE 81406-2.5, **83992-06MF** ALSO AVAILABLE WITH 10 SHOWER ARM AND FLANGE 7 SQUARE H20KINETIC MULTI-FUNCTION SHOWER...

lang:i-klngon **score:27** filesize: 1.21 M page\_count: 9 document date: 2024-03-06





[\[pdf\]](#) Catalog

Catalog Brizo Kintsu Polished Chrome Deck Mount Lever Handle Kit Two For 65306LF LPH and LHP ECO HL5306 PC 863285 t259w0 xrefs1 plumbersstock product 8 6 |||

K INTSUTM A matter of balance. Simple, yet intricate. Constant, yet varied. Opposite, yet equal. D ... TION RAINCAN SHOWERHEAD, SHOWN WITH 6 DUAL WATERWAY CEILING MOUNT SHOWER ARM AND FLANGE 81406-2.5, **83992-06MF** ALSO AVAILABLE WITH 10 SHOWER ARM AND FLANGE 7 SQUARE H20KINETIC MULTI-FUNCTION SHOWER...

lang:i-klingson **score:27** filesize: 358.86 K page\_count: 9 document date: 2024-03-04



[\[pdf\]](#) Catalog

Catalog Brizo Kintsu Brilliance Luxe Nickel Open Post Tissue Holder 695006 NK 863184 5uWrmE xrefs3 plumbersstock product 8 6 ||| ||| BR-0704 KINTSUTM BATH COLLECTION A matter of balance. Sell Sheet 0 7. 2 7. 2 0 21 THE KINTSUTM BATH COLLECTION SELL SHEET 2 KINTSUTM BATH COLLECTION Simple, yet intricate. Constant, yet varied. Delicate harmonies come to life in the new Kin BR-0704 KINTSUTM BATH COLLECTION A matter of balance. Sell Sheet 0 7. 2 7. 2 0 21 THE KINTSUTM BAT ... T006-LHP, HL6606 Available with Knob Handle Dual Waterway Multi-Function Raincan Showerhead 81406, **83992-06MF** Sensori Volume Control with Lever Handle T66606 Sensori Volume Control with Knob Handle...

lang:en **score:26** filesize: 1.2 M page\_count: 6 document date: 2021-08-19



[\[pdf\]](#)

frknqmmgeoth images webfronts cache |||

BR-0704 KINTSUTM BATH COLLECTION A matter of balance. Sell Sheet 0 7. 2 7. 2 0 21 THE KINTSUTM BAT ... T006-LHP, HL6606 Available with Knob Handle Dual Waterway Multi-Function Raincan Showerhead 81406, **83992-06MF** Sensori Volume Control with Lever Handle T66606 Sensori Volume Control with Knob Handle...

lang:en **score:24** filesize: 1.21 M page\_count: 6 document date: 2018-10-31



[\[pdf\]](#) Borchure Catalog

2021 2022 FULL LINE CATALOG Brizo Single Handle Floor Mount Tub Filler with Channel Spout T70161 Roman Faucet Handshower and Cross Handles T67461 LHP HX661 Magalog Final loRes brizo sites files catalogs brochures |||

2 20212022 F ULL-LINE C ATALOG 01 The BRIZO BR A ND IS A LINE OF LU X URY FI T T INGS FOR THOSE WH ... T006-LHP, HL6606 Available with Knob Handle Dual Waterway Multi-Function Raincan Showerhead 81406, **83992-06MF** Available as 1.75 and 2.5 gpm Sensori Volume Control with Lever Handle T66606 Sensori V...

lang:en **score:20** filesize: 20.58 M page\_count: 92 document date: 2021-12-09