



Manuals.plus /

› EaseLife /

› EaseLife Bifold Closet Door Instruction Manual - Model DOOR\_SP\_BFD\_A1H\_1580A\_X2-A

## EaseLife DOOR\_SP\_BFD\_A1H\_1580A\_X2-A

# EaseLife Bifold Closet Door Instruction Manual

Model: DOOR\_SP\_BFD\_A1H\_1580A\_X2-A

## 1. INTRODUCTION

---

This manual provides detailed instructions for the installation, operation, and maintenance of your EaseLife Bifold Closet Door. Designed for optimal space utilization, this door features a folding panel design, making it suitable for various home environments including closets, storage rooms, and room partitions. The door is crafted from premium wood with high-hardness tempered glass panels, offering both durability and aesthetic appeal.



Image 1.1: EaseLife Bifold Closet Door in a home setting.

## Space-Saving Design

The bifold design minimizes the space required for door operation compared to traditional swing or sliding doors. This feature is particularly beneficial in compact areas, allowing for customizable ventilation and natural light control.



Image 1.2: Space-saving comparison of bifold door versus traditional barn door.

## Quality Materials

The door panels are constructed from premium spruce wood, known for its strength and durability. The wood undergoes a multi-stage kiln-drying process to ensure stability and prevent warping or cracking. The design also supports DIY staining, allowing for customization to match various interior styles.

# Premium Spruce Wood

Using spruce wood as raw material, it is strong and durable, and not easy to crack



Image 1.3: Premium spruce wood construction and DIY staining option.

The door features high-hardness transparent tempered glass panels. This glass is easy to clean and allows light to pass through, brightening the room while adding a decorative element.

## High-Hardness Transparent Tempered Glass



transmit light to make the room bright



easy to clean



adds strong decorative



Image 1.4: Features of the tempered glass panels.

## 2. SAFETY INFORMATION

---

Please read and understand all instructions before beginning installation. Failure to follow these instructions may result in injury or product damage.

- Always wear appropriate safety gear, including safety glasses and gloves, during installation.
- Ensure the installation area is clear of obstructions and well-lit.
- Verify that the wall structure can support the weight of the door and hardware.
- Handle glass panels with care to prevent breakage and injury.
- Keep children and pets away from the installation area.
- If you are unsure about any step, consult a qualified professional.

## 3. PACKAGE CONTENTS

---

The EaseLife Bifold Closet Door comes as a complete kit, including preassembled door panels and all necessary hardware for installation. Please verify that all components listed below are present and undamaged before proceeding.

## Included Components:

- Double 14 3/4" x 78 3/4" Preassembled Doors (1-3/8" Thickness)
- 2.5FT Track Kit
- Hinges
- Door Knob
- Installation Hardware (screws, pivots, guides, etc.)
- Installation Manual (this document)




Image 3.1: Overview of included door panels and hardware.

## 4. SETUP AND INSTALLATION

---

The EaseLife Bifold Closet Door is designed for straightforward installation. The door panels are pre-assembled, simplifying the process. A step-by-step installation manual with detailed diagrams is included to guide you.

### Pre-Installation Checks:

- **Verify Opening Dimensions:** Ensure your door opening matches the specifications of your purchased door. Refer to the size chart in the Specifications section.

- **Inspect Components:** Before starting, carefully inspect all door panels and hardware for any damage or manufacturing defects. Ensure the track is straight and all pivots and guides are intact.
- **Gather Tools:** You will need basic tools such as a drill, measuring tape, level, screwdriver, and possibly shims.

### Installation Steps Overview:

1. **Prepare the Opening:** Ensure the door frame is plumb, level, and square. Make any necessary adjustments.
2. **Install the Track:** Secure the top track to the header of the door opening according to the provided diagrams.
3. **Install Hinges and Door Knob:** Attach the hinges to the pre-assembled door panels and install the door knob.
4. **Mount Door Panels:** Insert the door pivots and guides into the track and floor brackets. Adjust for proper alignment and smooth operation.
5. **Final Adjustments:** Fine-tune the door's position to ensure it closes properly and operates smoothly.




Image 4.1: Simplified installation process.

For detailed diagrams and specific measurements, please refer to the separate printed installation guide included with your product or contact our online service for a soft copy.

## 5. OPERATION

---

Operating your EaseLife Bifold Closet Door is simple. Gently push or pull the door knob to fold or unfold the panels. The door can be partially or fully opened to suit your needs for access, ventilation, or light control.

- To open, grasp the door knob and pull the panels towards you, allowing them to fold inward.
- To close, push the folded panels back into the door frame until they are fully extended and aligned.
- Avoid forcing the door if it encounters resistance. Check for obstructions or alignment issues.

## 6. MAINTENANCE

---

Regular maintenance will ensure the longevity and smooth operation of your bifold door.

### Cleaning:

- **Wood Panels:** Wipe wood surfaces with a soft, damp cloth. Avoid abrasive cleaners or excessive moisture. For deeper cleaning, use a wood-safe cleaner.
- **Glass Panels:** Clean tempered glass with a standard glass cleaner and a soft, lint-free cloth.
- **Hardware:** Keep the track and hardware free of dust and debris. A dry cloth or vacuum cleaner attachment can be used.

### Care and Upkeep:

- **Lubrication:** Periodically apply a silicone-based lubricant to the track and pivots to ensure smooth gliding.
- **Tighten Fasteners:** Check all screws and fasteners periodically and tighten them if necessary to maintain stability.
- **DIY Staining:** If you choose to stain or paint the door, ensure the wood is clean and dry. Follow the instructions of your chosen wood finish product.

## 7. TROUBLESHOOTING

---

If you encounter issues with your EaseLife Bifold Closet Door, refer to the common problems and solutions below.

Problem	Possible Cause	Solution
Door does not slide smoothly or gets stuck.	Track obstruction, misaligned pivots/guides, dirty track, loose hardware.	Clean the track, lubricate pivots/guides, check and adjust alignment, tighten hardware.
Door panels do not align properly when closed.	Incorrect pivot or guide adjustment, uneven floor/frame.	Adjust the top and bottom pivots/guides. Ensure the door frame is square and level.
Door feels wobbly or unstable.	Loose hardware, damaged pivots/guides.	Tighten all screws. Inspect pivots and guides for damage and replace if necessary.
Gap between door panels or frame.	Improper installation, misaligned frame, bent track.	Re-check installation steps. Ensure the track is straight and the frame is square. Adjust door alignment.

If these solutions do not resolve the issue, please contact EaseLife customer support.


## 8. SPECIFICATIONS

---

Below are the key specifications for the EaseLife Bifold Closet Door, Model DOOR\_SP\_BFD\_A1H\_1580A\_X2-A.

Feature	Detail
Brand	EaseLife
Model Number	DOOR_SP_BFD_A1H_1580A_X2-A
Color	White (DIY staining supported)
Material	Glass, Wood (Spruce)
Style	French
Item Weight	21.77 Kilograms (approx. 47.9 pounds)
Product Dimensions	80 x 15 x 4.72 inches
Size (Current Variant)	29 1/2" (Double 14 3/4") x 78 3/4"
Item Package Quantity	1
Usage	Commercial/Residential
Included Components	Preassembled Doors, 2.5FT Track Kit, Hardware

### Door Fit Opening Sizes and Actual Panel Sizes:



Option Size	Door Fit Opening Sizes			Actual Panel Sizes	
	A Door Opening Width	B Door Panel Width	C Single Door Panel Width	D Door Opening Height	E Door Panel Height
23 1/2" x 78 3/4"	24in	23 1/2in	11 3/4in	80 3/4in	78 3/4in
29 1/2" x 78 3/4"	30in	29 1/2in	14 3/4in	80 3/4in	78 3/4in
31 1/2" x 78 3/4"	32in	31 1/2in	15 3/4in	80 3/4in	78 3/4in
35 1/2" x 78 3/4"	36in	35 1/2in	17 3/4in	80 3/4in	78 3/4in
41 1/2" x 78 3/4"	42in	41 1/2in	20 3/4in	80 3/4in	78 3/4in
47 1/2" x 78 3/4"	48in	47 1/2in	23 3/4in	80 3/4in	78 3/4in

**Important Note:** To avoid sizing errors, please ensure to carefully review our size chart before making a purchase.

Image 8.1: Bifold Door Size Chart. Important: Review this chart carefully before purchase to avoid sizing errors.

## 9. WARRANTY AND SUPPORT

EaseLife is committed to providing high-quality products and excellent customer service. While specific warranty details are not provided in this manual, we encourage customers to reach out for any product-related inquiries or support needs.

### Customer Support:

- For technical assistance, installation guidance, or to obtain a soft copy of the installation manual, please contact EaseLife customer service through the retailer's platform or the official EaseLife website.
- Our dedicated after-sales service team is available to assist you with any questions or concerns regarding your product.