

VEVOR QRSSCTSPDCY335P1LV0

VEVOR Kitchen Sink Instruction Manual

Model: QRSSCTSPDCY335P1LV0

304 Stainless Steel Drop-In Sinks, Top Mount Single Bowl Basin

1. INTRODUCTION

This manual provides essential information for the installation, operation, and maintenance of your VEVOR 304 Stainless Steel Kitchen Sink. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.

Product Features:

- **Heavy Duty 304 Stainless Steel:** Constructed from high-quality 304 stainless steel, ensuring strength, durability, rust resistance, and ease of cleaning. Features an upgraded thickness of 3mm, which is 50% thicker than many standard kitchen sinks.
- **Generous Dimensions:** Exterior: 33" x 22"; Internal: 31" x 18"; Bowl Depth: 9". The deep bowl accommodates large cookware and helps conceal dirty dishes.
- **Top-Mount Installation:** Designed for easy drop-in installation on various countertop materials, allowing for simple installation and removal without damaging countertops.
- **Humanized Design:** Equipped with thicker and softer rubber noise reduction pads for ultra-quiet operation. Features an X-shape flow line for efficient drainage and R10° rounded corners for easy cleanup and a modern aesthetic.
- **Included Accessories:** Comes with a multi-functional dish grid with rubber feet to prevent scratching and a deep drain basket to prevent food debris from clogging the drain pipe.



Figure 1.1: VEVOR Kitchen Sink with Protective Bottom Grid and Basket Strainer.

2. SETUP AND INSTALLATION

Proper installation is crucial for the performance and longevity of your VEVOR kitchen sink. This sink is designed for top-mount (drop-in) installation.

2.1 Unpacking and Inspection

- Carefully unpack all components and inspect for any shipping damage.
- Verify that all included components are present: 1 x Sink, 1 x Basket Strainer, 1 x Protective Bottom Grid, 1 x User Manual.
- While rare, minor bent edges may occur during shipping. These can often be gently corrected before installation.

2.2 Required Tools and Materials (Not Included)

- Jigsaw or appropriate cutting tool for countertop
- Measuring tape and pencil
- Silicone sealant (kitchen and bath grade)
- Screwdriver
- Adjustable wrench

- Plumbing supplies (drain pipes, P-trap, faucet, etc.)
- Drill (if modifying existing holes)

2.3 Countertop Preparation

- Ensure your countertop opening matches the sink's dimensions. The sink's exterior dimensions are 33" (width) x 22" (depth). The internal dimensions are 31" (width) x 18" (depth).
- For optimal fit, it is recommended to use the provided template (if included) or carefully measure and mark the cutout area on your countertop.
- **Note on Overflow Hole:** This sink features one standard hole for a faucet. If connecting a dishwasher overflow valve, be aware that the existing hole may require enlargement to accommodate the valve's diameter. This may involve drilling and sanding due to the sink's thick material.




Figure 2.1: Sink Dimensions for Installation.

2.4 Installation Steps

1. **Prepare the Countertop:** Cut the opening in your countertop according to the sink's specifications. Ensure the edges are clean and smooth.

2. **Apply Sealant:** Apply a bead of silicone sealant around the perimeter of the countertop opening where the sink will rest.
3. **Position the Sink:** Carefully lower the sink into the prepared opening, ensuring it is centered and aligned. Press down firmly to create a good seal with the silicone.
4. **Secure the Sink:** Attach the mounting clips (if included) to the underside of the sink rim and tighten them against the countertop to secure the sink in place. Wipe away any excess silicone.
5. **Install Faucet and Drain:** Install your chosen faucet into the pre-drilled hole. Install the basket strainer into the drain opening at the bottom of the sink. Connect all necessary plumbing, including the P-trap and drain lines, ensuring all connections are tight and leak-free.
6. **Test for Leaks:** Turn on the water supply and check all connections for any leaks. Address any leaks immediately.



Figure 2.2: Top-Mount Installation Example.

3. OPERATING INSTRUCTIONS

Your VEVOR kitchen sink is designed for daily use in various settings, including household kitchens, workstations, RVs, and bar areas.

3.1 General Use

- Utilize the deep 9-inch bowl for soaking large pots, pans, and cookie sheets, making dishwashing more efficient.
- The included protective bottom grid elevates dishes and cookware, preventing scratches on the sink's surface and allowing water to drain freely underneath.
- The basket strainer effectively catches food debris, preventing it from entering and clogging your drain pipes.

3.2 Noise Reduction

The sink is equipped with thicker and softer rubber noise reduction pads on five sides, significantly reducing noise from water flow and garbage disposal operation.

FANCY DETAILS



Noise Absorption No Condensation Non-Toxic



Five-Sided Soundproof Pads



X-Shaped Groove for Fast Drainage



Easy-to-Clean R10 Corner

Figure 3.1: Sink Design Features for Performance.

4. MAINTENANCE AND CARE

Regular cleaning and proper maintenance will help preserve the appearance and functionality of your stainless steel sink.

4.1 Daily Cleaning

- After each use, rinse the sink thoroughly with water to remove any food particles or residue.
- Wipe the sink dry with a soft cloth to prevent water spots and mineral buildup, especially in hard water areas.
- For general cleaning, use a mild dish soap and a soft sponge or cloth.

4.2 Preventing Stains and Scratches

- Avoid using abrasive cleaners, steel wool, or harsh chemicals (e.g., bleach, drain cleaners containing chlorides) as they can damage the stainless steel finish.
- Always use the protective bottom grid to prevent direct contact of heavy or sharp objects with the sink surface, minimizing scratches.
- The R10° rounded corners and X-shaped groove facilitate water drainage and make cleaning easier, reducing the accumulation of debris.
- While the sink is rust-resistant, prolonged exposure to highly corrosive substances or standing water can affect the finish. Rinse thoroughly after contact with such substances.

304 STAINLESS STEEL KITCHEN SINK

Hand Welding reaches greater thickness



Rust-Proof



Easy Cleaning



Non-deformable



Upgraded Thickness:

3mm

50% thicker than most standard kitchen sinks

Figure 4.1: Material and Durability Features.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your VEVOR kitchen sink.

Problem	Possible Cause	Solution
Water not draining properly / Slow drainage	Drain basket clogged; Drain pipe obstruction; Improper slope of drain pipes.	Clean the basket strainer regularly. Check and clear any obstructions in the drain pipe. Ensure proper plumbing installation with adequate slope. The X-shape flow line helps prevent clogging.

Problem	Possible Cause	Solution
Water spots or mineral buildup	Hard water residue; Not drying the sink after use.	Wipe the sink dry after each use. For stubborn spots, use a stainless steel cleaner or a solution of vinegar and water, then rinse and dry.
Scratches on sink surface	Abrasive objects or cleaners; Lack of protective grid use.	Always use the protective bottom grid. Avoid dragging heavy or sharp objects across the sink surface. Minor scratches are normal with stainless steel use; specialized stainless steel scratch removal kits may reduce their appearance.
Sink appears to have slight bent edges upon arrival	Shipping handling.	Minor bends can often be gently straightened by hand or with appropriate tools during installation. Ensure proper sealing with silicone.
Dishwasher overflow valve hole does not fit	Standard hole size may not match all valve diameters.	The hole may need to be enlarged using a drill and appropriate bit. Due to the sink's thick material, this process may require patience and proper tools.

6. SPECIFICATIONS

Detailed technical specifications for the VEVOR Kitchen Sink.

Attribute	Detail
Brand	VEVOR
Model Number	QRSSCTSPDCY335P1LV0
Material	304 Stainless Steel
Color	Silver
Style	Single Sink
Installation Type	Top-Mount (Drop-In)
Exterior Dimensions (W x D x H)	33" x 22" x 9" (838mm x 559mm x 230mm)
Internal Dimensions (W x D)	31" x 18" (788mm x 457mm)
Bowl Depth	9" (230mm)
Inner Depth	8.3" (212mm)
Thickness	3mm

Attribute	Detail
Drain Type	Grid
Hole Count	1 (for faucet)
Net Weight	25.8 lbs / 11.7 kg
UPC	840349924625
Included Components	1 x Sink, 1 x Basket Strainer, 1 x Protective Bottom Grid, 1 x User Manual




Figure 6.1: Detailed Product Specifications and Package Content.

7. WARRANTY AND SUPPORT

For specific warranty information and customer support, please refer to the official VEVOR website or contact VEVOR customer service directly. Keep your purchase receipt for any warranty claims.

You can find more information and contact details on the official [VEVOR Store](#).

© 2023 VEVOR. All rights reserved.
This manual is subject to change without notice.