Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- XIAOMI /
- > XIAOMI Flexible Rechargeable Lamp User Manual (Model BHR8959GL)

XIAOMI BHR8959GL

XIAOMI Flexible Rechargeable Lamp User Manual

Model: BHR8959GL

1. Introduction

Thank you for choosing the XIAOMI Flexible Rechargeable Lamp. This manual provides essential information for the safe and efficient use of your new lamp. Please read it thoroughly before operation and retain it for future reference.





Figure 1: XIAOMI Flexible Rechargeable Lamp

2. Safety Information

- Do not disassemble, repair, or modify the lamp yourself.
- Keep the lamp away from water, moisture, and high temperatures.
- Use only the provided charging cable or a certified USB-C cable for charging.
- Avoid direct eye exposure to the light source for extended periods.
- Dispose of the product and its battery responsibly according to local regulations.

3. Package Contents

Verify that all items are present in the package:

- XIAOMI Flexible Rechargeable Lamp Unit
- · Lamp Base
- Clamp Attachment
- USB-C Charging Cable
- User Manual (this document)

4. Product Overview

The XIAOMI Flexible Rechargeable Lamp is designed for versatile illumination, functioning as a desk lamp, clip-on lamp, or handheld light source. It features a magnetic attachment for easy angle adjustment and multiple lighting modes.

場所を選ばない 3WAYランプ



作業のためのデスクライト ベッドサイドの照明 停電時の非常灯 用途で選べる 3WAY





Figure 2: Versatile Usage Modes

考え抜かれたデザイン



バッテリーステータスインジケータ付き Type-C充電ポート



ボタン1つの操作で 色温度と輝度を超セル



しっかり固定できる シリコーン製滑り止めストリップ

Figure 3: Design Details (Charging Port, Button, Anti-slip Strip)

5. Setup

- 1. **Initial Charge:** Before first use, fully charge the lamp using the provided USB-C cable. Connect the cable to the lamp's Type-C port and a compatible USB power adapter (not included). The battery status indicator will show charging progress.
- 2. **Assembly (Desk Lamp):** Place the lamp unit onto the circular lamp base. The magnetic connection will secure it.
- 3. **Assembly (Clip-on Lamp):** Attach the clamp accessory to a suitable surface (e.g., desk edge, shelf). Then, magnetically attach the lamp unit to the designated area on the clamp.

6. Operating Instructions

6.1 Power On/Off and Mode Selection

- Short Press: Briefly press the power button to turn the lamp ON or OFF.
- Long Press: Press and hold the power button to cycle through the four available lighting modes.

4つの照明モード

電源ボタンを短く押すとランプのオン/オフが長押しすると4つの照明モードが切り替わります。



暗闇での探し物 5000K/輝度100%



読み書き 4000K/輝度100%



リラックス 3200K/輝度60%



就寝 2700K/輝度10%

Figure 4: Four Lighting Modes

6.2 Angle Adjustment

The lamp head is attached magnetically, allowing for flexible positioning:

- Vertical Rotation: Adjust the lamp head up or down by up to 180 degrees.
- Horizontal Rotation: Rotate the lamp head horizontally by up to 360 degrees.

マグネティックアタッチメントで 簡単に角度調節

磁気ベースのデザインにより、自由自在に形を変えたり どこでも好きな場所に取り付けできます。



Figure 5: Magnetic Angle Adjustment

6.3 Charging

Connect the lamp to a power source using the USB-C cable. The lamp maintains consistent brightness even while charging. A full charge provides over 40 hours of illumination at the lowest brightness setting.



Figure 6: Charging the Lamp

7. Maintenance

- Cleaning: Wipe the lamp with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- Storage: Store the lamp in a cool, dry place when not in use for extended periods.
- **Battery Care:** To prolong battery life, avoid fully discharging the lamp frequently. Charge it regularly, even if not in constant use.

8. Troubleshooting

Problem	Possible Cause	Solution
Lamp does not turn on	Low battery; Power button not pressed correctly	Charge the lamp; Ensure a firm short press on the power button.
Lamp not charging	Faulty cable or adapter; Loose connection	Check USB-C cable and adapter; Ensure connections are secure; Try a different cable/adapter.

Problem	Possible Cause	Solution
Light is dim or flickers	Low battery	Charge the lamp fully.
Magnetic attachment feels loose	Lamp not properly seated on base/clamp	Re-seat the lamp unit firmly onto the magnetic base or clamp.

9. Specifications

Feature	Specification
Model Number	BHR8959GL
Dimensions (D x W x H)	4.72" x 2.21" x 11.42"
Item Weight	14.1 ounces (400 Grams)
Power Source	Battery Powered (Lithium Ion)
Battery Life	Up to 40 Hours (lowest brightness)
Light Source Type	LED
Wattage	5 Watts
Voltage	5 Volts
Material	Plastic (Acrylonitrile Butadiene Styrene base)
Control Method	Touch (Magnetic Switch)
Color Rendering Index (CRI)	Ra90
Included Components	Stand, Clamp

10. Warranty and Support

This XIAOMI product is covered by a limited warranty. For detailed warranty terms and conditions, please refer to the warranty card included with your purchase or visit the official XIAOMI website.

For technical support, troubleshooting assistance, or service inquiries, please contact XIAOMI customer support through their official channels. Contact information can typically be found on the XIAOMI website or your purchase documentation.

Related Documents - BHR8959GL

	Xiaomi Flexible Rechargeable Lamp User Manual User manual for the Xiaomi Flexible Rechargeable Lamp (Model MJTD05YL), detailing its features, installation, usage, specifications, and safety precautions.
	Xiaomi LED Desk Lamp 2 User Manual User manual for the Xiaomi LED Desk Lamp 2, providing detailed instructions on installation, operation, smart connectivity with Mi Home/Xiaomi Home, Google Assistant, and Amazon Alexa, along with technical specifications and safety precautions.
MILED Desk Lamp 18 User Manual	Mi LED Desk Lamp 1S User Manual User manual for the Mi LED Desk Lamp 1S, detailing product overview, usage instructions, app connectivity, smart control features, factory reset, specifications, product features, and warnings.
Mil Street MS Challe Leavy Pro- Verse Manuel	Mi Smart LED Desk Lamp Pro User Manual User manual for the Mi Smart LED Desk Lamp Pro, detailing product overview, usage instructions, button functions, angle adjustments, app connectivity, voice assistant integration, factory reset, specifications, product features, and safety warnings.

