

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Electactic](#) /

› [Electactic JC-128UEL 4.5 Cu.Ft. Beverage and Wine Refrigerator User Manual](#)

Electactic JC-128UEL

Electactic 4.5 Cu.Ft. Beverage and Wine Refrigerator

MODEL: JC-128UEL

1. Introduction

Thank you for choosing the Electactic 4.5 Cu.Ft. Beverage and Wine Refrigerator. This appliance is designed to keep your beverages at their ideal temperature, offering efficient cooling and convenient storage. This manual provides essential information for the safe and effective operation, maintenance, and troubleshooting of your new refrigerator.

Key features include a precise digital temperature control ranging from 32°F to 61°F, a high-performance compressor for consistent cooling, and an airtight glass door to maintain optimal conditions. It offers versatile storage with adjustable shelves, accommodating up to 145 standard cans or 37 wine bottles. The unit also features an LED interior light and a child lock panel for added safety.

2. Important Safety Information

- Read all instructions before using the appliance.
- Ensure the appliance is properly grounded.
- Do not operate the appliance with a damaged cord or plug.
- Keep ventilation openings clear of obstruction.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- Unplug the appliance before cleaning or performing maintenance.
- This appliance is intended for household use only.

3. Package Contents

Your Electactic Beverage and Wine Refrigerator package includes:

- 1 x Electactic Beverage Refrigerator
- 4 x Shelves (1 wavy wine rack, 3 chrome racks)

4. Setup and Installation

4.1 Placement

- Place the refrigerator on a flat, stable surface capable of supporting its weight when fully loaded.
- Ensure adequate ventilation around the unit. Allow at least 5 inches (12.7 cm) of space at the back and sides for proper air circulation.
- Avoid placing the unit in direct sunlight or near heat sources (e.g., ovens, radiators).
- This is a freestanding unit and should not be built-in or recessed.

4.2 Initial Use

1. After unpacking, allow the refrigerator to stand upright for at least 24 hours before plugging it in. This allows the refrigerant fluids to settle.
2. Clean the interior of the unit with a damp cloth before first use.
3. Plug the unit into a dedicated, grounded electrical outlet.
4. Allow the unit to cool for several hours before loading beverages.




Image: Product dimensions and capacity overview.

5. Operating Instructions

5.1 Temperature Control

The refrigerator features an easy-to-use touch control panel with a digital temperature display. The temperature can be adjusted between 32°F and 61°F.

- To adjust the temperature, press the ▲ (Up) or ▼ (Down) buttons on the control panel.
- The digital display will show the set temperature.

5.2 Child Lock Panel

To prevent accidental temperature changes, the control panel features a child lock function.

- To activate the child lock, the control panel will automatically lock after 30 seconds of inactivity.
- To deactivate the child lock, press and hold the **LED Light** button for 3 seconds.

5.3 LED Interior Lighting

The interior LED light can be turned on or off using the dedicated light button on the control panel.

EASY-TOUCH TEMPERATURE CONTROL

Adjust To The Desired Beverage & Wine-preserving



Image: Easy-touch temperature control panel.

6. Loading and Storage

The refrigerator is designed for versatile storage of various beverages.

- **Capacity:** The unit can hold up to 145 standard 12oz cans or 37 standard 750ml wine bottles.
- **Adjustable Shelves:** The unit comes with 1 wavy wine rack and 3 chrome racks. These shelves are removable, allowing you to customize the interior space to fit different bottle and can sizes.
- **Optimal Temperatures:** For best results, store red wine at 55-64°F, white wine at 43-58°F, and other beverages at 54-61°F. Adjust the temperature according to your preference.



Image: Interior view of the refrigerator with various beverages.



Image: Refrigerator interior showing adjustable shelves and capacity.

7. Maintenance and Care

7.1 Cleaning

- Always unplug the refrigerator before cleaning.
- Clean the interior with a solution of mild detergent and warm water. Do not use abrasive cleaners or harsh chemicals.
- Wipe down the exterior with a soft, damp cloth.
- Clean the condenser coils at the back of the unit periodically to ensure efficient operation.

7.2 Defrosting

This appliance features manual defrost. Frost may accumulate on the cooling plate. To defrost:

- Unplug the unit.
- Remove all contents and shelves.
- Leave the door open to allow frost to melt naturally. Place a towel at the bottom to absorb water.
- Once defrosted, clean and dry the interior thoroughly before plugging the unit back in.

8. Troubleshooting

Problem	Possible Cause	Solution
Refrigerator does not operate.	No power; circuit breaker tripped.	Check power connection; reset circuit breaker.
Temperature is not cold enough.	Door not closed properly; excessive door openings; unit overloaded; poor ventilation; temperature set too high.	Ensure door is sealed; reduce door openings; do not overload; ensure proper clearance; lower set temperature.
Unit is noisy.	Unit not level; vibrating against wall/cabinet.	Adjust leveling feet; move unit away from contact surfaces.

Problem	Possible Cause	Solution
Water on floor.	Drain tube clogged; excessive humidity.	Clear drain tube; ensure proper ventilation.

9. Specifications

- **Brand Name:** Electactic
- **Model Info:** JC-90
- **Item Model Number:** JC-128UEL
- **Capacity:** 4.5 Cubic Feet
- **Item Weight:** 59.66 Pounds
- **Product Dimensions:** 21.85"D x 20.28"W x 31.5"H
- **Annual Energy Consumption:** 190.5 Kilowatt Hours Per Year
- **Installation Type:** Freestanding
- **Special Features:** Adjustable Shelves, Digital Temperature Control, LED Display, Low Noise, Touch Control
- **Color:** Black
- **Voltage:** 115 Volts
- **Racks/Shelves:** 4 (1 wavy wine rack, 3 chrome racks)
- **Defrost System:** Manual
- **Door Hinges:** Right
- **Certification:** ETL

10. Product Media

10.1 Product Images

Advanced Cooling System



Cooling Fast




Quiet <36 dB



Air Circulation




Energy Saving




Advanced Cooling System

Double Thermopane Insulation


Keep the cooling inside and the heat outside
with the insulation technology



Double Thermopane Insulation



Lifestyle view in a kitchen setting.



Feature overview: LED, shelves, control, feet.



**4.5 Cu.Ft. BIG CAPACITY
BEVERAGE REFRIGERATOR**

Refrigerator in a modern kitchen.



Interior with bottles and cans.

KEEP YOUR FAVORITE DRINKS AT THE IDEAL TEMPERATURE!



Digital temperature control panel.

PERFECT COOLING FOR ANY OCCASION



Internal cooling system diagram.



REMOVABLE SHELVES

Durable and Environment Friendly

Temperature
32°F-61°F

Large Capacity
4.5 CUFT

Double pane glass door.

10.2 Official Product Videos

Video: Overview of the 4.5 Cu.ft Beverage Refrigerator, showcasing its features and capacity.

Video: Demonstration of the 4.4 Cu. Ft. wine cooler in black, highlighting its design and functionality.

Video: A detailed look at the 4.5cft beverage drinks refrigerator, showcasing its interior and features.

Video: Review of the Electactic Wine Cooler Refrigerator 4.4Cu.ft, covering its design and performance.

Video: A demo of the Beverage Fridge, showing its use for water bottles and other drinks.

11. Warranty and Support

For warranty information or technical support, please refer to the documentation included with your purchase or contact Electactic customer service directly. Keep your proof of purchase for any warranty claims.