

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Graco](#) /
- › [Graco Turn2Me 3-in-1 Rotating Convertible Car Seat Instruction Manual](#)

Graco Turn2Me 3-in-1

Graco Turn2Me 3-in-1 Rotating Convertible Car Seat Instruction Manual

Model: Turn2Me 3-in-1 | Brand: Graco

INTRODUCTION

The Graco Turn2Me 3-in-1 Rotating Convertible Car Seat is designed to grow with your child, offering three modes of use: rear-facing harness, forward-facing harness, and highback booster. This manual provides essential information for proper installation, operation, and maintenance to ensure your child's safety and comfort.



Image: The Graco Turn2Me 3-in-1 Rotating Convertible Car Seat, showcasing its design and features.

Your browser does not support the video tag.

Video: An overview of the Graco Turn2Me 3-in-1 Car Seat, highlighting its key functionalities and design.

Safety Information

Always prioritize your child's safety. This car seat is Graco ProtectPlus Engineered, meeting or exceeding US safety standards. Refer to the labels on the car seat and this manual for specific weight and height requirements for each mode.

- **Rear-Facing Harness:** 4-40 lb
- **Forward-Facing Harness:** 26.5-65 lb
- **Highback Booster:** 40-100 lb

Ensure the car seat is installed correctly and securely before every use. Always check the harness for proper fit and tightness.

Ride safe & secure

ProtectPlus Engineered™ to help protect in frontal, side, rear and rollover crashes



Image: Diagram illustrating the ProtectPlus Engineered safety features for frontal, side, rear, and rollover crash protection.

SETUP

Unpacking and Initial Inspection

Carefully remove the car seat from its packaging. Inspect all components for any signs of damage. Do not use the car seat if any parts are damaged or missing. Keep the instruction manual in the designated storage compartment on the car seat base.

Understanding the Turn Feature

The Turn2Me car seat features a rotating base for easy child placement. This feature is primarily used in rear-facing mode to turn the seat towards the car door. To rotate, squeeze the blue trigger and gray lever located under the armrests and turn the seat. You will hear a "click" when it locks into position.

Infant Inserts

The plush infant head and body inserts are designed for use with infants in rear-facing mode (4-40 lb) to provide additional comfort and support. Remove these inserts when transitioning to forward-facing mode or when your child no longer requires them.



Image: Detailed view of the car seat with labels pointing to key features like the 1-hand turn, 4-position recline, 10-position headrest, and integrated LATCH storage.

INSTALLATION

Always refer to your vehicle owner's manual for specific car seat installation instructions and LATCH system locations.

Rear-Facing Installation (4-40 lb)

1. Ensure the car seat is in the rear-facing position (arrow points to blue label).
2. Select one of the four recline positions suitable for rear-facing. The level indicator bubble must be within the blue range.
3. Place the car seat on the vehicle seat, ensuring at least 80% of the car seat base is on the vehicle seat.
4. **Using LATCH:** Extend the lower anchor connectors from their storage. Attach them to your vehicle's lower anchor bars.
5. **Using Vehicle Seat Belt:** Open the SnugLock lock-off by pressing the gray lever. Route the vehicle seat belt through the rear-facing belt path (marked in blue). Buckle the seat belt.
6. Remove slack by pressing down on the center of the car seat and pulling the free end of the LATCH strap or vehicle seat belt.

7. Close the SnugLock lock-off.
8. Check for tightness: The car seat should not move more than 1 inch side-to-side or front-to-back at the belt path.

Your browser does not support the video tag.

Video: Step-by-step guide for installing the Graco Turn2Me 3-in-1 Car Seat in rear-facing mode using the vehicle seat belt.

Forward-Facing Installation (26.5-65 lb)

1. Ensure the car seat is in the forward-facing position (arrow points to orange/green label).
2. Select one of the four recline positions suitable for forward-facing. The level indicator bubble must be within the orange/green range.
3. Remove infant inserts if still present.
4. Unclip the tether strap from its storage location and place it over the top of the car seat.
5. **Using LATCH:** Remove the lower anchor connectors from their storage. Extend the lower anchor strap to its maximum length. Route the lower anchor strap through the orange forward-facing belt path. Attach the lower anchor connectors to your vehicle's lower anchor bars.
6. **Using Vehicle Seat Belt:** Open the SnugLock lock-off. Route the vehicle seat belt through the orange forward-facing belt path. Buckle the seat belt.
7. Remove slack by pressing down on the center of the car seat and pulling the free end of the LATCH strap or vehicle seat belt.
8. Close the SnugLock lock-off.
9. Attach and tighten the tether strap to your vehicle's top tether anchor.
10. Check for tightness: The car seat should not move more than 1 inch side-to-side or front-to-back at the belt path.

Your browser does not support the video tag.

Video: Step-by-step guide for installing the Graco Turn2Me 3-in-1 Car Seat in forward-facing mode using the LATCH system.



Image: A hand demonstrating the SnugLock technology for secure car seat installation.

Highback Booster Mode (40-100 lb)

When your child meets the weight and height requirements for booster mode, the internal harness system can be removed and stored. The car seat then functions as a highback booster, using the vehicle's lap and shoulder belt to secure the child. Follow the detailed instructions in the full manual for harness removal and proper belt positioning.

Safe rides as they grow 4–100 lb



**Rear-Facing
Harness**
4-40 lb

**Forward-Facing
Harness**
26.5-65 lb

**Highback
Booster**
40-100 lb

Image: Visual representation of the car seat in its three modes: Rear-Facing Harness (4-40 lb), Forward-Facing Harness (26.5-65 lb), and Highback Booster (40-100 lb).

OPERATING INSTRUCTIONS

Harness Adjustment (Simply Safe Adjust Harness System)

The No-Rethread Simply Safe Adjust Harness System allows you to adjust the height of the 10-position headrest and harness simultaneously with one motion. This ensures a proper fit as your child grows. The harness straps should be at or just below the child's shoulders for rear-facing, and at or just above the child's shoulders for forward-facing.



Image: A child seated in the car seat, demonstrating the easy-adjust harness system for a perfect fit.

Child Placement and Securing

1. If in rear-facing mode, rotate the car seat towards the car door using the turn feature.
2. Place your child in the car seat.
3. Buckle the harness straps and attach the chest clip at armpit level.
4. Tighten the harness by pulling the strap at the front of the car seat until snug. Perform the pinch test: you should not be able to pinch any slack at the child's shoulders.
5. If in rear-facing mode, rotate the car seat back to its locked rear-facing position.



Image: A parent easily placing a baby into the car seat using the 180-degree rotation feature.

Cup Holder Usage

The car seat includes two easy-to-clean cup holders. These are removable for cleaning and can be used to hold drinks or small snacks for your child.

MAINTENANCE

Cleaning Instructions

The seat pads are removable and machine washable. Refer to the care tag on the fabric for specific washing instructions. Metal and plastic parts can be spot cleaned with mild soap and cool water. Do not use bleach or harsh detergents.

Storage of LATCH Connectors

When not in use, the InRight LATCH connectors can be stored in the designated storage compartment on the car seat base to prevent loss or damage.

TROUBLESHOOTING

If you encounter any issues with installation or operation, first re-read the relevant sections of this manual. Ensure all straps are untwisted and properly routed. If the car seat does not feel secure after installation, re-adjust and re-tighten the LATCH or vehicle seat belt. For further assistance, contact Graco customer support.




SPECIFICATIONS




Feature	Specification
Product Dimensions	20.75 x 19.13 x 24.4 inches
Item Model Number	2215409
Minimum Weight Recommendation	4 Pounds
Maximum Weight Recommendation	100 Pounds
Maximum Height Recommendation	57 Inches
Material Type	Polyester
Number of Reclining Positions	10
Harness Type	5-Point
Item Weight	20 pounds

WARRANTY AND SUPPORT

For warranty information, product registration, or to contact customer support, please visit the official Graco website or refer to the warranty card included with your product. Keep your proof of purchase for warranty claims.

Related Documents - Turn2Me 3-in-1

	<p>Graco SlimFit 3-in-1 Car Seat Manual</p> <p>Comprehensive instructions and safety information for the Graco SlimFit 3-in-1 car seat, covering installation, usage, and care for rear-facing, forward-facing, and high-back booster modes.</p>
	<p>Graco 4EVER DLX 4-in-1 Car Seat Instruction Manual</p> <p>User guide for the Graco 4EVER DLX 4-in-1 Car Seat, detailing rear-facing, forward-facing, and booster modes. Learn safe installation using LATCH or seat belts, proper child securing, and maintenance tips for optimal child safety.</p>
	<p>Graco Nautilus SnugLock Grow 3-in-1 Harness Booster Car Seat Instruction Manual</p> <p>Comprehensive instruction manual for the Graco Nautilus SnugLock Grow 3-in-1 Forward-Facing Harness Booster car seat. Learn about installation, features, safety warnings, and care.</p>

 <p>GRACO TURN2ME[®] 3-in-1 Car Seat Read This Instruction Manual</p> <p>Do not install or use this child restraint until you read and understand the instructions in this manual.</p> <p>WARNING: To prevent the risk of injury, always use the correct harness or booster as directed in the manual.</p>	<p>Graco Turn2Me 3-in-1 Car Seat: Installation and Safety Guide</p> <p>Comprehensive instruction manual for the Graco Turn2Me 3-in-1 Car Seat, covering installation, usage modes (rear-facing, forward-facing, booster), safety guidelines, and care instructions.</p>
 <p>GRACO SnugRide[®] SnugFit[™] 35 ELITE INFANT CAR SEAT Read This Instruction Manual</p> <p>Do not install or use this child restraint until you read and understand the instructions in this manual.</p> <p>WARNING: To prevent the risk of injury, always use the correct harness or booster as directed in the manual.</p>	<p>Graco SnugRide SnugFit 35 Elite Infant Car Seat Instruction Manual</p> <p>Official instruction manual for the Graco SnugRide SnugFit 35 Elite infant car seat, covering safety, installation, child securing, and care. Ensure proper use to reduce the risk of injury.</p>
 <p>GRACO Junior Maxi[™] i-Size R129 HIGHBACK BOOSTER IMPORTANT! KEEP FOR FUTURE REFERENCE.</p> <p>Do not install or use this child restraint until you read and understand the instructions in this manual.</p> <p>WARNING: To prevent the risk of injury, always use the correct harness or booster as directed in the manual.</p>	<p>Graco Junior Maxi i-Size R129 Highback Booster User Manual</p> <p>Comprehensive user manual for the Graco Junior Maxi i-Size R129 Highback Booster, detailing installation, safety features, usage guidelines, and maintenance instructions for optimal child safety.</p>