

PXN A10

PXN A10 PC Racing Wheel Stand Instruction Manual

Model: A10

1. PRODUCT OVERVIEW

The PXN A10 Racing Wheel Stand is a versatile and durable mount designed to enhance your racing simulation experience. Constructed from high-strength carbon steel, it provides a stable platform for your racing wheel, pedals, and shifter. Its adjustable and foldable design allows for comfortable use and convenient storage.

1.1 Key Features

- **Wide Compatibility:** Supports a broad range of racing wheels including PXN VD4, VD6, V10 Ultra, V10, V99, V12 Lite; Logitech G25, G27, G29, G920, G923; MOZA R3, R5, R21, R9, R16; and Thrustmaster T248, T300RS GT, T-GT, T-GT2, TS-PC, TS-XW, T500, T500RS, TX, TMX, TMX PRO.
- **Compact Folding Design:** Allows for effortless storage, folding flat to fit under furniture or in tight spaces.
- **Fully Adjustable:** Features adjustable gearshift and handbrake mounts (left/right or simultaneous), adjustable steering wheel plate angles and heights (up to 11 inches), and three adjustable stand angles for ergonomic comfort.
- **Durable Construction:** Made from high-strength carbon steel with rubber feet for stability and floor protection.



2. SETUP AND ASSEMBLY

This section provides instructions for assembling your PXN A10 Racing Wheel Stand. Please ensure all components are present before beginning assembly.

2.1 Package Contents

Verify that your package contains the following items:



Image: An illustration detailing the accessories included with the PXN A10 Racing Wheel Stand, such as nuts, screws, foot pads, wrenches, and mounting plates for shifter and handbrake.

- M8 Nuts (x2)
- M6 Nuts (x6)
- Foot Pads (x2)
- B1 Wrenches (x2)
- 15 mm Fixed Valve (x2)
- 40 mm Fixed Valve (x2)
- M8 * 40 mm Screws (x2)
- M6 * 30 mm Screws (x4)
- M6 * 20 mm Screws (x10)
- M6 * 12 mm Screws (x4)
- Connection Plate (x1)
- Handbrake Plate (x1)
- Shifter Plate (x1)

2.2 Assembly Steps

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, flat surface.
2. **Attach Foot Pads:** Secure the two foot pads to the designated points on the base frame of the stand.
3. **Mount Shifter/Handbrake Plate:** Use the provided screws and nuts to attach the shifter and/or handbrake plates to the side arm. These can be mounted on either the left or right side, or both simultaneously, based on your preference.
4. **Install Racing Wheel:** Secure your racing wheel to the top plate using the appropriate screws for your specific wheel model. Ensure it is firmly attached.
5. **Install Pedals:** Mount your pedal set to the pedal plate at the base of the stand. Use the provided hardware or the original screws from your pedal set if they offer a more secure fit.
6. **Initial Adjustments:** Before use, make initial adjustments to the height and angle of the steering wheel plate and pedal plate to a comfortable position. Refer to the 'Operating' section for detailed adjustment instructions.



Image: A fully assembled PXN A10 Racing Wheel Stand, showcasing a racing wheel, pedal set, and shifter mounted on the stand.

3. OPERATING AND ADJUSTMENTS

The PXN A10 Racing Wheel Stand offers multiple adjustment points to customize your racing setup for optimal comfort and immersion.

3.1 Multi-Angle Adjustment

The stand features adjustable components for the racing wheel plate, shifter/gear plate, pedals plate, and handbrake plate. Foot-pads provide stability.

Multi-Angle Adjustment

-  Adjustable
-  Stretchable
-  Rotatable
-  1 Racing Wheel Plate
-  2 Shifter/Gear Plate
-  3 Pedals Plate
-  4 Handbrake Plate
-  5 Foot-pads




Image: A detailed diagram showing the various adjustable components of the PXN A10 stand, including the racing wheel plate, shifter/gear plate, pedals plate, handbrake plate, and foot-pads.

3.2 Bracket Height Adjustment

The main bracket allows for height adjustments, extending up to approximately 11.81 inches (30 cm). Loosen the adjustment knobs, slide the bracket to the desired height, and then securely tighten the knobs.



Image: A visual guide demonstrating how to adjust the height of the stand's bracket, showing the maximum extension.

3.3 Pedal Angle Adjustment

The pedal plate can be adjusted to four different angles to suit your preference. Adjust the angle by manipulating the mechanism at the base of the pedal plate.



Image: An illustration detailing the four-gear adjustment system for the pedal plate, allowing users to set their preferred pedal angle.

3.4 Steering Wheel Plate Tilt Adjustment

The steering wheel plate can be tilted to a comfortable position, offering approximately 30 degrees of adjustment. Loosen the relevant fasteners, set the desired tilt, and re-tighten.



Image: A visual representation of the steering wheel plate's tilt adjustment, demonstrating how to achieve a comfortable angle.

3.5 Shifter and Handbrake Mounts

The gearshift and handbrake mounts are interchangeable and can be installed on either the left or right side of the stand, or both simultaneously, to suit your driving style.

4. STORAGE

The PXN A10 Racing Wheel Stand features a quick-fold design for convenient storage when not in use.

4.1 Folding the Stand

1. Remove any attached accessories if they obstruct the folding mechanism.
2. Loosen the main adjustment knobs that control the stand's angle.
3. Fold the stand flat. The design allows for compact storage.

Set-free, Quick Folding




Image: A visual guide illustrating the quick-folding mechanism of the stand for compact storage.

4.2 Storage Options

Once folded, the stand can be easily stored:

- Slide it under a sofa or bed (minimum sofa width clearance of 2.95 inches).
- Tuck it into a corner or lean it against a wall.



Image: The folded stand stored compactly under a sofa.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your PXN A10 Racing Wheel Stand.

- **Cleaning:** Wipe down the stand with a soft, damp cloth to remove dust and grime. Avoid abrasive cleaners or solvents that could damage the finish.
- **Fastener Check:** Periodically check all screws, nuts, and adjustment knobs to ensure they are securely tightened. Re-tighten as necessary to maintain stability.
- **Inspect for Wear:** Examine the frame and moving parts for any signs of wear, damage, or bending. Address any issues promptly to prevent further damage or instability.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your racing wheel stand.

6.1 Stability Issues

- **Wobbling:** Ensure all fasteners are securely tightened. If using a shifter and handbrake, confirm their mounts are firm. The stand is designed for stability, but excessive force or loose connections can cause movement.
- **Uneven Surface:** Place the stand on a flat, level surface. The rubber feet are designed to provide grip and prevent marks on the floor.

6.2 Compatibility and Mounting

- **Wheel/Pedal Fit:** While the stand is widely compatible, some specific models (e.g., certain MOZA pedals) may require using the original screws from your peripheral or minor adjustments. Ensure you are using the correct mounting holes and hardware.
- **Missing Holes:** If your peripheral does not align with existing holes, consult the peripheral's manual for alternative mounting options or contact PXN customer support. Avoid drilling new holes unless confident in doing so, as it may void warranties.

7. SPECIFICATIONS

Feature	Detail
Model Name	A10 Racing Wheel Stand
Brand	PXN
Material	High-strength Carbon Steel
Color	Black
Compatible Devices	PC, PlayStation 4, Xbox One, Xbox Series S, Xbox Series X
Item Weight	24.3 Pounds (approx. 11 kg)
Expanded Dimensions (D x W x H)	28.34" x 29.52" x 25.19" (72 x 75 x 64 cm)
Stowed Dimensions (D x W x H)	28.54" x 18.89" x 6.5" (72.5 x 48 x 16.5 cm)
Steering Wheel Height Adjustment	Up to 11 inches (approx. 28 cm)
Pedal Angle Adjustment	Four gear adjustments

Product Dimensions



Image: Product dimensions of the PXN A10 Racing Wheel Stand.

8. WARRANTY AND CUSTOMER SUPPORT

PXN is committed to providing reliable products and excellent customer service.

8.1 Warranty Information

The PXN A10 Racing Wheel Stand comes with a **365-day warranty** from the date of purchase, covering manufacturing defects.

8.2 Customer Support

For any questions, concerns, or assistance with your product, please contact PXN customer service. We offer:

- 24-hour customer service.
- 30 days of worry-free refunds.

- 365 days of exchange service.

If you are not completely satisfied, please contact us via email for a full refund or replacement.



Image: PXN customer support representative.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

