

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Joie](#) /

› [Joie Mint Latch Base-Free Infant Car Seat Instruction Manual](#)

Joie Mint Latch

Joie Mint Latch Base-Free Infant Car Seat Instruction Manual

Model: Mint Latch

1. INTRODUCTION AND OVERVIEW

This manual provides essential instructions for the safe and correct use of your Joie Mint Latch Base-Free Infant Car Seat. Please read all instructions carefully before installation and use. Keep this manual in a safe place for future reference.

The Joie Mint Latch is designed for infants, offering a lightweight and travel-friendly solution with a base-free installation option. It features built-in rigid LATCH connectors and can also be installed using a vehicle's seat belt.



Image 1.1: Front view of the Joie Mint Latch Base-Free Infant Car Seat in Shale Dark color. The car seat features a black fabric cover, a large canopy, and a brown handle.

2. SAFETY INFORMATION

Your child's safety is paramount. This car seat is certified to the newest side impact protection standards (FMVSS 213a & 213b) to absorb and disperse forces during a crash.

- **Child Weight and Height Limits:**
 - Minimum Weight: 4 lbs (1.8 kg)
 - Maximum Weight: 30 lbs (13.6 kg) for rear-facing
 - Maximum Height: 30 inches (76 cm)
- **Orientation:** This car seat is designed for rear-facing use only.
- Always ensure the car seat is correctly installed according to the instructions provided in this manual.
- Never leave your child unattended in the car seat.
- Do not use this car seat if it has been involved in a crash, even if there is no visible damage. Replace it immediately.
- Register your car seat to receive important safety updates and recall information.



Image 2.1: Graphic illustrating the Joie Mint Latch car seat and its compliance with FMVSS 213a & 213b safety standards.

3. SETUP AND INSTALLATION

The Joie Mint Latch offers two primary installation methods: using the built-in rigid lower anchor attachments (LATCH) or using the vehicle's seat belt.

3.1. Installation with Rigid Lower Anchor Attachments (LATCH)

This method provides a quick and secure installation without the need for a separate base.

1. Locate the lower anchor points in your vehicle's back seat. These are typically marked with a symbol or label.
2. Extend the rigid lower anchor attachments from the car seat. There are 3 level options for adjustment; select the appropriate level for your vehicle's seat.
3. Align the rigid connectors with your vehicle's lower anchor points.
4. Push the car seat firmly towards the vehicle seat back until the connectors click securely onto the anchor points. Listen for an audible click to confirm engagement.
5. Test the installation by pulling on the car seat at the belt path. It should not move more than one inch side-to-side or front-to-back.



built-in rigid lower anchor attachments

Lower anchor attachments click right onto your vehicle's anchor points in seconds, so installation is quick, painless, and super secure. No base needed!

Image 3.1: A mother interacting with a baby in the Joie Mint Latch car seat, demonstrating the ease of use with built-in rigid lower anchor attachments for quick installation.

3.2. Installation with Vehicle Seat Belt

This method is suitable for vehicles without lower anchor points or for use on airplanes.

1. Place the car seat rear-facing on the vehicle seat.
2. Route the vehicle's lap and shoulder belt through the designated belt guides on the car seat. Refer to the labels on the car seat for the correct belt path.
3. Buckle the vehicle seat belt.
4. Press down firmly on the car seat while pulling the shoulder belt to remove all slack from the lap portion of the belt.
5. Engage the locking mechanism of your vehicle's seat belt (if applicable) or use a locking clip if provided with the car seat.
6. Test the installation by pulling on the car seat at the belt path. It should not move more than one inch side-to-side or front-to-back.

multiple install methods

Lower anchor attachments aren't your jam? Maybe you're a little old school? We've got you! Install this carrier securely and easily with the vehicle seat belt.



Image 3.2: A man installing the Joie Mint Latch car seat using the vehicle's seat belt, demonstrating an alternative installation method.

4. OPERATING INSTRUCTIONS

4.1. Securing Your Child

1. Place your child in the car seat.
2. Bring the shoulder straps over your child's shoulders and connect the buckle tongues into the buckle.
3. Pull the harness adjustment strap to tighten the harness until it is snug against your child's body. You should not be able to pinch any slack at the child's shoulder.
4. Position the chest clip at armpit level.



Image 4.1: Close-up view of a baby happily secured in the Joie Mint Latch car seat, showing the proper harness and chest clip positioning.

4.2. Harness Adjustment

The 5-point harness system can be adjusted to fit your growing child. Refer to the car seat labels for specific instructions on rethreading the harness straps as your child grows.

4.3. Recline Positions

The car seat features 3 reclining positions to ensure optimal comfort and safety for your infant. Adjust the recline angle using the recline lever located at the front of the car seat, ensuring the level indicator is within the acceptable range for your child's weight and age.

4.4. Canopy Use


The large UPF 50+ extendable canopy provides protection from sun and elements. Extend or retract the canopy as needed. Ensure the canopy is fully latched on both sides when extended.

4.5. Newborn Insert

For smaller infants, use the removable newborn insert to provide additional support and a snug fit. Remove the insert when your child outgrows it, typically when they reach the minimum weight/height for use without the insert as specified in the manual or on the product labels.

4.6. Travel System Compatibility

The Joie Mint Latch is compatible with various Joie strollers, allowing for seamless transitions from car to stroller. Consult your stroller's manual for specific attachment instructions.



base-free install

Built-in lower anchor attachments lock the seat directly to a vehicle's anchor points – no belt or base needed – so carpooling, rideshares, and babysitting handoffs have never been easier.

Image 4.2: A woman pushing a Joie stroller with the Mint Latch car seat attached, illustrating its travel system compatibility.

5. MAINTENANCE

5.1. Cleaning Fabrics

The car seat fabrics are machine washable. Refer to the care labels on the fabric for specific washing instructions. Typically, use cold water on a delicate cycle and air dry. Do not use bleach.

5.2. Cleaning Hard Goods

Wipe plastic and metal parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.

5.3. Harness Care

Wipe the harness straps with a damp cloth. Do not machine wash or submerge harness straps in water, as this can weaken the webbing.

6. TROUBLESHOOTING

- Car Seat Feels Loose After Installation:** Recheck all installation steps. Ensure the LATCH connectors are fully engaged or the vehicle seat belt is tightened with no slack and locked. The car seat should not move more than one inch at the belt path.
- Harness Straps Are Difficult to Adjust:** Ensure the harness release button is fully pressed when loosening the straps. Check for any twists in the harness webbing.
- Canopy Not Staying Latched:** Ensure the canopy is fully extended and the fabric is not obstructing the latch mechanisms on either side.
- Child Appears Uncomfortable:** Verify that the harness is at the correct height for your child's shoulders and that the newborn insert is used appropriately for smaller infants. Adjust the recline position if necessary.

7. SPECIFICATIONS

Product Dimensions	27.75"D x 17.75"W x 23.25"H (70.5 cm D x 45.1 cm W x 59.1 cm H)
--------------------	---

Item Weight	9.3 pounds (4.2 kg)
Minimum Child Weight	4 pounds (1.8 kg)
Maximum Child Weight (Rear-Facing)	30 pounds (13.6 kg)
Maximum Child Height	30 inches (76 cm)
Material Composition	Polypropylene & Polyester
Harness Type	5-Point
Number of Reclining Positions	3
Installation Type	Lower Anchor Attachments (Rigid LATCH) or Vehicle Seat Belt
Orientation	Rear Facing
Additional Features	Rigid LATCH, UPF 50+ Extendable Canopy, Removable Newborn Insert, Travel System Compatible, FAA Compliant for Airplanes

8. WARRANTY AND SUPPORT

For warranty information, product registration, or customer support, please contact Joie customer service. Details can typically be found on the Joie official website or on product packaging.

It is recommended to register your product to receive important safety notices and to facilitate warranty claims.

Related Documents - Mint Latch

 <p>Joie i-Level Recline Quick Start Guide: Installation and Safety</p>	<p>This guide provides essential information for installing the Joie i-Level Recline infant car seat. It includes step-by-step instructions, safety tips, and compatibility details for the i-Base Encore and i-Base Ix 2.</p>
 <p>Joie i-Juva Enhanced Child Restraint: User Manual and Installation Guide</p>	<p>This guide provides comprehensive instructions for the Joie i-Juva enhanced child restraint system. It covers safe installation, proper usage, child securing, compatibility with Joie bases and strollers, and essential care and maintenance tips. Designed for infants from 40cm to 75cm in height and up to 13kg, the i-Juva offers high-quality, certified safety for your child's travel. For warranty information, visit joiebaby.com.</p>
 <p>Joie i-Base Encore Vehicle Fit Guide - Compatibility List</p>	<p>Comprehensive vehicle compatibility guide for the Joie i-Base Encore child restraint system with i-Level Pro attachment. Ensure safe installation by checking our extensive list.</p>

	<p>Joie i-Base™ Encore Child Restraint Base: Installation and Safety Manual</p> <p>Official instruction manual for the Joie i-Base™ Encore child restraint base. Learn how to safely install and use the i-Size approved system with ISOFIX. Includes detailed steps, safety warnings, parts list, and warranty information.</p>
	<p>Joie i-Snug™ 2 Enhanced Child Restraint User Manual</p> <p>Comprehensive user manual for the Joie i-Snug 2 enhanced child restraint system. Learn about installation, safety features, and proper usage for your child's comfort and protection. Approved to ECE R129/03 i-Size standard.</p>
	<p>Baby Trend EZ Flex-Loc Infant Car Seat Owner's Manual</p> <p>Comprehensive owner's manual for the Baby Trend EZ Flex-Loc Infant Car Seat, covering installation, safety, features, and maintenance.</p>

Documents - Joie – Mint Latch




[\[pdf\] User Manual Installation Guide Instructions Parts List Accessories](#)

Joie carseat mint latch instruction manual dl joiebaby Instruction Manual US Mint Latch |||

Instruction Manual **mint latch™** Built-in LATCH infant seat Child height less than 30 inches 76 cm Child weight 4 to 30 lb 1.8 to 13.6 kg installation videos Read all the instructions in this manual before using the child restraint. IS-2024-05-04 Contents: 3 Important Welcome to the Family ...

lang:en score:56 filesize: 2.59 M page_count: 28 document date: 2024-05-13



[\[pdf\] User Manual Instructions Parts List Warranty Accessories Label](#)

Joie ginger lx stroller instruction manual Joie Ginger LX Mint Latch Travel System Baseless Car Seatv1dl joiebaby Instruction Manual US Lx pushchair manual |||

Instruction Manual **ginger™ lx** 4-in-1 pramette stroller Weight: birth up to 50 lb. 22.7 kg Height: birth up to 45 in. 114.3 cm IMPORTANT Read all instructions before assembling and using the stroller. Keep instructions for future use. Contents: 3 Warranty Information 4 Warnings 8 Parts List...

lang:en score:48 filesize: 8.2 M page_count: 21 document date: 2024-10-18

Usage		
Usage	birth up to 50 lb.	birth up to 50 lb.
Modes	4	4
Travel System Compatible	with included adapters	with included adapters
Comfort and Convenience		
Pramette conversion	3-step conversion	2-step conversion
Extendable canopy and ventilation panels	✗	✓
UPF 50+ and water-repellent canopy	✓	✓
Height-adjustable seat	3-position	3-position
Reversible seat	✓	✓
All-wheel suspension	✓	✓
Quick-release, all terrain EVA foam wheels	✓	✓
Telescoping handle-bar	✓	✓
Materials		
Upgraded fabrics	✗	✓ upgraded woven fabrics
Specifications		
Weight	22 lb.	24 lb.
Dimensions	138 x w 24.5 x h 48.5 in.	136 x w 24.5 x h 41.5 in.
Folded Dimensions	119 x w 24.5 x h 37 in.	117.5 x w 24.5 x h 32 in.
Fashions	shale mocha evergreen	shale mocha latte evergreen

[\[pdf\]](#) User Manual Specifications Dimension Guide

D2236 GingerLX Comparison Chart US Joie ginger lx stroller comparison chart Joie Ginger LX Mint Latch

Travel System Baseless Car Seatv1dl joiebaby Instruction Manual Lx pushchair chart |||

compare gingerTM and gingerTM LX gingerTM Usage NEW gingerTM LX Usage

Modes Travel System Compatible birth up to 50 lb. 4 with included adapters birth up

to 50 lb. 4 with included adapters Comfort and Convenience Pramette conversion

Extendable canopy and ventilation panels UPF 50 and water-re...

lang:nl score:31 filesize: 569.98 K page_count: 1 document date: 2025-01-27