QCY H3 PRO

QCY H3 PRO Adaptive ANC Wireless Headphones User Manual

Model: H3 PRO

PRODUCT OVERVIEW

The QCY H3 PRO Adaptive ANC Wireless Headphones are designed to provide a superior audio experience with advanced noise cancellation and high-fidelity sound. Featuring a comfortable over-ear design, these headphones are suitable for extended listening sessions.

Image: QCY H3 PRO Adaptive ANC Wireless Headphones in White, showcasing their sleek design.

Key Features:

- **50dB Adaptive Active Noise Cancellation:** Effectively reduces external noise by up to 99.6%, with auto-calibrating noise reduction for optimal performance in various environments.
- **Hi-Res Audio & LDAC Support:** Equipped with powerful 40mm magnetic titanium-plated diaphragm drivers, delivering high-resolution audio with 3x more detail than standard Bluetooth headphones. (LDAC compatible with Android devices via App settings).
- **Custom QCY App & Multipoint Connection:** Personalize sound settings, noise canceling modes, and touch controls. Seamlessly switch between two connected devices (Android or iOS).
- **Extended Battery Life & Fast Charging:** Offers up to 55 hours of playtime in ANC OFF mode. A 10-minute quick charge provides 5 hours of playback. Supports wired mode via 3.5mm audio jack.
- **Bluetooth 5.4 & Clear Calls:** Ensures faster transmission speeds and stable connectivity. Features 3 AI-enhanced microphones for crystal-clear voice pickup, minimizing background noise.
- **Ergonomic Design:** Premium skin-friendly protein leather earcups with memory foam padding, extended leather

headband, and retractable metal arm for all-day comfort.

Image: An overview diagram highlighting the key features of the QCY H3 PRO headphones, including adaptive hybrid noise cancellation, ultra-long playtime, low-latency mode, personalization via app, 40mm dynamic drivers, 3 mics for ENC calls, and dual connection capability.

WHAT'S IN THE BOX

Upon unboxing your QCY H3 PRO headphones, please ensure all components are present:

- Active Noise Cancelling Headphones (1 unit)
- USB Type-C Charging Cable (1 unit)
- 3.5mm Audio Cable (1 unit)
- User Manual (1 unit)

Image: A visual representation of the QCY H3 PRO product packaging and its contents, including the headphones, USB-C charging cable, 3.5mm audio cable, and user manual.

SETUP GUIDE

1. Initial Charging

Before first use, fully charge your headphones. Connect the provided USB Type-C charging cable to the headphone's charging port and a compatible USB power source. The indicator light will show charging status and turn off when fully

charged.

Fast Charging: A 10-minute charge provides approximately 5 hours of playback.

Image: The QCY H3 PRO headphones with the USB Type-C charging cable connected, illustrating the charging process.

2. Bluetooth Pairing

1. Ensure the headphones are powered off.
2. Press and hold the Multi-function Button (usually the power button) for approximately 5 seconds until the indicator light flashes blue and red, indicating pairing mode.
3. On your device (smartphone, tablet, computer), enable Bluetooth and search for "QCY H3 PRO" in the list of available devices.
4. Select "QCY H3 PRO" to connect. Once connected, the indicator light will turn solid blue or off, depending on the model.

Image: A visual representation of the Bluetooth 5.4 chip, emphasizing the advanced technology for faster and more stable wireless connectivity.

3. QCY App Installation (Optional but Recommended)

For full customization and feature access, download the official QCY App from your device's app store (iOS/Android). The app allows you to:

- Select noise canceling modes.
- Customize touch controls.
- Adjust EQ settings (activate LDAC for Android devices).
- Manage multipoint connections.

Image: The QCY H3 PRO headphones next to a smartphone displaying the QCY application, illustrating the app's role in controlling headphone settings and features.

4. Wired Connection

To use the headphones in wired mode, connect the provided 3.5mm audio cable to the headphone's audio jack and your audio source. This mode is useful when battery is low or for devices without Bluetooth.

Image: The QCY H3 PRO headphones displayed on a stand, connected via the 3.5mm audio cable, demonstrating their wired connectivity option.

OPERATING INSTRUCTIONS

The QCY H3 PRO headphones feature intuitive controls for easy management of audio and calls.

Button Functions:

What's in the Box

Packaging* 1

User manual * 1

Type-C cable * 1

3.5mm Aux Cable * 1

Headphones* 1

Image: A detailed diagram illustrating the location and functions of the buttons on the QCY H3 PRO headphones, including the multi-function button, volume controls, and ANC switch.

Control Functions Overview

Button/Action	Function
Multi-function Button (Hold 2s)	Power ON
Multi-function Button (Hold 4s)	Power OFF
Multi-function Button (Hold 1s)	Reject Call
Multi-function Button (x1 press)	Play/Pause/Answer/Hang up
Multi-function Button (x2 press)	Low-latency Mode
Multi-function Button (x3 press)	Voice Assistant
VOL+ (Hold 1s)	Play Next Track
VOL+ (x1 press)	Volume Up
VOL- (Hold 1s)	Play Previous Track
VOL- (x1 press)	Volume Down
ANC Switch (x1 press)	ANC ON/OFF/Transparency Mode Cycle
ANC Switch (x2 press)	Activate Adaptive ANC

Noise Cancellation Modes:

The QCY H3 PRO offers multiple noise cancellation modes to adapt to your environment:

- **Active Noise Cancellation (ANC):** Reduces ambient noise for immersive listening.
- **Adaptive ANC:** Automatically adjusts noise cancellation levels based on your surroundings.
- **Transparency Mode:** Allows you to hear your surroundings without removing the headphones, useful for awareness.

Diseño Ergonómico y Comodidad Durante Todo el Día

- Espuma ultra suave
- Diadema ajustable
- Diseño de alivio de presión
- Auriculares giratorios

Image: A person wearing the QCY H3 PRO headphones, depicting the effectiveness of the active noise cancellation feature in a busy environment.

Multipoint Connection:

The headphones can connect to two devices simultaneously, allowing seamless switching between them without re-pairing.

Image: An illustration demonstrating the multipoint connection feature, where the QCY H3 PRO headphones are simultaneously connected to a tablet for a video call and a smartphone for music playback.

MAINTENANCE AND CARE

Proper care will extend the lifespan of your QCY H3 PRO headphones.

- **Cleaning:** Use a soft, dry cloth to clean the earcups and headband. Do not use harsh chemicals or abrasive materials.
- **Storage:** Store the headphones in a cool, dry place away from direct sunlight and extreme temperatures. While a case is not included, using a protective case is recommended for travel.
- **Battery Care:** To maintain battery health, avoid fully discharging the headphones frequently. Charge them regularly, even if not in use for extended periods.
- **Water Resistance:** These headphones are not water resistant. Avoid exposure to liquids, moisture, and humidity.

TROUBLESHOOTING

If you encounter issues with your QCY H3 PRO headphones, try the following solutions:

- **No Power:** Ensure the headphones are fully charged.
- **Cannot Pair:**

  - Ensure the headphones are in pairing mode (indicator flashing blue/red).
  - Turn off Bluetooth on other nearby devices to prevent interference.
  - Clear the pairing history on your device and the headphones (refer to QCY App or specific button combination in the manual if available).

- **No Sound/Low Volume:**

  - Check the volume levels on both the headphones and your connected device.
  - Ensure the headphones are properly connected via Bluetooth or the 3.5mm cable.
  - If using wired mode, ensure the cable is fully inserted.

- **Poor Sound Quality/Delay:**

  - Ensure there are no obstructions between the headphones and your device.
  - Move closer to your device to improve signal strength.

- If experiencing delay during gaming or video playback, activate Low-latency Mode via the Multi-function Button (x2 press).
- For Android users, ensure LDAC is enabled in the QCY App for optimal audio quality.

- **ANC Not Working Effectively:**

  - Ensure ANC is activated via the ANC Switch.
  - Check the QCY App for adaptive ANC settings.
  - Ensure earcups form a good seal around your ears.

- **Microphone Issues:**

  - Ensure the microphone is not blocked.
  - Check microphone settings on your connected device.

For further assistance, refer to the official QCY App or contact customer support.

SPECIFICATIONS

| Feature	Detail
Model Name	H3 PRO
Brand	QCY
Connectivity Technology	Wired, Wireless (Bluetooth 5.4)
Headphones Jack	3.5 mm Jack
Noise Control	Active Noise Cancellation, Adaptive Noise Cancellation, Hybrid Noise Cancellation
Audio Driver Size	40 Millimeters
Audio Driver Type	Dynamic Driver
Frequency Range	20 Hz - 20,000 Hz
Bluetooth Range	15 Meters
Audio Latency	60 Milliseconds (Low-latency Mode)
Battery Life	55 Hours (ANC OFF)
Control Method	App, Button
Compatible Devices	IOS/Android
Item Weight	231 Grams (8.1 ounces)
Product Dimensions	5.71 x 3.15 x 7.2 inches
Material	Plastic
Ear Placement	Over Ear
Form Factor	Over Ear
Water Resistance Level	Not Water Resistant

WARRANTY AND SUPPORT

For detailed warranty information, please refer to the official QCY website or the warranty card included with your product. QCY provides customer support for product inquiries and technical assistance.

- **Official User Manual (PDF):** For a downloadable version of the user manual, please visit:QCY H3 PRO User Manual PDF

- **QCY Brand Store:** Explore more QCY products and find support resources at the official brand storeQCY Official Store

Documents - QCY – H3 PRO

[pdf] Frequently Asked Questions

H3 pro   B 202400810 QCY Pro   1728463718580510 qcy cn upfile |||
QCY **H3 Pro** QCY **H3 Pro** 4 103 , QCYAPP / TYPE-C LED 3.5mm AUX ANC : 2 : 4 / : : 2 : - 1 : 1 : : / : : : //: ANC ANCANC ANC ANC / TYPE-C LED 3.5mm AUX ANC 2 1 10 QCY APP AA BQCY **H3 Pro** A Bluetooth Bluetooth LED A B 3 ...
lang:en score:29 filesize: 1.26 M page_count: 2 document date: 2024-08-26

[pdf] User Manual Frequently Asked Questions

H3 pro   A 20240725 User manual Dongguan Hele Electronics Co Ltd BH24H3B RDR RDRBH24H3B bh24h3b
NN NN NN BH24H3B QCY **H3 Pro** 4 103 , QCYAPP / TYPE-C LED 3.5mm AUX ANC : 2 : 4 / : : 2 : - 1 : 1 : : / : : : //: ANC ANCANC ANC ANC / TYPE-C LED 3.5mm AUX ANC 2 1 QCY APP AA BQCY **H3 Pro** A Bluetooth A Bluetooth QCY H3 Pr...
lang:en score:29 filesize: 1.57 M page_count: 1 document date: 2024-09-05

[pdf] User Manual Frequently Asked Questions

H3 pro   B 202400810 QCY PRO Adaptive ANC Wireless Headphones Over Ear 50dB Active Noise Cancellation with Multiple Modes LDAC Hi Res Audio 55H Playtime Custom EQ via App Bluetooth 5 4 WhiteH3 User Manual White B0DHTTRRMM B0DHTTTNJD B0DHTTRNNW B0DHTVSZ9W B0F18JQ7HGA1u3x7mWigLm media amazon images I A1u3x7mWigL B0F18JQ7HG   Pro   Missing quick guidem A1u3x7mWigLm ref dp product view ||| ||| QCY H3 Pro QCY H3 Pro 4 103 , QCYAPP / TYPE-C LED 3.5mm AUX ANC : 2 : 4 / : : 2 : - 1 : 1 : : / : : : //: ANC ANCANC ANC ANC / TYPE-C LED 3.5mm AUX ANC 2 1 10 QCY APP AA BQCY H3 Pro A Bluetooth Bluetooth LED A B 3 5V 1A USB QCY : 17QCY 215Q

QCY **H3 Pro** QCY **H3 Pro** 4 103 , QCYAPP / TYPE-C LED 3.5mm AUX ANC : 2 : 4 / : : 2 : - 1 : 1 : : / : : : //: ANC ANCANC ANC ANC / TYPE-C LED 3.5mm AUX ANC 2 1 10 QCY APP AA BQCY **H3 Pro** A Bluetooth Bluetooth LED A B 3 ...

lang:en score:28 filesize: 1.26 M page_count: 2 document date: 2024-08-26

[pdf]

6957141409527 6957141409534 6957141409541 pl QCY H3 Pro Stati Podłącz słuchawki do urządzenia A następnie wyłącz Bluetooth a automatycznie włączą się wskaźnik LED będzie migać na czerwono i biało 1322142 ftp stati GPSR UserManuals PL |||

QCY **H3 Pro** Sluchawki bezprzewodowe ANC Aby uzyska lepsze wraenia z uytkowania, zeskanuj i pobierz aplikacj QCY przed uruchomieniem. Opis produktu Suwak z regulacj Skladany wspornik Przycisk wielofunkcyjny Glono /- Port typu C Zawarto zestawu ANC Mikrofon LED Port audio AUX 3,5 mm Przycisk ANC ...

lang:pl score:26 filesize: 2.1 M page_count: 8 document date: 2024-12-03

[pdf] Specifications

H3 Pro ¿KÕ¥J2023 6 13 xlsx †!M Antenna specification Dongguan Hele Electronics Co Ltd BH24H3B RDR RDRBH24H3B bh24h3b

QCY **H3 Pro** Antenna RF R D report V1 The main purpose of this report is to test and verify Main conclusions of this report: Highlights of this report: Antenna impedance parameter test Passive standing wave pattern frequency 2400 2410 gain dBi 0.71 Antenna passive efficiency test with 3D 2D patte...

lang:en score:19 filesize: 773.38 K page_count: 3 document date: 2024-09-06