Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- > BODEGA /
- > BODEGA 24-Inch Outdoor Beverage Refrigerator User Manual (Model: JC-145C)

BODEGA JC-145C

BODEGA 24-Inch Outdoor Beverage Refrigerator User Manual

Model: JC-145C

1. Introduction

Thank you for choosing the BODEGA 24-inch Outdoor Beverage Refrigerator. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your appliance. Please read it thoroughly before use and retain it for future reference.



This image displays the BODEGA 24-inch beverage refrigerator with its door open, revealing the interior shelves filled with various canned beverages. It highlights the unit's capacity and internal lighting.

Key Features:

- 24-Inch Compact Design: Measures 23.4"W x 34.2"H x 22.9"D, suitable for under-counter installation with front heat ventilation.
- 164 Can Capacity: Offers 4.61 cubic feet of storage, accommodating up to 164 standard 12oz cans. Includes 2 adjustable shelves and 8 carrying hooks.
- Weatherproof Construction: Features a stainless steel door for superior insulation, durability, and corrosion resistance, ideal for outdoor use.
- Efficient Cooling: Equipped with a low-noise compressor, providing a temperature range of 37-65°F (3-18°C) with 1°C/°F accuracy and operating at 42 dB.
- Smart Touch Control: Intuitive control panel for easy temperature adjustments.

2. SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury when using your appliance, follow these basic precautions:

- Read all instructions before using the appliance.
- Do not touch cold surfaces, especially when the appliance is operating, to avoid frostbite.
- Never clean appliance parts with flammable fluids. The fumes can create a fire hazard or explosion.
- Do not store or use gasoline or any other flammable vapors and liquids in the vicinity of this or any other appliance.
- Before performing any maintenance or cleaning, ensure the appliance is unplugged from the power outlet.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- Ensure proper grounding for electrical safety.

3. Installation

3.1 Unpacking and Placement

Carefully remove all packaging materials. Ensure no parts are missing or damaged. Place the refrigerator on a flat, stable surface capable of supporting its weight when fully loaded. Allow at least 2-4 inches of space around the unit for proper ventilation, especially at the rear and sides, unless built-in installation is intended.



This diagram shows the versatility of the BODEGA beverage refrigerator, demonstrating both freestanding placement and seamless built-in installation under a counter.

3.2 Dimensions

Refer to the diagram below for precise measurements to ensure proper fit for your chosen location.



This image provides a detailed view of the refrigerator's dimensions, including width (23.43 inches), height (34.06 inches), and depth (22.95 inches), crucial for proper installation planning.

3.3 Electrical Connection

Ensure the power outlet is properly grounded and matches the voltage requirements of the appliance (115 Volts). Do not use extension cords or adapter plugs with this appliance.

4. OPERATION

4.1 Control Panel

The smart touch control panel allows for easy temperature adjustments and light control.



This image highlights the user-friendly smart touch control panel for temperature adjustment, the robust high elastic door seal for insulation, and the efficient front ventilation system.

4.2 Temperature Settings


The temperature can be adjusted between 37-65°F (3-18°C). Use the '+' and '-' buttons on the control panel to set your desired temperature. The unit features a smart temperature design for consistent cooling.



This diagram illustrates the smart temperature design, maintaining a consistent cooling environment with a temperature range of 37-65°F (3-18°C) for optimal beverage preservation.

4.3 Shelves and Capacity

The refrigerator includes 2 removable and adjustable metal shelves, along with 8 carrying hooks, allowing for flexible storage configurations to maximize space for various beverage sizes.



This image illustrates the removable and adjustable metal shelves within the refrigerator, designed to accommodate various sizes of cans and bottles for optimized storage.



This graphic emphasizes the refrigerator's substantial storage capacity, capable of holding up to 164 standard cans, along with other items like fruits and food.

4.4 Reversible Door

The door hinges are adjustable, allowing the door to be reversed to open from either the left or right side, providing greater flexibility for placement.



This image demonstrates the adjustable hinges and reversible door design, offering flexibility for placement and opening direction in different kitchen or outdoor layouts.

5. MAINTENANCE

5.1 Cleaning

Always unplug the appliance before cleaning. Clean the interior and exterior surfaces with a mild detergent and warm water. Do not use abrasive cleaners or sharp objects. The stainless steel door can be cleaned with a stainless steel cleaner.

BODEGA 24inch Outdoor Beverage Cooler Features Foaming Door, Make Your Beverage Fast Cooling, Good Insulation and Energy Saving 304 stainless steel Foam materials

This image shows the BODEGA beverage refrigerator's stainless steel door, which is durable and easy to clean, maintaining its appearance in various settings.

5.2 Defrosting

This appliance features an automatic defrost system. During operation, frost may accumulate on the evaporator. This will automatically defrost during the off-cycle of the compressor. The defrosted water is collected in a drip tray and evaporates.

5.3 Extended Periods of Non-Use

If the appliance is not used for an extended period, unplug it, empty the contents, clean it thoroughly, and leave the door slightly ajar to prevent odors and mold growth.

6. TROUBLESHOOTING

Before contacting customer service, please refer to the following table for common issues and solutions:

Problem	Possible Cause	Solution
Appliance does not operate.	Not plugged in; circuit breaker tripped; temperature set too high.	Ensure plug is secure; reset circuit breaker; lower temperature setting.
Temperature is not cold enough.	Door opened too frequently; warm items added; poor ventilation; door gasket not sealing.	Minimize door openings; allow items to cool before placing inside; ensure adequate clearance; check door gasket for proper seal.
Excessive vibration.	Appliance not level; weak floor.	Adjust leveling legs; ensure floor can support the unit.
Noise from appliance.	Normal operation sounds (compressor, fan); loose parts.	These are normal; check for any loose items inside or around the unit.

7. SPECIFICATIONS

Feature	Specification
Brand	BODEGA
Model Number	JC-145C
Capacity	4.61 Cubic Feet (approx. 164 standard 12oz cans)
Product Dimensions (D x W x H)	22.95 x 23.43 x 34.06 inches
Item Weight	94.8 pounds
Installation Type	Freestanding / Built-in
Color	Silver
Voltage	115 Volts
Defrost System	Automatic
Door Material Type	Stainless Steel
Number of Shelves	2
Refrigerant	R-600A

8. WARRANTY AND SUPPORT

BODEGA offers 12 months of product support for this appliance. If you have any questions or require assistance before or after purchase, please contact our customer service team. For warranty claims, please provide your purchase details and model number.



This image showcases the BODEGA refrigerator integrated into an outdoor kitchen, emphasizing its weatherproof, anti-high temperature, and dustproof design suitable for patio and deck use.


© 2025 BODEGA. All rights reserved.

Related Documents - JC-145C



Bodega Cooler TAW Series Instruction Manual

Comprehensive instruction manual for Bodega Cooler TAW35, TAW45, and TAW55 portable refrigerators, covering safety, operation, maintenance, and troubleshooting.



Bodega Mobile Refrigerator YC60/YC110 Instruction Manual

Comprehensive instruction manual for Bodega mobile refrigerators, models YC60 and YC110. Covers safety guidelines, specifications, operating instructions, ventilation, maintenance, troubleshooting, and error codes.



Bodega Cooler T36/T50/T60 Instruction Manual - Portable Refrigerator Guide

Comprehensive instruction manual for Bodega Cooler portable refrigerators (Models T36, T50, T60). Covers safety, operation, app connection, maintenance, troubleshooting, and warranty information.



Bodega Wine Cellar Instruction Manual

Comprehensive instruction manual for Bodega Wine Cellars, covering installation, operation, temperature settings, maintenance, and troubleshooting for models JC-58A, JC-85A, and JC-145A.



Bodega Cooler CR40 Mobile Refrigerator Instruction Manual


Comprehensive instruction manual for the Bodega Cooler CR40 mobile refrigerator, covering safety instructions, product features, installation, operation, troubleshooting, and technical specifications.



Bodega Cooler Refrigerator Instruction Manual - Models U45, U55, U65

Comprehensive instruction manual for Bodega Cooler portable refrigerators (models U45, U55, U65). Includes safety guidelines, product features, operation instructions, care and maintenance, app connectivity, troubleshooting, technical specifications, and warranty information.

Documents - BODEGA - JC-145C




[pdf] User Manual Installation Guide Instructions Troubleshooting Guide Warranty Catalog

INSTRUCTION MANUAL raching 2c075eda 9803 4fef a89c eb66df79705d images thd static catalog Images 2c $\parallel \parallel$

INSTRUCTION MANUAL INSTRUCTION MANUAL BEVERAGE COOLER MODEL: JC-85C / **JC-145C** This manual contains important information including safety and installation instructions of the appliances. Please read it carefully before use and follow all safety information instructions. It is recommended to keep t...


lang:en score:41 filesize: 534.17 K page_count: 12 document date: 2024-09-20



[pdf] User Manual Installation Guide Instructions Troubleshooting Guide Warranty INSTRUCTION MANUAL raching Manual list AOBOSI amzchef BEVERAGE COOLER JC 85C US v 1737697122 cdn shopify s files 1 0096 6714 9860 |||

INSTRUCTION MANUAL BEVERAGE COOLER BRAND:A aobosi MODEL: JC-85C / **JC-145C** This manual contains important information including safety and installation instructions of the appliances. Please read it carefully before use and follow all safety information instructions. It is recommended to keep this ...


lang:en score:39 filesize: 314.2 K page_count: 12 document date: 2025-01-24



[pdf] User Manual Installation Guide Instructions Troubleshooting Guide Warranty INSTRUCTION MANUAL raching Instructions for Use IFU BODEGA 24 Inch Outdoor Refrigerator Under Counter or Freestanding Beverage Fridge with Stainless Steel Door Hold 164 cans For Home Kitchen Bar Office Commercial A17aljfjotL m media amazon images I |||

INSTRUCTION MANUAL INSTRUCTION MANUAL BEVERAGE COOLER MODEL: JC-85C / **JC-145C** This manual contains important information including safety and installation instructions of the appliances. Please read it carefully before use and follow all safety information instructions. It is recommended to keep t...

lang:en score:38 filesize: 1.04 M page count: 12 document date: 2022-10-28




[pdf] User Manual Installation Guide Instructions Troubleshooting Guide Warranty

AAobosi JC 85C JC145C User Manual v 1668856427 cdn shopifycdn net s files 1 0560 6309 9070 |||

INSTRUCTION MANUAL BEVERAGE COOLER BRAND:A aobosi MODEL: JC-85C /

JC-145C This manual contains important information including safety and installation instructions of the appliances. Please read it carefully before use and follow all safety information instructions. It is recommended to keep this ...

lang:en score:25 filesize: 937.18 K page count: 12 document date: 2022-11-19



[pdf]

Constructional Data Report Standard Gil Diaz Authorization to Mark Wine Cooler BODEGA AMZCHEF AAOBOSI Antarctic Star ProFire MAVENCOOL SOTOLA Kingchii This authorizes the application of Certification s 66990767 lowes productdocuments f74af864 e4b9 45fb b631 279853fa46e2 ||| AUTHORIZATION TO MARK This authorizes the application of the Certification Mark s shown below to t ... r, ProFire, MAVENCOOL, SOTOLA, Kingchii Models: JC-58A, JC-85A, JC-85B, JC-85C, JC-145A, JC-145B, JC-145C, JC-215A, JC-215B, JC-265A, JC265B, JC-375A, JC-375B, JC-425A, JC-425B, JC-165A, JC-165B, JC... lang:en score:21 filesize: 111.12 K page_count: 1 document date: 2023-09-15

Tigen Testing of Testing Control of Age 2019 | Prevent 13-abs 2022 | Tigen Testing Control of Testing Control of Age 2019 | Prevent 13-abs 2022 | Tigen Testing Control of Testing Control of Age 2019 | Prevent 13-abs 2022 | Testing Requirements for Security Age 2014 | Testing Control of Age 2014 | Testing

intertek

Page 1 of 8

This specif is to the malassic and if thereby Clots and is provided garbanet to the appreciancy features before the clots. It must be required to the provided garbanet to the clots of the form and conditions of the appreciancy feedule assessment on belief to any page, other from to the Clots as received as the first approximate to any page of the clothest and the page of the clothest approximate to the page of the approximate to the clothest approximate to the page of the clothest approximate to the page of the approximate to the page of the approximate to the approximate to the page of the approximate to the approximate to the page of the approximate to th

[pdf] Specifications

Constructional Data Report Standard Gil Diaz SpecificationsR W FLAME 15 28 Bottle and 65 Can Dual Zone Freestanding Built In Wine Beverage Refrigerator Wayfair44926 3812725 51 listing constructional data report cdrassets wfcdn dm document bed2cf23 3134 4751 9914 11a1af4c0279 44926 cdr ||| Listing Constructional Data Report CDR 1.0 Reference and Address Report Number 181206080GZU-001 ... ted in a grounding type attachment plug. Models JC-58A, JC-85A, JC-85B, JC-85C, JC-145A, JC-145B, **JC-145C**, JC-215A, JC-215B, JC-265A, JC-265B, JC-375A, JC-375B, JC-425A, JC-425B, JC-165A, JC-165B, J... lang:en score:17 filesize: 7.17 M page_count: 82 document date: 2022-06-16



[pdf] User Manual Catalog

Constructional Data Report vicky yq he Schleier 12 in 19 Bottle Wine and 0 Can Beverage Cooler Use Care Manual sotola SA3510 ZM 331140316929 0331140316929 1007436390 715cd5b7 640f 4875 b7aa 472e0b289c95 images thdstatic catalog Images 71 |||

AUTHORIZATION TO MARK This authorizes the application of the Certification Mark s shown below to t ... arctic Star, ProFire, MAVENCOOL, SOTOLA Models: JC-58A, JC-85A, JC-85B, JC-85C, JC-145A, JC-145B, **JC-145C**, JC-215A, JC-215B, JC-265A, JC265B, JC-375A, JC-375B, JC-425A, JC-425B, JC-165A, JC-165B, JC... lang:en score:16 filesize: 179.5 K page_count: 2 document date: 2021-09-01