

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [APPASO](#) /

› [APPASO APS2980 2-Handle Kitchen Faucet Instruction Manual](#)

APPASO APS2980

APPASO APS2980 2-Handle Kitchen Faucet Instruction Manual

Model: APS2980 | Brand: APPASO

[Contents](#) [Specifications](#) [Introduction](#) [Safety Information](#) [Package](#)
[Installation](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Warranty & Support](#)

1. INTRODUCTION

Thank you for choosing the APPASO APS2980 2-Handle Kitchen Faucet. This manual provides essential information for the safe installation, operation, and maintenance of your new faucet. Please read it thoroughly before installation and keep it for future reference.

2. SAFETY INFORMATION

- Always turn off the main water supply before beginning any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves.
- Ensure all connections are secure to prevent leaks. Do not overtighten.
- If you are unsure about any part of the installation, consult a qualified plumber.
- Keep children away from the installation area.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 2-handle Kitchen Faucet
- Instruction Manual (this document)
- Mounting Parts
- Pull Down Sprayer
- Soap Dispenser

1



Dual Broom Mode

Clean in a Flash



2



Stream Mode

Gentle & No Splash



3



Spray Mode

More Force, Less Splash



Image: All components of the APPASO APS2980 2-Handle Kitchen Faucet, including the main faucet body, handles, pull-down sprayer, soap dispenser, and installation hardware, neatly arranged in their packaging.

4. PRODUCT SPECIFICATIONS

Feature	Detail
---------	--------

Brand	APPASO
Model Name	APS2980
Mounting Type	4-hole (compatible with 3 or 4 holes)
Finish Type	Brushed Nickel
Material	SUS304 Stainless Steel / ABS Plastic / PEX
Number of Handles	2
Spout Design	High Arch Gooseneck
Spout Height	10.25 Inches
Spout Reach	7 Inches
Hose Length	27 Inches
Maximum Flow Rate	1.8 Gallons Per Minute
Special Features	2-Handle, Fit 3 or 4 Holes, High-end Cartridge, Pull Down Sprayer, Spot-free finish
Product Dimensions	17"D x 13"W x 3"H
Item Weight	4.47 pounds
Certificate Type	cUPC




Image: Technical drawing illustrating the precise dimensions of the APPASO APS2980 faucet, including spout height, reach, handle spacing, and soap dispenser measurements. It also shows the recommended counter-top thickness and mounting hole sizes for 3 or 4-hole sinks.



Image: A diagram showing the hole sizes and spacing for installing the faucet on both 3-hole and 4-hole kitchen sinks, along with the maximum recommended countertop thickness.

5. INSTALLATION GUIDE

The APPASO APS2980 faucet is designed for easy and quick installation, typically within 30 minutes, without the need for specialized tools or contractors. It is compatible with both 3-hole and 4-hole kitchen sinks.

5.1 Before You Begin

- Ensure the main water supply is turned off.
- Clear the area under the sink for easy access.
- Verify all package contents are present.

5.2 Step-by-Step Installation

1. Insert the faucet body into the center hole of your sink.
2. Secure the faucet from underneath the sink using the provided mounting hardware.
3. Connect the hot and cold water supply lines to the corresponding valves. Ensure a tight, leak-free connection.
4. Attach the pull-down sprayer hose to the main faucet body connection under the sink.
5. Install the counterweight onto the pull-down hose to ensure smooth retraction.
6. If using, install the soap dispenser into one of the remaining holes and connect its bottle from underneath.
7. Turn on the main water supply and check for any leaks.



Image: A close-up view of the faucet base being installed onto the sink, showing the hot and cold water lines and the main faucet

connection point.



Image: A person connecting the braided stainless steel water supply lines to the faucet's hot and cold water inlets, ensuring a secure fit.



Image: A hand attaching the black counterweight to the pull-down sprayer hose under the sink, which aids in smooth retraction of the sprayer head.

5.3 Installation Video

Your browser does not support the video tag.

Video: A comprehensive installation guide for the APPASO 4-Hole Kitchen Faucet, demonstrating each step from unboxing to final setup.

Your browser does not support the video tag.

Video: A detailed video showcasing the installation process of the APPASO 2-Handle Kitchen Faucet with Pull Down Sprayer, highlighting key steps for a smooth setup.

6. OPERATING INSTRUCTIONS

6.1 Water Flow and Temperature Control

The faucet features a 2-handle design for precise control over water flow and temperature. The left handle typically controls hot water, and the right handle controls cold water. Adjust both handles to achieve your desired temperature and flow rate.



Image: An overhead view of the faucet showing the dual handles, with indicators for hot (red) and cold (blue) water, demonstrating precise temperature adjustment.



Image: The faucet's high-arc spout swiveling 360 degrees, highlighting the flexibility and the drip-free ceramic valve for reliable performance.

6.2 Pull-Down Sprayer with 3 Modes

The pull-down sprayer offers three distinct spray modes for various tasks:

- **Dual Broom Mode:** Provides a powerful, wide spray for quick and efficient cleaning.
- **Stream Mode:** Delivers a gentle, aerated flow for everyday tasks like filling pots or washing hands, minimizing splash.
- **Spray Mode:** Offers a focused, strong spray with less splash, ideal for rinsing fruits and vegetables or stubborn food residue.

To switch between modes, press the button on the sprayer head. The 27-inch PEX hose allows you to reach all corners of your sink.



Image: A visual representation of the three spray modes: Dual Broom for powerful cleaning, Stream for gentle flow, and Spray for focused rinsing, demonstrating the versatility of the pull-down sprayer.



Image: A hand extending the pull-down sprayer with its 20-inch PEX hose to fill a pitcher, illustrating its extended reach and flexibility for various sink tasks.

6.3 Soap Dispenser (Optional)

If installed, the integrated soap dispenser provides convenient access to liquid soap. Simply press down on the pump head to dispense soap.

6.4 Operation Video

Your browser does not support the video tag.

Video: A short demonstration of the APPASO 4-Hole 2 Handle Kitchen Faucet with Sprayer in action, showcasing its various spray modes and ease of use.

7. CARE AND MAINTENANCE

To maintain the appearance and functionality of your APPASO faucet, follow these guidelines:

- **Cleaning:** Clean regularly with a soft cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the brushed nickel finish. The faucet features a spot-free finish for easier cleaning.
- **Aerator Maintenance:** If water flow becomes restricted, the aerator may be clogged. Use the provided cleaning tool to remove and clean the aerator.
- **Hose Care:** Ensure the pull-down hose moves freely under the sink and is not obstructed by items.



Image: A close-up of the aerator cleaning tool being used to remove or clean a blocked aerator, effectively solving clogging issues and maintaining optimal water flow.

8. TROUBLESHOOTING

If you encounter any issues with your faucet, refer to the common problems and solutions below:

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; kinked supply lines; low water pressure.	Clean or replace aerator; check supply lines for kinks; contact your water provider if pressure is generally low.

Leaks from Faucet Base	Loose mounting nuts; worn O-rings.	Tighten mounting nuts (do not overtighten); inspect and replace O-rings if necessary.
Dripping Faucet	Worn ceramic cartridge.	Replace the ceramic cartridge.
Sprayer Not Retracting	Counterweight improperly positioned or missing; hose obstructed.	Adjust counterweight position; clear any obstructions around the hose under the sink.

If the problem persists after trying these solutions, please contact APPASO customer support.

9. WARRANTY AND CUSTOMER SUPPORT

APPASO products are manufactured to high-quality standards and are backed by a manufacturer's warranty. For specific warranty details, please refer to the warranty card included with your purchase or visit the official APPASO website.

For technical assistance, replacement parts, or any other inquiries, please contact APPASO customer support:

- **Website:** www.appaso.com
- **Email:** support@appaso.com (example)
- **Phone:** 1-800-XXX-XXXX (example)

Please have your model number (APS2980) and purchase date ready when contacting support.