

## Clean Garage EGO765-AST2000KIT

# Clean Garage EGO Blower 765 CFM Car Drying Kit Instruction Manual

### PRODUCT OVERVIEW

The Clean Garage EGO Blower 765 CFM Car Drying Kit provides powerful, cordless air movement for various tasks, including car drying and yard cleanup. This kit includes the EGO Power+ 765 CFM Blower, an EGO AST2000 Short Nozzle specifically designed for car drying, a 5.0Ah battery with fuel gauge, and a 320W battery charger. Additional nozzles, including a tapered nozzle and a spread nozzle, are also included for general leaf blowing applications.

Key features of this kit include:

- EGO Power+ 765 CFM Blower for high-performance air delivery.
- EGO AST2000 Short Nozzle optimized for efficient car drying.
- One 5.0Ah ARC Lithium battery with integrated fuel gauge.
- One 320W battery charger for quick and convenient charging.
- Includes tapered and spread nozzles for versatile use in yard cleanup.
- High-efficiency brushless motor for extended run time and motor life.
- Variable-speed control dial (260-580 CFM) and Turbo button (765 CFM).
- Weather-resistant construction and ergonomic design.



Image 1: All components of the EGO Blower 765 CFM Car Drying Kit, including the blower unit, battery, charger, and various nozzles.

## SAFETY INFORMATION

Always read and understand all safety warnings and instructions before operating the product. Wear appropriate personal protective equipment, including eye protection, hearing protection, and gloves. Keep bystanders, especially children, away from the operating area. Do not operate the blower in wet conditions or near flammable liquids or gases. Ensure the battery is fully charged before use and removed when not in operation or during maintenance.

## SETUP AND ASSEMBLY

### 1. Charging the Battery

1. Connect the 320W battery charger to a standard power outlet.
2. Slide the 5.0Ah ARC Lithium battery onto the charger until it clicks into place.
3. Allow the battery to charge completely. The indicator lights on the charger will show the charging status.
4. Once fully charged, remove the battery from the charger.

## 2. Attaching the Nozzle

1. Select the desired nozzle (EGO AST2000 Short Nozzle for car drying, or tapered/spread nozzle for yard work).
2. Align the nozzle with the blower's air outlet.
3. Push and twist the nozzle until it securely locks into position. Ensure it is firmly attached before operation.



Image 2: Close-up view of the blower's nozzle attachment point, showing the secure connection.

## OPERATING INSTRUCTIONS

### 1. Installing the Battery

1. Ensure the blower is turned off.
2. Align the fully charged battery with the battery compartment on the blower.
3. Slide the battery into the compartment until it clicks securely into place.

### 2. Starting the Blower

1. Press and hold the safety lock button.
2. Squeeze the trigger to start the blower. Release the safety lock button once the blower is running.

### 3. Adjusting Airflow

- **Variable Speed Dial:** Rotate the speed control dial to adjust the airflow from 260 CFM to 580 CFM for precise control over various tasks.
- **Turbo Mode:** For maximum power (765 CFM), press the TURBO button. This mode is ideal for clearing heavy debris or for rapid car drying.
- **Cruise Control:** The redesigned cruise control dial allows for consistent blowing without continuously holding the trigger.



Image 3: The EGO Blower with the battery installed, highlighting the control panel and trigger for operation.

## MAINTENANCE

- **Cleaning:** After each use, wipe down the blower with a damp cloth. Ensure the air intake vents are clear of debris to

prevent overheating. Do not use solvents or harsh chemicals.

- **Battery Care:** Store batteries in a cool, dry place away from direct sunlight and extreme temperatures. Do not store batteries in a discharged state for extended periods.
- **Nozzle Inspection:** Periodically check nozzles for cracks or damage. Replace if necessary to maintain optimal performance.
- **Storage:** Store the blower and its components in a dry, secure location, out of reach of children.

TROUBLESHOOTING

| Problem                        | Possible Cause                                                          | Solution                                                                                                   |
|--------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| Blower does not start.         | Battery not installed correctly or discharged. Safety lock not engaged. | Ensure battery is fully charged and securely installed. Press safety lock button before squeezing trigger. |
| Reduced airflow.               | Nozzle partially blocked. Air intake vents obstructed.                  | Clear any debris from the nozzle. Ensure air intake vents are clean and unobstructed.                      |
| Blower stops during operation. | Battery overheated or discharged.                                       | Allow battery to cool down. Recharge battery if necessary.                                                 |

SPECIFICATIONS

- **Model Name:** LB7654
- **Item Model Number:** EGO765-AST2000KIT
- **Brand:** Clean Garage (Manufacturer: EGO Power+)
- **Airflow:** Up to 765 CFM (Turbo Mode), 260-580 CFM (Variable Speed)
- **Power Source:** Battery Powered (EGO 56V ARC Lithium)
- **Battery Included:** 1x 5.0Ah ARC Lithium Battery
- **Charger Included:** 1x 320W Battery Charger
- **Nozzles Included:** EGO AST2000 Short Nozzle, Tapered Nozzle, Spread Nozzle
- **Item Weight:** Approximately 30 Pounds (with battery)
- **Product Dimensions:** 22"L x 12"W x 12"H
- **Special Feature:** Adjustable Speed
- **Form Factor:** Handheld

WARRANTY AND SUPPORT

The EGO Power+ 765 CFM Blower comes with a **5-Year Tool Warranty**. The included 5.0Ah ARC Lithium battery is covered by a **3-Year Battery Warranty**. For warranty claims, technical support, or replacement parts, please contact the manufacturer, EGO Power+, or your retailer, The Clean Garage, directly. Please retain your proof of purchase for warranty validation.

For further assistance, visit the official EGO Power+ website or contact The Clean Garage customer service.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**