

Merax B0DJ2HT9NP

Merax 67.5" Outdoor Patio Daybed 3 Seater Sofa Bed Instruction Manual

Model: B0DJ2HT9NP

INTRODUCTION

Thank you for choosing the Merax 67.5" Outdoor Patio Daybed. This manual provides essential information for the safe assembly, operation, and maintenance of your new outdoor furniture. Please read these instructions thoroughly before assembly and retain them for future reference.

SAFETY INFORMATION

Important Safety Warnings:

- Keep the daybed away from open flames or high heat sources to prevent fire hazards.
- Supervise children and pets around the daybed to avoid entrapment risks or injury.
- Ensure all connections are securely fastened before use. Periodically check and tighten hardware as needed.
- Do not exceed the recommended weight capacity. This daybed is designed for a seating capacity of 3 individuals.

PACKAGE CONTENTS

Before beginning assembly, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Acacia Wood Frame Components
- Rattan Armrest Panels
- Seat Cushion (1)
- Back Cushions (3)
- Assembly Hardware (bolts, washers, Allen wrench)

SPECIFICATIONS

Brand	Merax
Model	B0DJ2HT9NP
Product Dimensions (D x W x H)	32"D x 67.5"W x 24.25"H
Item Weight	70.54 Pounds
Frame Material	Acacia Wood
Arm Style	Track with Rattan
Upholstery Fabric Type	Polyester Blend
Cushion Construction	Foam filling with water-resistant properties
Seating Capacity	3
Assembly Required	Yes

The Merax Outdoor Patio Daybed is designed for outdoor use, providing a comfortable seating and lounging option for your patio or garden.




Figure 1: Dimensions of the Merax Outdoor Patio Daybed. The daybed measures 67.50 inches in width, 32.00 inches in depth, and 24.25 inches in height. The seat height is 11.00 inches, and the seat width is 64.75 inches.

SETUP AND ASSEMBLY

Assembly of the Merax Outdoor Patio Daybed is required. It is recommended to have two people for assembly. Please follow the steps below carefully.

- 1. Unpack Components:** Carefully remove all parts from the packaging. Lay them out on a clean, soft surface to prevent scratches. Identify all frame pieces, rattan armrests, cushions, and hardware.

2. **Assemble Main Frame:** Connect the main frame sections using the provided bolts and Allen wrench. Do not fully tighten bolts until all sections are aligned.
3. **Attach Armrests:** Secure the rattan armrest panels to the main frame using the designated hardware. Ensure the rattan weave faces outwards.
4. **Tighten All Hardware:** Once all frame components and armrests are in place and aligned, fully tighten all bolts.
5. **Place Cushions:** Position the large seat cushion onto the daybed frame. Place the three back cushions against the backrest.



Figure 2: Fully assembled Merax Outdoor Patio Daybed in an outdoor environment.



Figure 3: Front view of the daybed, illustrating the integrated rattan armrests and the overall structure.

OPERATING INSTRUCTIONS

The Merax Outdoor Patio Daybed is designed for comfortable outdoor lounging and seating. It can accommodate up to three individuals.

- **Seating:** Use the daybed as a comfortable outdoor sofa for multiple guests.
- **Lounging:** The spacious design allows for comfortable lounging. You may adjust the back cushions for preferred support.
- **Placement:** Position the daybed on a flat, stable surface in your desired outdoor area.

MAINTENANCE

Proper care will extend the life and appearance of your Merax Outdoor Patio Daybed.

Acacia Wood Frame Care:

- **Cleaning:** Wipe the wood frame with a soft, damp cloth. For stubborn dirt, use a mild soap solution and rinse thoroughly. Dry immediately to prevent water spots.
- **Protection:** To maintain the wood's appearance and protect it from weathering, periodically apply a

suitable outdoor wood oil or sealant. Follow the product manufacturer's instructions for application.

- **Storage:** During harsh weather conditions or prolonged periods of non-use, it is recommended to cover the daybed or store it in a sheltered area to protect the wood.

Cushion Care:

- **Water Resistance:** The cushions are covered with a non-porous, water-resistant material, making spills easy to clean. However, they are not waterproof and should not be submerged in water.
- **Cleaning Spills:** Promptly wipe up spills with a clean, dry cloth. For more extensive cleaning, use a mild soap and water solution, then rinse and air dry completely.
- **Storage:** To prolong the life of the cushions, store them indoors during inclement weather or when not in use for extended periods.



Figure 4: Close-up of the rattan armrest and acacia wood frame, highlighting the materials requiring care.



Figure 5: Detail of the cushion zipper, indicating removable covers for cleaning.

TROUBLESHOOTING

This section addresses common issues you might encounter with your Merax Outdoor Patio Daybed.

- **Loose Connections:** If the daybed feels wobbly, check all bolts and connections. Tighten any loose hardware using the provided Allen wrench.
- **Cushion Discoloration/Stains:** Refer to the "Cushion Care" section under Maintenance for cleaning instructions. Promptly address spills to prevent permanent staining.
- **Wood Fading/Weathering:** Over time, outdoor wood may naturally weather. To restore its appearance, clean the wood and apply a suitable outdoor wood oil or stain as per the product's instructions.
- **Rattan Damage:** Avoid sharp objects or excessive force on the rattan. Minor fraying can sometimes be carefully trimmed. For significant damage, contact customer support.

WARRANTY

Merax products are covered by a manufacturer's warranty against defects in materials and workmanship. Please refer to the warranty information provided with your purchase or contact Merax customer support for specific details regarding your product's warranty period and terms.

CUSTOMER SUPPORT

For any questions, assistance, or to report missing/damaged parts, please contact Merax customer support:

- **Email:** csr@merax.com
- **Website:** [Merax.com](https://www.merax.com)