

Jansite RM

Jansite 10.26" Wireless Car Play & Android Auto Screen User Manual

Model: RM

Brand: Jansite

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your new Jansite 10.26-inch Wireless Car Play & Android Auto Screen with integrated 4K Dash Cam. Please read this manual thoroughly before using the device to ensure proper functionality and safety. This device is designed to enhance your driving experience by integrating smartphone functionalities, navigation, and recording capabilities directly into your vehicle.

2. PRODUCT OVERVIEW

2.1. Package Contents

Upon unboxing, please verify that all the following components are included:

- Jansite Car DVR (Main Unit)
- Rear View Camera
- Power Cord (Cigarette Lighter Adapter)
- AUX Cable
- Two Brackets (Suction Cup Mount and Dashboard Mount)
- 64GB TF Card
- User Manual

2.2. Key Features

- **Wireless Apple CarPlay & Android Auto:** Seamless integration with your smartphone for navigation, music, calls, and voice control.

- **4K Dash Cam & 1080P Rear Camera:** Comprehensive recording of driving processes with a 350° rotatable front camera for multiple perspectives (front, side, inside).
- **Exclusive Carplay Bracket:** Designed for stable and secure installation, minimizing obstruction of view.
- **Online Navigation & Mirror Link:** Access phone maps for real-time directions and mirror phone content to the screen (Note: Streaming services like Netflix, YouTubeTV may not be available via MirrorLink).
- **Loop Recording & G-sensor:** Continuous recording with automatic locking of footage during collisions.
- **Seamless WiFi Connectivity:** View and download videos to your phone via a dedicated app.
- **High-Quality Audio Output:** Supports Bluetooth, FM wireless transmission, and AUX output.
- **10.26-inch Display:** Large touchscreen with split-screen functionality and automatic brightness adjustment.



Figure 2.1: The Jansite 10.26-inch Wireless Car Play and Android Auto Screen, showcasing its main display and integrated 4K dash camera. The image also highlights key features such as the rotatable camera, included 64GB TF card, mounting bracket, and compatibility with Android Auto and Apple CarPlay.

3. SETUP & INSTALLATION

The Jansite Car Play Screen is designed for easy installation in most car models (12V-24V vehicle voltage required).

3.1. Power Connection

1. Ensure your vehicle's ignition is off.
2. Connect the provided power cord to the main unit.
3. Plug the cigarette lighter adapter into your vehicle's 12V-24V power outlet.

3.2. Mounting Options

Two types of brackets are included for flexible installation:

- **Dashboard Mount:** Use the adhesive sticker bracket to secure the unit to your dashboard. This bracket is designed to be stable and minimize shaking.
- **Suction Cup Mount:** For windshield mounting or if you prefer to save space on the center console.

Choose the mounting position that provides the best view without obstructing your driving vision.



Figure 3.1: Diagram illustrating the quick and easy installation process, showing the main unit connecting to the car charger and the rear view camera wiring to the reversing lamp's positive lead.



Figure 3.2: Visual representation of the two included brackets (Bracket 1 for dashboard, Bracket 2 for suction mount) and various installation options for the Carplay screen.

3.3. Rear View Camera Installation

The 1080P rear camera provides a clear view for reversing. Connect the rear camera cable to the main unit's AV IN port. For automatic display when reversing, connect the red wire of the rear camera to the positive lead

of your vehicle's reversing lamp.

4. OPERATING INSTRUCTIONS

4.1. Wireless Apple CarPlay & Android Auto

This device supports wireless Apple CarPlay and Android Auto, allowing you to access your smartphone's features safely while driving.

1. On the Jansite screen, select the 'CarPlay' or 'Android Auto' icon.
2. On your iPhone or Android phone, turn on Wi-Fi and Bluetooth.
3. Search for the device's Bluetooth name (e.g., "T86PRO-2608") on your phone and connect.
4. Once connected, CarPlay or Android Auto will launch automatically.

Wireless Carplay & Android Auto



Map Navigation



Online Music



Hands-free Calling



Voice Control



Apple Carplay



Android Auto



Figure 4.1: Depicts the user interface for both Apple CarPlay and Android Auto on the Jansite screen, highlighting features like map navigation, online music, hands-free calling, and voice control. It also notes compatibility limitations with certain phone brands.



Figure 4.2: Step-by-step guide on how to wirelessly connect an iPhone to the Jansite screen for Apple CarPlay functionality.



Figure 4.3: Step-by-step guide on how to wirelessly connect an Android phone to the Jansite screen for Android Auto functionality.

4.2. Voice Control

Utilize Siri or Google Assistant for hands-free control of your device and smartphone applications. This feature is accessible once CarPlay or Android Auto is connected.

Voice Control & Real-time Navigation

Free your hands for safer driving maneuvers



Figure 4.4: Illustrates the voice control feature, showing how users can interact with the device using commands like "Hey Siri, Play Music" or "Hi Google, Go Home" for navigation and other functions.

4.3. Dash Cam Operation (4K Front & 1080P Rear)

The integrated dash cam records continuously when the device is powered on.

- **Loop Recording:** The system automatically overwrites the oldest footage when the TF card is full, ensuring continuous recording.
- **G-sensor:** In the event of a sudden impact or collision, the G-sensor will automatically lock the current video file to prevent it from being overwritten.
- **350° Rotatable Front Camera:** Adjust the front camera's angle to record the front, side windows, or

inside of the car.

- **WiFi Connectivity:** Download the companion app (e.g., "Vidure" for iOS/Android) to view and download recorded videos directly to your smartphone in real-time.

4K+1080P High-quality Camera

Drive Smart and Safer with Auto Dimmer



DIY Guide line




Loop Recording




G-sensor



64GB TF Card



4K Front Camera



1080P Rear Camera



Loop Recording



Figure 4.5: Highlights the 4K front camera and 1080P rear camera capabilities, along with features like DIY guide lines, loop recording, G-sensor, and the included 64GB TF card.

Attention Before Use:



- 1 Please be sure to use the original cigarette lighter power adapter provided by us.
- 2 If there are difficulties connecting to AirPlay. It might be necessary to restart the phone to establish a successful connection.
- 3 The maximum support is 128GB. Please use SD cards from major brands such as SanDisk, Kingston, Toshiba, and Samsung. Speed certification must be at least Class 10.
- 4 Support IOS 10+ and Android 11+ phones, except for Huawei and Samsung phones with partial-mode mirroring. If you are not sure if your Android phone is suitable, please feel free to check with us.

Figure 4.6: Explains how loop recording continuously records video and overwrites old files, while the G-sensor automatically locks video during emergencies.

Quick & Easy Installation




Figure 4.7: Shows the built-in WiFi feature, enabling users to view and download videos directly to their phone via the app, and control dash cam functions.

4.4. Mirror Link Function

The Mirror Link function allows you to display your smartphone's screen content directly onto the Jansite display. This is useful for viewing content not directly supported by CarPlay/Android Auto.

- **iOS Mirror Link (AirPlay):** For iOS 10+ devices. Select AirPlay on the screen, turn on Wi-Fi on your iPhone, and select the device for screen mirroring.
- **Android Mirror Link (Android Cast):** For Android 11+ devices. Select Android Cast, scan the QR code to download the "TcLink" application, and follow the prompts to connect.

Note: Certain streaming applications like Netflix and YouTubeTV may not be available or function correctly via Mirror Link due to content protection policies.

Play Videos with Mirror Link

Play videos through the mirror link(Netflix, youtube tv
Paramount+ may not be available)



2160P HD Resolution



10.26"Screen



Airplay for IOS 10+ / Miracast for Android 11+

Figure 4.8: Illustrates the Mirror Link feature, allowing users to play videos from their phone on the 10.26-inch screen. It also notes that certain streaming services may not be supported.



Figure 4.9: Explains the wireless mirror link feature, which synchronizes mobile phone content to the screen for clearer video quality and richer colors.

4.5. Audio Output Options

The Jansite screen offers multiple ways to output audio to your car's sound system:

- **Bluetooth to Car Speaker:** The primary and recommended method for high-quality audio. Connect the device's Bluetooth to your car's stereo system.
- **AUX Cable Input:** For car models without Bluetooth, use the provided AUX cable to connect the device to your car's AUX input.
- **FM Transmitter:** Transmit audio wirelessly to your car's FM radio by tuning both the device and your car radio to the same FM frequency.
- **Built-in Speaker:** The device has a built-in speaker, but its sound quality is limited and not recommended for primary audio output.

Support Dual Bluetooth Connect

You can choose the car audio output for better sound quality!



4 Kinds of Audio Output



Figure 4.10: Illustrates the four available audio output methods: Bluetooth to car speaker, AUX cable input, FM transmitter, and the built-in speaker.

4.6. Screen Features

- **10.26-inch Display:** Provides a spacious touchscreen interface.
- **Split Screen Functionality:** Allows you to display two applications simultaneously, such as navigation and music, or a camera view alongside another app. This can be configured in the settings.
- **Automatic Brightness Adjustment:** The screen features a light-sensing design that automatically adjusts brightness based on ambient light conditions, improving visibility and reducing eye strain.



Figure 4.11: Demonstrates the 10.26-inch screen's ability to operate in both full-screen and split-screen modes, showing examples like Phone+Front Camera, Map+Front Camera, and Music+Front Camera.



Figure 4.12: Illustrates the screen's light-sensing design, which automatically adjusts brightness for optimal viewing in various lighting conditions, enhancing safety and comfort.

5. MAINTENANCE

To ensure the longevity and optimal performance of your Jansite Car Play Screen, follow these maintenance guidelines:

- **Cleaning:** Use a soft, lint-free cloth to clean the screen. For stubborn smudges, slightly dampen the cloth with water or a screen-safe cleaner. Avoid abrasive materials or harsh chemicals.
- **Temperature:** Avoid exposing the device to extreme temperatures, both hot and cold, for extended periods.
- **Cable Management:** Ensure all cables are securely connected and not pinched or tangled, which could lead to damage.
- **Protective Film:** The screen comes with a removable protective film. If you notice scratches, ensure it's not just on the film before assuming damage to the screen itself.

6. TROUBLESHOOTING

If you encounter issues with your Jansite Car Play Screen, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
TF card failure / Not loading	Corrupted card, incompatible card, or improper formatting.	Format the TF card directly on the carplay screen. Ensure the card is from a major brand (SanDisk, Kingston, Toshiba, Samsung) and is at least Class 10. The maximum supported capacity is 128GB.
Difficulty connecting to AirPlay / CarPlay / Android Auto	Temporary software glitch, Bluetooth/Wi-Fi interference.	Restart your smartphone and the Jansite screen. Ensure Wi-Fi and Bluetooth are enabled on your phone.
Screen appears scratched upon arrival	Removable protective film is still on the screen.	Gently peel off the outer layer of the protective film.
No power to the unit	Power cord not properly connected, vehicle voltage issue.	Ensure the original cigarette lighter power adapter is used and fully inserted. Verify your car's voltage is between 12V-24V.
Mirror Link not working for certain apps (e.g., Netflix)	Content protection restrictions.	This is a limitation due to copyright protection. Such applications are typically not supported via Mirror Link.

If the issue persists after attempting these solutions, please contact customer support.

7. SPECIFICATIONS

Feature	Detail
Model Name	RM
Screen Size	10.26 inches
Front Camera Resolution	4K (2160p)
Rear Camera Resolution	1080P
Front Camera Rotation	350°
Connectivity Technology	Bluetooth, Wi-Fi
Special Features	Apple CarPlay, Android Auto, Mirror Link, Voice Control, Loop Recording, G-sensor
Included Storage	64GB TF Card (Supports up to 128GB)
Vehicle Service Type	Car 12-24V

Feature	Detail
Mounting Type	Suction Cup Mount, Dashboard Mount
Item Weight	2.38 pounds
Package Dimensions	11.3 x 5.63 x 4.29 inches

8. WARRANTY & SUPPORT

Jansite is committed to providing high-quality products and customer satisfaction. For any inquiries, technical assistance, or to request customized boot logos or extra double-sided adhesive brackets, please refer to the after-sale contact information provided in your product packaging or on the official Jansite website. Please retain your proof of purchase for warranty claims.