

VIKIO HOME VK-RP10-36

VIKIO HOME Wall Mount Range Hood Instruction Manual

Model: VK-RP10-36

INTRODUCTION

Thank you for choosing the VIKIO HOME Wall Mount Range Hood. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your new appliance. Please read this manual thoroughly before installation and use, and keep it for future reference.



The VIKIO HOME Wall Mount Range Hood, featuring a sleek stainless steel design.

The VIKIO HOME Wall Mount Range Hood (Model VK-RP10-36) is designed to effectively eliminate smoke and odors from your kitchen. With a powerful 580 CFM capacity and a dual-intake motor, it ensures efficient air circulation. Its durable 430-grade brushed stainless steel construction and touch controls offer both modern aesthetics and ease of use. This range hood can be configured for both ducted and ductless installations, providing flexibility for various kitchen setups.



Illustration highlighting the 580 CFM powerful suction and 3-speed settings of the range hood.

Quiet Comfort Made Easy



68%* Quieter



VIKIOHOME

As low as 45 dB



VIKIOHOME

*Tested by VIKIOHOME Lab, comparing with traditional range hoods.

The range hood is designed for quiet operation, with noise levels as low as 45 dB.

IMPORTANT SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or injury to persons, observe the following:


- Install this range hood in accordance with all specified instructions.
- Always disconnect power before servicing or cleaning the unit.
- Ensure proper ventilation is provided for combustion gases from fuel-burning equipment to prevent back-drafting.
- Do not use the range hood for exhausting hazardous or explosive materials.
- Clean grease filters regularly to prevent grease fires.
- Never leave surface units unattended at high settings. Boil-overs cause smoking and greasy spill-overs that may ignite.
- Use appropriate size cookware on each burner.
- For general ventilating use only. Do not use to exhaust hazardous or explosive materials and vapors.

- Installation work and electrical wiring must be done by qualified person(s) in accordance with all applicable codes and standards, including fire-rated construction.
- Sufficient air is needed for proper combustion and exhausting of gases through the flue (chimney) of fuel burning equipment to prevent back-drafting.
- When cutting or drilling into wall or ceiling, do not damage electrical wiring and other hidden utilities.
- Ducted fans must always be vented to the outdoors.

WHAT'S IN THE Box

Your VIKIO HOME Wall Mount Range Hood package includes the following components:

- Wall Mount Range Hood Unit
- Stainless Steel Baffle Filters (Quantity: 3)
- User Installation Manual
- Air outlet and volute integrated component
- Installation Screw Pack
- Duct (if applicable for ducted models)
- Ulastics Oil Cup



Visual representation of the components included in the package.

SPECIFICATIONS

Feature	Detail
Brand	VIKIO HOME
Model Info	VK-RP10-36
Air Flow Capacity	580 Cubic Feet Per Minute (CFM)
Material	Stainless Steel (430-grade brushed)
Noise Level	As low as 35 dBA (low speed), under 65 dBA (high speed)
Mounting Type	Wall Mount

Controls Type	Touch
Voltage	110 Volts
Number of Speeds	3
Light Source Type	LED (Dual 2W 4000K)
Filter Type	Baffle (Dishwasher-safe Stainless Steel)
Ventilation Type	Ducted/Ductless Convertible
Product Dimensions	19.68 x 35.23 x 11.7 inches (D x W x H)
Item Weight	23.8 Pounds
Special Features	Noise Reduction, Dual-Intake Motor Design
UPC	717813999932

SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance and safety of your range hood. Due to the size and weight of this range hood, **proper installation requires 1-2 people**.


Installation Overview:

- Ensure the mounting surface is structurally sound to support the weight of the unit.
- Determine whether you will use ducted (vented) or ductless (recirculating) installation. Optional carbon filter kits are available for ductless installations.
- Refer to the detailed installation diagram and instructions provided in the included User Installation Manual for precise measurements and steps.
- All necessary installation hardware is included.

Proper Installation

30" Model: VKARP1030SI

36" Model: VKARP1036SI



Due to the size and weight of this range hood, proper installation requires 1-2 people



ETL Listed

Detailed diagram showing dimensions and installation considerations for the range hood.

Ducted vs. Ductless Operation:

Your range hood supports both ducted and ductless modes. We recommend ducted mode for heavy cooking tasks and ductless for light to moderate ones.

Duct or Ductless Both with Double-Sided Air Inlet

Note:

We recommend ducted mode for heavy tasks, ductless for light to moderate ones.



Visual explanation of ducted and ductless ventilation options.

OPERATING INSTRUCTIONS

The VIKIO HOME Range Hood features intuitive touch controls for easy operation.

Touch and Go: Control Made Easy



The touch control panel provides easy access to all functions.

Control Panel Functions:

Easier Operation



Breakdown of the control panel buttons: Timer, Power On/Off, Decrease Speed, Increase Speed, Light On/Off.

- **Power On/Off:** Press to turn the unit on or off.
- **Fan Speed Control:** Use the '+' and '-' buttons to cycle through the 3 fan speeds (Low, Medium, High).
- **LED Lights:** Press the light button to turn the dual 2W 4000K LED lights on or off, illuminating your cooking area.
- **Timer Function:** The timer button allows for a 1-9 minute delay off function, ensuring residual odors are cleared after cooking.



The range hood offers three distinct fan speeds for total control over ventilation.

MAINTENANCE AND CLEANING

Regular maintenance ensures the longevity and optimal performance of your range hood.

Cleaning the Baffle Filters:

The stainless steel baffle filters are designed to effectively capture grease and oil. They are dishwasher-safe and easy to remove for cleaning.

- To remove filters: Locate the handles on each filter and pull down to release.
- Clean filters regularly (recommended monthly, or more frequently depending on cooking habits) in a dishwasher or by hand with hot, soapy water.

- Ensure filters are completely dry before re-installing.

Cooking Under Just Right Light

Dual 2W 4000K LED lights provide clear visibility of your ingredients, enhancing your cooking experience.



The stainless steel baffle filters are dishwasher-safe for convenient cleaning.

Efficient air circulation helps remove up to 98% of grease, reducing buildup on appliances and making overall kitchen maintenance easier.

Efficient Air Circulation Removes 98% Grease




Illustration of how the range hood's design efficiently captures and removes grease.

Exterior Cleaning:

- Wipe the stainless steel exterior with a soft cloth and a non-abrasive stainless steel cleaner.
- Avoid using abrasive cleaners or scouring pads, as they can scratch the surface.

TROUBLESHOOTING GUIDE

Before contacting customer service, please refer to the following common issues and their solutions:

Problem	Possible Cause	Solution
Range hood does not operate	No power supply; circuit breaker tripped; power cord not connected.	Check power supply, reset circuit breaker, ensure power cord is securely plugged in.
Poor suction performance	Grease filters clogged; ductwork obstructed; incorrect installation (e.g., too far from cooktop).	Clean or replace filters; check ductwork for obstructions; verify installation height.
Excessive noise	Loose parts; fan motor issue; ductwork issues (e.g., too small, kinks).	Check for loose components; inspect fan blades; ensure ductwork is correctly sized and installed.
LED lights not working	Light bulb faulty; electrical connection issue.	Replace LED bulb (if replaceable); check wiring connections.

If the problem persists after attempting these solutions, please contact VIKIO HOME customer service.

WARRANTY AND CUSTOMER SUPPORT

VIKIO HOME is committed to providing high-quality products and excellent customer service. Your Wall Mount Range Hood comes with a manufacturer's warranty covering defects in materials and workmanship.

For detailed warranty information, including coverage period and terms, please refer to the warranty card included with your product or visit the official VIKIO HOME website.

Hassle-Free Purchase: All installation hardware and clear instructions are included. Free replacements for accessories such as filters and lights are available when needed.

Our dedicated customer service team is always here to assist with any questions, concerns, or technical support needs.

Please have your model number (VK-RP10-36) and purchase date ready when contacting support.

Contact Information:

Website: Visit the VIKIO HOME Store on Amazon

Email: Refer to your product documentation for specific support email.

Phone: Refer to your product documentation for specific support phone number.

© 2025 VIKIO HOME. All rights reserved.

This manual is subject to change without notice.